

THE BIGGER RED BOOK

CARAVAN LEISURE ACCESSORIES
www.crusaderproducts.co.uk



WELCOME TO CRUSADER PRODUCTS

As a family-run business, we are dedicated to providing our customers with the highest standard of service.

For over 30 years, Crusader Products has been a trusted supplier of quality caravan, motorhome, and outdoor leisure products. Based in Long Eaton, Nottingham, at the heart of the Midlands, we strive to offer consistent quality, greater variety, better value and excellent service to our customers.

With a comprehensive catalogue featuring over 8,000 products, we offer a diverse range, from trusted Automotive Cable products to Outdoor Leisure, where you'll find an impressive selection of furniture and outdoor lifestyle essentials. We're dedicated to staying ahead of the curve in design and innovation. Our team of specialists are always available to provide detailed technical support, ensuring you find exactly what you need with ease.

At Crusader Products, we believe in building strong relationships with our valued customers. Our team is dedicated to answering any inquiries you may have and ensuring your satisfaction with our products and services.

Thank you for choosing Crusader Products Limited. We look forward to serving you and meeting all your caravan, motorhome, and outdoor leisure needs.



Apply for a trade account

Don't have an account with us? No problem, it's really easy, just visit our website or scan the QR code below and fill in our account application form.



SCAN ME!

Why choose Crusader Products?

- Family run business
- British owned
- We always put our customers first
- Established over 30 years
- We stock British made products

Register for a website login

Website benefits:

- Keep up to date with latest products
- Check stock and prices conveniently any time
- Quick order facility
- View your account history and statement



SCAN ME!

How to order

☎ 01159 736 939

✉ sales@crusaderproducts.co.uk

🌐 www.crusaderproducts.co.uk

We're here to help

Our experienced and friendly customer service team will be happy to take your order or offer you help and advice.

📍 Crusader Products Ltd,
Forbes Park, 2 Toton Close, Long Eaton,
Nottingham, Nottinghamshire,
NG10 3TP, United Kingdom

CONTENTS

OUTDOOR LEISURE

- » Tents & Awnings 8
- » Windbreaks 20
- » Tent & Awning Accessories 22
- » Motorhome & Caravan Covers 28
- » Furniture 36
- » Sleeping 42
- » Utility Lights 43
- » Matting 44
- » Clean & Protect 47
- » Homeware 54
- » Drinkware 58
- » Coolers 60
- » BBQ & Stoves 62
- » Steps 66
- » Screens & Blinds 68

APPLIANCES

- » Fridges 72
- » Ovens & Microwaves 74
- » Combi Units 75
- » Hobs 76
- » Sinks 78
- » Water Heaters 79

WATER

- » Toilets 82
- » Fresh Up Sets 84
- » Sanitation & Toilet Chemicals 86
- » Water Purifiers 88
- » Water Carriers 89
- » Taps 90
- » Shower Accessories 97
- » Tap Accessories 100
- » Water Pumps 101
- » Sink Wastes 102
- » Water Hose & Pipes 104
- » Water Filters 105
- » Water Fittings 106
- » Hose & Pipe Connectors 113
- » Water Inlets 114
- » External Outlets 116
- » Outdoor Utility / Food Grade Hose 117

SECURITY

- » Hitch Locks & Wheel Clamps 120
- » Alarms 121
- » Exterior Locks 122
- » Barrel & Key Sets 123
- » Keys & Accessories 124

LIGHTING & BULBS

- » Number Plate Lights & Marker Lamps 128
- » Rear Lighting 131
- » Cluster Lighting 132
- » Reflectors 133
- » Interior Lighting 134
- » Awning Lighting 135
- » Bulbs & Tubes 136

GAS & SAFETY

- » Gas Cartridges 140
- » Regulators 141
- » Regulator Kits & Hose 143
- » Pigtails 144
- » Compression Fittings 146
- » Copper Pipe & Manifold/Adaptor Valves 148
- » Gas Lockers & Accessories 149
- » Gas Outlets 150
- » Extinguishers & Alarms 152
- » Test / Maintenance Sprays & Safety Stickers 153

TOWING & AUTO

- » Towballs 156
- » Towing Mirrors & Stability 157
- » 12V Towing 158
- » Stickers 163
- » Jockey Wheels 164
- » Clamps, Breakaway Cables & Braces 167
- » Accessories & Jack Pads 168

MAINTENANCE & WORKSHOP

- » Swivel Seat Systems 172
- » Rock & Roll Bed 174
- » Mirror Caps 175
- » Sealant & Adhesive 176
- » Gorilla Glue & Tapes 179
- » Mastic Sealing Strips 180
- » Clocks 181
- » Door Fittings 182
- » Hinges & Brackets 188
- » Accessories 190
- » Fill In Strips 191

Follow us

Crusader Products

[f crusaderproducts](https://www.facebook.com/crusaderproducts)

[@crusaderproductslimited](https://www.instagram.com/crusaderproductslimited)

Royal Leisure

[f royalcampinguk](https://www.facebook.com/royalcampinguk)

[@royalcampinguk](https://www.instagram.com/royalcampinguk)

VENTILATION

» Rooflights	194
» Blinds & Flynets	197
» Accessories	198
» Vents	200

ELECTRICAL ACCESSORIES

» Mains Equipment	204
» Solar	208
» Battery Charging	212
» Sargent Accessories	214
» Berker Frames, Sockets & Switches	215
» Electrical Outlets	219
» Plugs, Sockets & Relays	220
» Mains Consumer Units & Breakers	223
» Battery Terminals	224
» Battery Accessories	226
» TV & Aerial Accessories	228
» Cable Management	230
» Fuses & Holders	232
» Terminals & Connectors	236
» Heat Shrink	240
» Convoluted Tubing & Tape	241
» Batteries	242

CABLE

» Thin Wall Auto	
- Single	247
- Twin	248
- Multicore	249
» Standard PVC Auto	
- Single	250
- Twin	251
- Multicore	252
» Battery	254
» Battery & Welding	255
» Speaker, Coaxial & Alarm	256
» Tri Rated	257
» Heat Resisting Silicone	258
» Mains	259

SPARES


» Reich	262
» Comet	265
» Thetford	267
» Crusader Products & Royal Leisure	283
» Coleman & iMass	288



Our scenic images have kindly been provided by Mark Pemberton, who has been a valued part of the Crusader family since inception. You can follow Mark on Instagram.

@markpemberton_photos

Our Key Brands





OUTDOOR LEISURE



IN THIS SECTION

» Tents & Awnings	8
» Windbreaks	20
» Tent & Awning Accessories	22
» Motorhome & Caravan Covers	28
» Furniture	36
» Sleeping	42
» Utility Lights	43
» Matting	44
» Clean & Protect	47
» Homeware	54
» Drinkware	58
» Coolers	60
» BBQ & Stoves	62
» Steps	66
» Screens & Blinds	68



BUCKLAND

Camping
MAGAZINE

Editor's Choice
awards

COMMENDED
BEST LARGE FAMILY TENT
Royal Buckland 8

Royal Leisure Buckland 8 Berth Poled Tent

Discover the epitome of outdoor luxury with the Royal Leisure Buckland 8 Berth Poled Tent, an abode designed to redefine your camping experience.

With a robust combination of innovative features and durable materials, this tent ensures that your adventure in the great outdoors is nothing short of extraordinary.

Code: W521

Optional Extra



Royal Leisure Buckland 8 Poled Extension

Extends onto the tent, allowing additional room and creating the perfect family tent for a camping holiday.

- Pre-angled poles for larger internal area
- Head height 188 x 270 x 230cm
- High-quality 185t polyester & 3000mm hydrostatic head, ensuring that it is waterproof
- Ring & pin system, reflective guy ropes & supplied with pegs
- Weight: 6.3kg

Code: W524



Day-to-Night Comfort:

The darkened inner tent blocks out daylight, providing a peaceful and restful sleeping environment. Large windows offer enhanced visibility during the day, while roof windows with covers create the perfect ambiance for nighttime stargazing. The sewn-in groundsheet adds an extra layer of protection and comfort.

Convenience at Every Turn:

Designed with camper convenience in mind, the Royal Leisure Buckland features hanging hook and loop ties for easy strip light application, ensuring your evenings are well lit and inviting. Reflective guy ropes enhance visibility, preventing accidental trips in the dark.



Ventilation and Airflow:

Experience superior ventilation with mesh doors and low-level ventilation, effectively minimizing condensation and maintaining a fresh atmosphere inside. The large windows not only offer picturesque views but also contribute to improved air circulation.

Weatherproof Design:

Crafted for the unpredictable UK weather, the 190T polyester flysheet with taped seams boasts a remarkable 5000mm hydrostatic head, guaranteeing exceptional waterproof performance. The covered entrance doors offer protection against the elements, ensuring a dry and cozy interior even during unexpected showers.

Optional Extras for Tailored Comfort:


Elevate your camping experience with optional extras, including the W524 tent extension for expanded living space and the W481 universal 8 berth tent carpet P43 for added warmth and comfort.



Spacious Living

Comfortably accommodating up to 8 individuals, the Royal Leisure Buckland provides ample room for friends and family.

The preangled 12.7mm fibre-flex poles not only ensure a quick and sturdy setup but also contribute to a larger internal area and increased head height, creating a comfortable and inviting living space.






Royal

POLED
WELFORD

**Royal Leisure Welford
4 Poled Tent**

Key Features:

- 4 person capacity with sewn in porch canopy
- 190T polyester flysheet with taped seams
- 3000mm hydrostatic head
- 12.5mm fibre-flex poles
- Sewn in groundsheet
- Inner tent 190T polyester breathable
- Mesh doors and ventilation panels
- Large windows for enhanced visibility
- Covered entrance doors for protection against the elements
- Reflective guy ropes
- All pegs and guy ropes included
- Weight: 15.6kg



Code: W525

Optional Extras:

- W527 - Footprint groundsheet P45
- W480 - Universal 4 berth tent carpet P45



AIR WELFORD

Royal Leisure Welford 4 Air Tent

Key Features:


- Increased internal 4 person capacity for a truly usable family space with both great sized bedrooms and living space
- Flexible and versatile
- 150D Polyester Oxford flysheet with taped seams
- 3000mm hydrostatic head
- 10cm air system with individual inflation points for super quick and easy inflation
- Sewn in groundsheet
- Inner Tent 180T polyester breathable
- Mesh doors and ventilation panels
- Large windows and additional skylights for increased light and great for star watching
- Multi ventilations to reduce condensation
- Handy storage pockets for all your holiday essentials
- Highlight guy ropes with storage
- Pump and all pegs included
- Strong tent storage bag included
- Weight: 26.67kg



Code: W526

Optional Extras:

- W527 - Footprint groundsheet P45
- W480 - Universal 4 berth tent carpet P45





6 BERTH SAFARI

Royal Leisure 6 Berth Luxury XL Air Safari Tent


Introducing the Royal Leisure XL Safari Air Tent the epitome of opulence and adventure, designed to redefine the way you experience the great outdoors!

Setting up camp has never been easier! With our revolutionary airbeam technology, you can inflate and assemble the tent in no time, allowing you to focus on what truly matters - exploring and cherishing unforgettable moments with your loved ones. No more fumbling with poles or complicated instructions; the Royal Leisure XL Safari Air Tent lets you unleash the adventurer within, hassle-free.

The Royal Leisure XL Safari Air Tent also has a heavy duty pvc ground sheet, offering an extra layer of protection against rugged terrains and moisture. Say goodbye to discomfort and embrace the feeling of security that comes with knowing your camping experience is safeguarded by Royal Leisure's commitment to quality.

Key Features:

- Length: 450cm
- Width: 330cm
- Height: 200cm
- Material: 210g polycotton
- Frame: TPU Air Frame
- Colour: Beige
- Weight: 36kg



Code: W501



4 BERTH SAFARI

Royal Leisure 4 Berth Luxury Air Safari Tent

Introducing the Royal Leisure Safari Air Tent, your ticket to adventure and luxury in the great outdoors! Get ready to experience the ultimate blend of style, comfort, and convenience on your next camping expedition.

The Royal Leisure Safari Air Tent has a durable ground sheet built in, offering added protection from rough terrains and moisture. It shields you from the elements, so you can rest easy knowing that your camping experience is safeguarded from unexpected surprises.

As a brand synonymous with excellence, Royal Leisure has thoughtfully engineered every aspect of this tent to exceed your expectations. From the innovative airbeam technology to the stylish design, we have redefined the art of camping to elevate your outdoor experiences.



Key Features:

- Length: 300cm
- Width: 210cm
- Height: 200cm
- Material: 210g polycotton
- Frame: TPU Air Frame
- Colour: Beige
- Weight: 25kg



Code: W500




Royal Leisure Welbeck 390 Porch Awning

The Royal Leisure 390 Welbeck Awning offers a spacious and versatile additional living area, perfect for short family trips and relaxing on site. The lightweight design and easy set up make storage and transport very simple, even for first time users.

Key Features:

- Modern design
- Designed to fit caravans from 235-250cm high
- Roof wall material: Superior Polyester 4000mm HH
- Width: 390cm
- Depth: 240cm
- Frontpanel : 2 roll up panels
- Two side doors with full mesh ventilation panels
- Frame: Fibre reinforced and aluminium roof supports
- Includes: Rear support poles which can also be used as canopy poles
- Includes: Draught skirt and pegs
- Weight: 15.8kg



Code: V707




Royal Leisure Welbeck 260 Porch Awning

The Royal Leisure 390 Welbeck Awning offers a spacious and versatile additional living area, perfect for short family trips and relaxing on site. The lightweight design and easy set up make storage and transport very simple, even for first time users.

Key Features:

- Modern design
- Designed to fit caravans from 235-250cm high
- Roof wall material: Superior Polyester 4000mm HH
- Width: 260cm
- Depth: 240cm
- Frontpanel : 2 roll up panels
- Two side doors with full mesh ventilation panels
- Frame: Fibre reinforced and aluminium roof supports
- Includes: Rear support poles which can also be used as canopy poles
- Includes: Draught skirt and pegs
- Weight: 12.8kg



Code: V703



Royal

UTILITY TENT **APOLLO**

Royal Leisure Air Apollo Utility Room Deluxe Inflatable Storage/Toilet/ Shower Tent

This utility tent can be used for multiple purposes such as a toilet tent or just for extra storage and is ideal for camping, festivals, the beach or simply in the garden. The inflatable beams and single inflation point mean it's quickly and easily assembled. The 190T Polyester material and sewn-in groundsheet protect you from the elements. It's ventilated, has a handy storage pocket and PVC window to allow light in.

Key Features:

- 120 x 120 x 200
- 190T Polyester PU2000mm UV resistance
- Sewn in groundsheet
- Single point inflation
- Multifunctional tent that is compact to carry and easy to set up
- Pump supplied
- Ventilation
- Storage pocket
- PVC Window
- Guy Ropes and pegs included
- Carry bag supplied
- Weight: 8.5kg



Code: W540




Royal Leisure Poled Event Shelter

This lightweight outdoor event shelter provides a comfortable space for all outdoor occasions. Whether it be at the campsite, festival or just in the back garden, this shelter is made from a fibreglass construction that means it is highly convenient and easy to assemble.

Made from a fabric that has a high SPF50 protection to safeguard from the sun's harmful ultraviolet rays, and with a 3000mm hydrostatic head to ensure it is waterproof, this event shelter is perfect come rain or shine, and can take on whatever the great British weather throws at it.

Key Features:

- Size: L350cm x W350cm x H230cm
- Fibreglass pole construction
- 190T Polyester PU3000mm
- 12.25 square metres of living space
- Quick and easy pitch
- Includes 4pcs mesh walls and 2pcs polyester walls
- Includes guylines, steel pegs and carry bag
- Weight: 8.2kg



Code: W530



Royal

AIR SHELTER

Royal Leisure Air Event Shelter

This outdoor air event shelter provides a comfortable space for all outdoor occasions. Whether it be at the campsite, festival or just in the back garden, this shelter's inflatable construction and extra 4 piece fibre glass poles mean it is highly stable and easy to assemble.

This event shelter is perfect come rain or shine and can take on whatever the great British weather throws at it!

Key Features:

- Royal Leisure Air Event Shelter
- 350 x 350 x 230cm
- 190T Polyester
- PU 3000mm
- UV resistance
- Single point inflation
- Fully seam sealed flysheet for maximum protection from wind and rain
- Adjustable pegging point for pitching flexibility
- Pre-attached guy lines for convenience and fast pitching
- Hanging lantern hook ready in the middle
- Air pump supplied
- 4pcs reinforced fiberglass poles included
- Guy lines, tent pegs and carry bag included
- Weight: 10.35kg

Code: W531

Optional Extra



Royal Leisure Air Event Shelter Side Walls

Optional sidewall panels for Royal Leisure Air Event Shelter to provide you with extra protection and privacy.

- Royal Leisure Air shelter side walls pair
- Loop & hook attachments
- 190T polyester PU 3000mm
- UV resistance
- 2pcs as a pair
- Includes necessary tent pegs

Code: W532



Royal



**PRACTICAL IN
ANY SETTING**



WINDBREAKS



Royal Leisure 5 Fixed Panel Inflatable Windbreak

The Royal 5 Panel Air Windbreak is perfect for those wanting to quickly pitch a breeze free privacy area around your camp, garden or whilst at the beach. The Royal 5 Panel Air windbreak can be inflated in less than a minute. Unlike other air windbreaks, the Royal Panel Air comes with a free dual action hand-pump for use straight out of the box.

- Size: 840cmL x 140cmH 5 panel
- Dark grey fabric with PVC clear window
- Includes FREE dual action hand pump
- Includes pegs and guy rope fix system.
- Includes carry bag
- Material: 150D Polyester
- Diameter of air tubes: 10cm
- Carry Bag Size: 83 x 31cm
- Weight: 10kg

Code: V710



Royal Leisure 3 Fixed Panel Inflatable Windbreak

Easily inflatable wind break for camping and caravan holidays Add some privacy and protection from cooling breezes with this Royal inflatable 3 panel windbreak. With a low pack weight and easily inflatable design, this windbreak is perfect for summer camping trips or weekends away.

Flexible layout. Whether used in a straight line to extend your caravan pitch area or more enclosing in a 'U' or 'L' configuration for camping privacy, the Royal 3 Panel Air Windbreak, using the included guylines and pegs, allows you flexibility on how to assemble your windbreak.

- Size: 600cmL x 140cmH 3 Panel
- Quick and easy inflation
- Tough 150D polyester fabric with PU coating
- 3 panel design
- Manual pump
- Carry bag and pegs included
- Colour: Dark Grey
- Weight: 4.1kg

Code: V713



Royal Leisure 5 Panel Windbreak

This stylish windbreak with steel poles provides protection from the wind while the clear windows enable good visibility of your surroundings. It packs away to a compact size and the carry bag makes transportation and storage easy. It perfectly complements Royal's range of tents and awnings.

- Size: 750 x 130cm
- 190T Polyester PU 600mm UV resistance
- Includes steel poles, guy ropes and pegs
- Packed size: 17 x 17 x 57 cm
- Weight: 4.2kg

Code: V716



Royal Leisure 3 Panel Windbreak

This stylish windbreak with steel poles provides protection from the wind while the clear windows enable good visibility of your surroundings. It folds down to a compact size making transportation and storage easy. It perfectly complements Royal Leisure's range of tents and awnings.

- Size: 450 x 130cm
- 190T Polyester PU 600mm UV resistance
- Includes steel poles, guy ropes and pegs
- Packed size: 11 x 13 x 57 cm
- Weight: 2.6kg

Code: V717





Royal Leisure Rock Peg Case

Includes 20 durable rock pegs, all neatly housed in a robust hardback carry case. Each peg measures 7mm x 200mm.


Code: L243



Royal Leisure Glow Rock Peg Case

20 glow-in-the-dark rock pegs, all neatly housed in a robust hardback carry case. Pegs measure 7 x 200mm.

Code: L244



Royal Leisure Heavy Duty Peg Case

20 durable heavy duty pegs, all neatly housed in a robust hardback carry case. Pegs measure 7 x 200mm.

Code: L245



Royal Leisure Screw Thread Peg Case

20 durable screw thread pegs, all neatly housed in a robust hardback carry case. Pegs measure 7 x 200mm.


Code: L246



Royal Leisure Heavy Duty Glow Peg Case

20 glow-in-the-dark rock pegs, all neatly housed in a robust hardback carry case. Pegs measure 7 x 200mm.

Code: L247



Royal Leisure Plastic Peg Case

20 durable plastic pegs, all neatly housed in a robust hardback carry case. Pegs measure 7 x 200mm.

Code: L249



Steel Tent Peg 9"

Pack of 5.

Code: L131

Bulk Pack [x100]: L131B



Steel Tent Peg 7"

Pack of 5.

Code: L133

Bulk Pack [x100]: L133B



Plastic Tent Peg 5 1/2"

Pack of 5.

Code: L134



Rippled Tent Peg 8"

Aluminium. Pack of 3.

Code: L135

Bulk Pack [x100]: L135B



Heavy Duty Peg

Single peg with heavy duty handle and screw-thread end.

Code: L136

Bulk Pack [x100]: L136B



Plastic Tent Peg 8"

Pack of 10.

Code: L130

Bulk Pack [x100]: L113



Plastic Groundsheet Pegs

Flush fitting pegs great for use with groundsheets. Pack of 10.

Code: L106

Bulk Pack [x1000]: G711



Yellow Plastic Awning Pegs

Pack of 5.

Code: G710



Dog Anchor

A large screw-in-ground anchor point, ideal for securing dogs on site.

Code: L521



W4 Peg Extractor

A rubber handled, wire peg extractor, to remove those stubborn pegs easily.

Code: G715



Awning Brackets And Screws

Brackets to help fix awning pole ends. Pack of 3.

Code: G141



Sew On Rubber Awning Pole Brackets

Durable pole brackets. Pack of 3.

Code: G155



W4 Awning Rail Spreader

The Spreader helps open out damaged awning rail.

Code: G695



W4 Awning Rail Cleaning Brush

The brush can both clean the rail and apply lubricant.

Code: G700



Awning Pole Marking Kit

Pack of 3. Miscellaneous colours. Great for easily identifying pole sets.

Code: G702



Brass Eyelet 3/8"

Heavy duty brass eyelets. Pack of 20.

Code: N250

Bulk Pack [x250]: N250B



Brass Eyelets 1/2"

Heavy duty brass eyelets. Pack of 10.

Code: N251

Bulk Pack [x100]: N251B



Brass Eyelet Closing Tool

Code	Size
N252	3/8" 9.5mm
N253	1/2" 13mm



Awning Skirt Stud

Stud only to attach awning skirt. Pack of 5.

Code: N254



Awning Skirt Stud & Popper

Stud and poppers to apply awning skirt. Pack of 5.

Code: N255
Bulk Pack [x100]: N255B



Awning Popper Closing Tool

Tool used for closing awning poppers.

Code: N256



Figure Of 8 For Awning Skirt

Code	Size
L523	750mm
L600	1200mm



Guy Line Runners Bent

Pre angled guyline runners. Pack of 5.

Code: N174
Bulk Pack [x100]: N174B



Guy Line Runner Slotted

Slotted guyline runners. Pack of 5.

Code: N175
Bulk Pack [x100]: N175B



Plastic Triangular Guy Line Runners

Universal plastic triangular guy line runners. Pack of 5.

Code: N176



Guy Line 6m

6m length of replacement white guy line rope.

Code: N177



Elasticated Cord 5m

5m length of elasticated cord for flexible pole repairs.

Code: N178



Awning Rail Protector

A 12 metre length of beading & tape. To ensure a clean and damage free awning rail.

Code: L518

Pole Flanged Foot

Standard pole fitting to help prevent sinking poles.

Code	Size
N189	19mm 3/4"
N135	22mm 7/8"
N136	25mm 1"






Rain Cowls

For added rain protection. Supplied in pairs.

Code: N190



Pole Spring Joints

For pole repairs. Pack of 3.

Code: N191



Spring Buttons

Replacement spring buttons to fix into poles as locating devices. Pack of 3.

Code: N192

Bulk Pack [x100]: N192B



Tent Pole Ring with 2 Pins

Comes with 2 pins. To help secure fibre glass poles.

Code: N134



Pole Spike 3/4" 19mm

Standard 19mm pole fitting to secure a variety of poles into eyelet fittings.

Code: N188



Butterfly Pole Clamps

Code	Size
N137	21-23mm Pair
N138	25-28mm Pair



Pole Clamps

Pole clamps used to secure sliding pole extensions.

Code	Size	Qty
N179	3/4" 19mm	Pair
N179B	3/4" 19mm	Bulk 100
N180	7/8" 21mm	Pair
N180B	7/8" 21mm	Bulk 100
N181	1" 25mm	Pair
N181B	1" 25mm	Bulk 100
N182	1 1/8" 29mm	Pair



Pole 'C' Clips

Awning pole C Clips for attaching awning poles together.

Code	Size	Qty
N183	3/4" 19mm	Pair
N183B	3/4" 19mm	Bulk 100
N184	7/8" 21mm	Pair
N184B	7/8" 21mm	Bulk 100



Awning Pole Hook 3/4" 19mm

Awning hooks designed to fit in the end of awning roof poles to secure the awning to the caravan.

Code	Size	Qty
N185	3/4" 19mm	Pair
N186	7/8" 21mm	Pair
N187	1" 25mm	Pair



Inner Tent Hooks 1" 25mm

To securely fasten on inner tent. Pack of 3.

Code: N221



Inner Tent Hooks 3/4" 19mm

To securely fasten on inner tent. Pack of 3.

Code: N193



Pole Hanging Hooks

Handy brackets to attach to awning poles for additional storage. Pack of 3.

Code: N195



Tent Bands 90mm Large

Popular securing rubbers used in tents and awnings. Pack of 3.

Code: N196

Bulk Pack [x100]: N196B



Tent Bands 150mm XL

Popular securing rubbers used in tents and awnings. Pack of 3.

Code: N197


Bulk Pack [x100]: N197B



Inner Tent Suspension Bands

Flexible rubber bands to attach awning inner tents. Pack of 5.

Code: N198



Ladder Bands

Popular securing rubbers used in tents and awnings. Pack of 5.

Code: N199

Bulk Pack [x100]: N199B



Toggled Tent Bands

Popular securing rubbers used in tents and awnings. Pack of 5.

Code: N200

Bulk Pack [x100]: N200B



Ball Loops 3" 76mm

Pack of handy replacement ball loops. Pack of 3.

Code: N201



Plastic Canopy Hooks Triangular

Replacement canopy hooks. Pack of 3.

Code: N202



Cord Lock

Hardwearing cord locks for use with a variety of cords. Pack of 2.


Code: N281



Self Adhesive Awning Stud

Handy pack of non-screw awning fasteners with 3m adhesive pad. Pack of 2.

Code: N282



**Royal Leisure Smart Clips
Universal Clips**

Universal clips for hanging flags, clothes, lighting and more. Pack of 2.

Code: R899



Air Bed Plug

Replacement air bed plugs. Pack of 5.


Code: S381



Awning Rail Lubricant

Non greasy or marking silicone lubricant. 100ml spray bottle.

Code: N782



Alloy Compact Hanger

Lightweight awning hanger supplied with 5 hanging hooks.

Code: G698



**Rubber Mallet
with Steel Handle**

A great value, solid rubber mallet with steel handle.


Code: T109



**Rubber Mallet
with Wooden Handle**

A great value, solid rubber mallet with wooden handle.

Code: T112



Folding Luggage Trolley

- Solid steel construction
- Ideal for festivals, shopping, home and leisure.
- Maximum suggested load 25kg
- Includes 1 x bungee strap
- Folds flat
- Weight: 1.58kg

Code: W440



Awning Tie Down Kit

This awning tie down kit helps secure an awning in windy weather.

Code: V885



Awning Rail 3 X 1.2m

Ideal set of 3 x 1.2m awning rails to attach an awning to your campervan or motorhome.

Code: G699

Awning Raptor Rail
Fits VW SWB & LWB T5/T6 & Ford Transit Custom Vans.

Code	Size
R1260	SWB 2.6m
R1300	LWB 3.0m

OEM Look

End Caps & Fittings Included



CARAVAN COVERPRO



4 Layer Protection

Waterproof protection yet still soft and breathable.



Free Carry Bag

Durable bag for convenient storage.



Free Hitch Cover

4-Ply protection, comes with quick release straps.



Strong Adjustable Straps

At front, back and sides for a windproof fit.



Additional Hooded Vents

Situated at the top of the cover, for added ventilation and breathability.






4 Zips In Each Corner

Allows access to any door position with hook & loop fastening.

CoverPRO 4 Layer Protection

The outer layers are strong and durable and protect from harmful UV rays. The middle layer's breathable film allows vapour to escape whilst keeping out the rain. The inner layer is soft but non-abrasive so it will not scratch the caravan.



You can also have Royal Leisure branding

Designs can also be customised. Get in touch for more information.



Available for special order

The CoverPro is available in Grey

The perfect choice of color for urban environments, such as residential driveways or industrial estates.



Crusader Products Forest Green Caravan CoverPro

The Crusader CoverPro is a high-quality storage cover designed to protect caravans from various environmental factors while in storage.



i Some sites state that caravan covers must be green in order to upkeep with the natural landscape

Free Storage Bag

A durable storage bag is included with the cover at no extra cost, making it convenient to store the cover when not in use.



Optional Extra:

The CoverPro comes with a 4-Ply Hitch Cover. Need a spare or replacement? Don't worry, they are available to order seperately.



Code: W347

Size Specifications:

The Crusader CoverPro is suitable for caravans up to 2.2 meters 7ft 7in wide and with a body height excluding wheels of up to 2.31 meters 7ft 2in high.

Code	Cover Sizing	Weight
W341	12 - 14 Feet	8.46kg
W342	14 - 17 Feet	9.65kg
W343	17 - 19 Feet	10.5kg
W343/8FT	17 - 19 Feet	9.3kg
W344	19 - 21 Feet	12.47kg
W344/8FT	19 - 21 Feet Extra Wide	11.3kg
W345	21 - 23 Feet	13.81kg
W345/8FT	21 - 23 Feet Extra Wide	13.9kg
W346	23 - 25 Feet	15.15kg
W346/8FT	23 - 25 Feet Extra Wide	14.15kg



Royal

CARAVAN FRONT COVER

Royal Leisure Caravan Front Cover Easy Fit

The Royal Caravan Front Cover offers 4 layer protection. The outer layers are durable and protect from harmful UV rays. The middle layer's breathable film allows water vapour to escape but keeps out the rain. The inner layer is soft white and non-abrasive so it will not scratch the caravan.

Key Features:

- 8 straps on each side
- Hitch strap buckles
- Buckle covers
- Carry / Storage bag
- 2x LED lights with batteries
- UV protected
- 100% breathable & waterproof fabric
- Protects from cracked windows and stone chips
- Prevents exhaust fume debris building up and from road dirt
- Protection from insect residue
- Suitable for most UK caravans upto 2.5m wide

Specifications:

- Colour: Blue
- Height: 217cm
- Width: 244cm
- Height in Middle: 207cm with hitch cut out
- Material: Polypropylene
- Lights: Battery powered x3 AAA per light
- Weight: 1.95kg



Code: W369

8 Foot Cover Available
W369/8FT - Royal Leisure Caravan Front Cover Easy Fit Up to 2.53m Wide


You can also have custom branding

Designs can also be customised. Get in touch for more information.





Royal



PROTECTION ON THE MOVE

Image taken by @markpemberton_photos



MOTORHOME COVERPRO



4 Layer Protection

Waterproof protection yet still soft and breathable.



6 Sizes Available

Different lengths are available to fit most Motorhomes.



Free Carry Bag

Durable bag for convenient storage.



Additional Hooded Vents

Situated at the top of the cover, for added ventilation and breathability.



Zips In Each Corner

Allows access to any door position with hook & loop fastening.







4 Zips On Unit Door Sides

Reversible to fit & access all door positions.

CoverPRO 4 Layer Protection


The outer layers are strong and durable and protect from harmful UV rays. The middle layer's breathable film allows vapour to escape whilst keeping out the rain. The inner layer is soft but non-abrasive so it will not scratch the motorhome.



Crusader Products Motorhome CoverPro

The 4-Ply Premium Grey Full Motorhome Cover is the ultimate protective cover for your motorhome offering excellent all year round protection from the bad weather.

The 4-ply fabric gives you a Motorhome Cover that is highly waterproof, the cover will keep the water out while also allowing condensation to evaporate.



You can also have Royal Leisure Branding

Designs can also be customised. Get in touch for more information.



Code	Cover Sizing	Weight
W371	Up to - 5.7m	12.95kg
W372	5.7 - 6m	13.05kg
W373	6 - 6.5m	14.55kg
W374	6.5 - 7m	15.95kg
W375	7 - 7.5m	16.45kg
W376	7.5 - 8m	17.05kg

**This cover is universal and reversible.
It will fit motorhomes with openings on
either side by rotating the cover.**



CAMPERVAN COVER

NEW!

Royal Leisure Campervan Cover Deluxe

The Campervan Cover Deluxe offers 4-layer protection.

The outer layers are strong and durable and protect from harmful UV rays. The middle layer's breathable film allows vapour to escape while keeping out the rain.

The inner layer is soft but non-abrasive so it will not scratch the caravan.


Key Features:

- Reversible design with zips on each corner to provide access to the front, rear and side doors
- Adjustable tightening straps with premium, quick-release buckles
- High reflective flashes on the front and back for added safety
- Multiple zips for easy fitting and access
- Custom air vents on each side for ventilation
- Elasticated hem all around the bottom for a close fit
- Deluxe storage bag included

Specifications:

- Colour: Light Grey / Dark Grey
- Material: Polypropylene
- 4 Layer Protection
- UV Protection
- Waterproof

Code	Cover Sizing	Weight
RL387	Small - Fits T2 Type Small Campervans 4.6 x 1.5 x 1.6m	6.5kg
RL388	Medium - Fits T25/3 T4,T5,T6 Ford Transit Campervans 5 x 2 x 1.7m	7.4kg
RL389	Large - Fits most Peugeot Boxer, Fiat Ducato, Transit Custom Campervans 5.9m x 2m x 2.4m	8.1kg



Royal Leisure Caravan Roof Cover

NEW!



Key Features:

- Non-abrasive padded protector covers on each adjustable buckle to prevent scratching or damage to paint
- Adjustable straps with nylon coated heavy duty hooks
- Universal fitment
- Storage bag included
- 4-layer SSFS Non woven UV protective
- Color: Light Grey / Dark Grey

Code	Cover Sizing	Weight
RL381	12-14ft Caravan Roof Cover	4.4kg
RL382	14-17ft Caravan Roof Cover	4.9kg
RL383	17-19ft Caravan Roof Cover	5.3kg
RL384	19-21ft Caravan Roof Cover	5.6kg
RL385	21-23ft Caravan Roof Cover	5.9kg
RL386	23-25ft Caravan Roof Cover	6.6kg



Royal Leisure Bike Cover


NEW!

Keep your bikes protected while traveling. The durable, weather-resistant cover shields against rain, dust, and UV rays. Designed with elastic edges for a secure fit, it also features a transparent pocket to display a hazard sign, meeting UK travel requirements. Perfect for motorhomes, caravans, and outdoor storage.

Key Features:

- Available in two sizes: fits 2 or 3 bikes
- Durable, weather-resistant material protects against rain, dust, and UV rays
- Elastic edges ensure a secure and snug fit
- Transparent pocket for hazard sign display UK travel requirement


Code	Cover Sizing	Weight
RL370	Fits 2 Bikes 343 x 178cm	0.9kg
RL371	Fits 3-4 Bikes 370 x 196cm	1.2kg



Royal Leisure Blue & Grey Colonel Chair

- Padded fabric chair with 6 reclining positions
- 120Kg weight capacity
- Steel frame
- Product weight: 5.6Kg
- H 116cm x L 70cm x W 58cm


Code: R704



Royal Leisure Black & Grey Colonel Chair

- Padded fabric chair with 6 reclining positions
- 120Kg weight capacity
- Steel frame
- Product weight: 5.6Kg
- H 116cm x L 70cm x W 58cm


Code: R704/B



Royal Leisure Blue & Grey President Chair

- Padded fabric chair with armrests
- 100Kg weight capacity
- Steel frame
- Product weight: 4Kg
- H 110cm x L 65cm x W 92cm


Code: R712



Royal Leisure Black & Grey President Chair

- Padded fabric chair with armrests
- 100Kg weight capacity
- Steel frame
- Product weight: 4Kg
- H 110cm x L 65cm x W 92cm


Code: R712/B



Royal Leisure Easy Lounger Zero Gravity Chair

- Comfortable Zero Gravity Lounger
- 120Kg weight capacity
- Steel frame
- Product weight: 9.9Kg
- H 116cm x L 100cm x W 66cm


Code: R717



Royal Leisure Ambassador Relaxer Zero Gravity Chair

- Comfortable 3D-LuxTec padded mesh fabric Zero gravity lounger
- 120Kg weight capacity
- Steel frame
- Product weight: 8.3kg
- H 112cm x L 92cm x W 69cm

Code: R718



Royal Leisure Ambassador XL High Back

- Comfortable padded mesh fabric recliner with 6 positions & XL high back
- 120Kg weight capacity
- Aluminium frame
- Product weight: 5.1Kg
- H 120cm x L 74cm x W 62cm


Code: R734



Royal Leisure Ambassador Comfort Footrest

- Comfortable 3D-LuxTec padded mesh fabric footrest
- 30Kg weight capacity
- Aluminium frame
- Product weight: 0.93Kg
- H 43cm x L 67cm x W 48cm


Code: R736



Royal Leisure Ambassador Classic

- Comfortable 3D-LuxTec padded mesh fabric recliner with 6 reclining positions
- 100Kg weight capacity
- Aluminium frame
- Product weight: 3.8Kg
- H 104cm x L 72cm x W 60cm

Code: R735



Royal Leisure Ambassador Directors Chair

- Comfortable 3D-LuxTec padded mesh fabric directors chair with side table
- 110Kg weight capacity
- Aluminium frame
- Product weight: 3.5Kg
- H 83cm x L 50cm x W 88cm

Code: R737



Royal Leisure Directors Chair

- Comfortable and compact directors chair
- 120Kg weight capacity
- Steel frame
- Product weight: 4.7Kg
- H 84cm x L 50cm x W 61cm

Code: R715



Royal Leisure XL Deluxe Camp Chair

- Comfortable padded XL deluxe camp chair with side pockets & drinks holder
- 150Kg weight capacity
- Steel frame
- Product weight: 4.75Kg
- H 97cm x L 65cm x W 62cm

Code: R745



Lollipop Chair

- Fully waterproof chair with 6 reclining positions
- 100Kg weight capacity
- Aluminium frame
- Product weight: 5.7Kg
- H 116cm x L 70cm x W 58cm


Code: V780/B



Footstool For Lollipop Chair

- Heavy duty footstall with weatherproof finish
- 30Kg weight capacity
- Aluminium frame
- Product weight: 0.86Kg
- H 45cm x L 72cm x W 48cm

Code: W102



Lollipop Chair With Footstool

- Bundle pack containing V780/B & W102
- 100/30Kg weight capacity
- Aluminium frame
- Product weight: 6.56Kg
- H 115cm x L 132cm x W 60cm

Code: V780/B/FR



Luxury Padded Recliner

- Comfortable and compact directors chair
- 120Kg weight capacity
- Aluminium frame
- Product weight: 4.7Kg
- H 84cm x L 50cm x W 61cm


Code: V783/B



Recliner Footstool Fits V783/B

- Recliner footrest with padded finish
- 300Kg weight capacity
- Aluminium frame
- Product weight: 0.96Kg
- H 90cm x L 48cm x W 31cm

Code: W100



Padded Recliner With Footstool

- Bundle pack containing V783/B & W100
- 120/30Kg weight capacity
- Aluminium frame
- Product weight: 6.16Kg
- H 116cm x L 145cm x W 63cm

Code: V783/B/FR



Royal Leisure Comfort Chair

- Comfort chair with 8cm of padding in durable 600D coated Polyester
- 130Kg weight capacity
- Steel frame
- Product weight: 6.25Kg
- H 98cm x L 70cm x W 87cm

Code: RL115/B



Royal Leisure Comfort Chair

- Comfort chair with 8cm of padding in durable 600D coated Polyester
- 130Kg weight capacity
- Steel frame
- Product weight: 6.25Kg
- H 98cm x L 70cm x W 87cm

Code: RL115



Crusader Products Comfort Compact Chair

- Comfort chair with 8cm of padding in durable 600D coated Polyester
- 130Kg weight capacity
- Steel frame
- Product weight: 4.8Kg
- H 85cm x L 60cm x W 90cm

Code: W118



Royal Leisure Deluxe Eco Bamboo Stool

- Eco friendly and stylish Bamboo stool
- 100Kg weight capacity
- Wooden frame
- Product weight: 2.3Kg
- H 35cm x L 39cm x W 30cm


Code: R748



Royal Leisure Deluxe Eco Table Top

- Eco-friendly bamboo table top
- 30Kg weight capacity
- Bamboo frame
- Product weight: 2.1Kg
- H 6cm x L 43cm x W 33cm


Code: R749



Crusader Products Stool/ Table

- Dual purpose stool/table with wide aluminium binding.
- 113Kg weight capacity
- Aluminium frame
- Product weight: 1.68Kg
- H 48cm x L 42cm x W 42cm


Code: W105



Royal Leisure Stool/Table

- Dual purpose stool/table with wide aluminium binding.
- 113Kg weight capacity
- Aluminium frame
- Product weight: 1.68Kg
- H 48cm x L 42cm x W 42cm


Code: RL105



Royal Leisure Foldable Aluminium Stool/Table

- Aluminum frame side table
- 30Kg weight capacity
- Steel frame
- Product weight: 1.9Kg
- H 39cm x L 30cm x W 25cm

Code: R729



Royal Leisure Easy Up Storage Unit

- Easily assembled storage unit with centre shelf and side pockets.
- 30Kg weight capacity
- Aluminium frame
- Product weight: 7.5Kg
- H 81cm x L 63cm x W 50cm

Code: R721



Royal Leisure Easy Up Large Storage Unit

- Storage unit complete with a convenient quick folding assembly system.
- 30Kg weight capacity
- Steel frame
- Product weight: 10.68Kg
- H 87cm x L 110cm x W 56cm

Code: R723



Royal Leisure Easy Up Kitchen Stand

- Large cooking area and an additional storage cupboard
- 30Kg weight capacity
- Steel frame
- Product weight: 6.16Kg
- H 80cm x L 120cm x W 45cm

Code: R727



Royal Leisure Chef Aluminium Kitchen Stand & Larder

- Large cooking area and an additional storage cupboard
- 30Kg weight capacity
- Steel frame
- Product weight: 6.16Kg
- H 80cm x L 120cm x W 45cm

Code: R728



Royal Leisure Compact Easy Up Kitchen Stand

- Kitchen stand with aluminium table top
- 30Kg weight capacity
- Aluminium frame
- Product weight: 6.7Kg
- H 106cm x L 87cm x W 48cm

Code: R733



Royal Leisure Tower Compact Storage Unit

- Compact tower storage unit with mesh windows.
- 30Kg weight capacity
- Aluminium frame
- Product weight: 6.35Kg
- H 92cm x L 60cm x W 48cm

Code: R910



Royal Leisure Deluxe Sustainable Bamboo Table

- Sustainable bamboo table
- 30Kg weight capacity
- Aluminium frame
- Product weight: 2.1Kg
- H 56cm x L 100cm x W 70cm

Code: R739



Royal Leisure Kingham Adjustable Table Large

- Adjustable table with a robust powder coated steel frame
- 30Kg weight capacity
- Steel frame
- Product weight: 11.2Kg
- H 69cm x L 120cm x W 80cm

Code: R742



Royal Leisure Kingham Adjustable Table Medium

- Adjustable table with a hard solid work surface
- 30Kg weight capacity
- Steel frame
- Product weight: 6.5Kg
- H 69cm x L 80cm x W 60cm

Code: R741



Royal Leisure Tea Table With Charcoal Mdf Top

- Folding steel table with a charcoal coloured MDF table top.
- 30Kg weight capacity
- Steel frame
- Product weight: 2.5Kg
- H 69cm x L 80 x W 60

Code: R901



Royal Leisure Tea Table Large With Charcoal Mdf Top

- Large camping table with MDF worktop
- 30Kg weight capacity
- Steel frame
- Product weight: 4.06Kg
- H 72cm x L 122cm x W 61cm

Code: R902



Royal Leisure Coniston Aluminium Table

- Compact Aluminium folding table
- 30Kg weight capacity
- Aluminium frame
- Product weight: 2.07Kg
- H 60cm x L 60cm x W 45cm

Code: R903




NEW!

Royal Leisure Low Table With Dark Charcoal MDF Top

- Compact low height table
- 25Kg weight capacity
- Aluminium frame
- H 60cm x L 40cm x W 25cm


Code: R904



Royal Leisure Compact Aluminium Table

- Slat design table
- Fits into included carry bag
- Aluminium frame
- H 60cm x L 59cm x W 58cm


Code: R746



Royal Leisure Deluxe Aluminium Table

- Aluminium slat folding compact table
- 30Kg weight capacity
- Aluminium frame
- Product weight: 3.6Kg
- H 71cm x L 118cm x W 71cm

Code: R740




Royal Leisure Deluxe Outdoor Clothes Rack

Elevate your outdoor laundry game. Designed for adventurers & outdoor enthusiasts, this versatile clothes rack is the perfect companion for drying clothes during camping trips, hiking adventures, or weekend getaways.

- Generous Drying Space
- Convenient Sock Clips
- Specialized Shoe Hangers
- Lightweight and Sturdy
- H 197 x L 63 x W 91 cm when open

Code: R759



Royal Leisure Deluxe Washing Line

- Folding four arm washing line maximises drying area
- 25Kg weight capacity
- Aluminium frame
- Product weight: 2.2Kg
- H 150cm x L 108cm x W 103cm

Code: R760

**Royal**



LIVE LIFE & CAMP



Coleman Extra Durable Single Airbed

- Puncture Guard & Double Lock Valve
- Wrap n' Roll carry bag attached
- L 198 x W 82 x H 22 cm

Code: R477



Coleman Extra Durable Double Airbed

- Puncture Guard & Double Lock Valve
- Wrap n' Roll carry bag attached
- L 198 x W 137 x H 220 cm

Code: R478



Coleman Extra Durable Raised Double Airbed

- Puncture Guard & Double Lock Valve
- Wrap n' Roll carry bag attached
- L 198 x W 137 x H 47 cm

Code: R479



Coleman 12v Dc Quickpump

- Runs on 12V DC Car Outlet
- Inflates & Deflates
- Inc. Adaptor, Hose & Bag

Code: R481





Royal Leisure Utility Light

- Outdoor lamp, table lamp, power bank, wireless phone charger, and Bluetooth speaker in one device
- Hanging function & carry handle.

Code: R757



-  Wireless Charger
-  Bright LED Light (3 Settings)
-  Powerful Speaker
-  Bluetooth Connection



Royal Leisure 4 In 1 Multi Lamp

- Durable ABS Plastic
- Built in battery
- USB charging interface, 3W LED Torch, 10SMD Table Lamp

Code: R756



Campingaz Lumostar Plus PZ Lantern

- Piezo Ignitio
- 80w
- Durable with integrated globe protection guard
- Easy Clic™ Plus valve connection

Code: R428



Campingaz Clear Globe For Stellia CV Lantern

- Replacement glass only
- Suitable for Stellia Lantern

Code: R435



Coleman 214 Clear Globe 110mm Diameter

Fits Models 214, 286, 288, 282, 285, 5151 - 5154. 110mm Diameter.

Code: R436



Code	Campingaz Mantles
R439	Small - Fits Bivouac, Camping 206L, Lumostar C & M Minigaz 106, Mont Blanc, Soleio, Super Lumogaz 206, Lumo C206, & 600RL Mantles. Pack of 3.
R440	Medium - Fits L470, Rhapsody 470, Soleio R, Sun Force, Symphony & Super Symphony Mantles. Pack of 3.



Royal Leisure Universal Portable Safe 1.5l Safety Deposit Box

- 1.5l Safety Deposit Box
- Zinc Alloy Coded Lock
- Galvanized Steel
- Loop Super strength ABS

Code: R765

Royal



Royal Leisure Luxury Matting

- Breathable and Eco-friendly
- With Deluxe carry bag

2.5 x
2.5m
W320

3.0 x
2.5m
W321

3.5 x
2.5m
W322

4.0 x
2.5m
W323

4.5 x
2.5m
W324

5.0 x
2.5m
W325

5.5 x
2.5m
W326

6.0 x
2.5m
W327

6.5 x
2.5m
W328


7.0 x
2.5m
W329

7.5 x
2.5m
W330

8.0 x
2.5m
W331

Royal

**A ROYAL
TOUCH WITH
EVERY STEP**






Royal Leisure Paradise Groundsheet

- Breathable and Eco-friendly
- With carry bag


2.5 x 2.5m RL600	3.0 x 2.5m RL601	3.5 x 2.5m RL602	4.0 x 2.5m RL603
4.5 x 2.5m RL604	5.0 x 2.5m RL605	5.5 x 2.5m RL606	6.0 x 2.5m RL607
6.5 x 2.5m RL608	7.0 x 2.5m RL609	7.5 x 2.5m RL610	8.0 x 2.5m RL611




Royal Leisure Universal 4 Berth Tent Carpet

- Suitable for most 4 Berth tunnel tents
- 295 x 175cm
- Triple layer construction
- Soft outer fleece and mid layer foam for added comfort and insulation
- Waterproof base
- Weight: 2.0kg
- Fits W525 & W526


Code: W480



Royal Leisure Universal 8 Berth Tent Carpet

- Suitable for most 8 berth tunnel tents
- 295 x 280cm
- Triple layer construction
- Soft outer fleece and mid layer foam for added comfort and insulation
- Waterproof base
- Weight: 3.1kg
- Fits W521

Code: W481



Royal Leisure Welford 4 Tent Groundsheet

- 300 x 685 cm
- PP material 100g
- Groundsheet for 4 person tent
- Fits our W525 poled tent and W526 air tent
- Weight: 2.05kg

Code: W527



Royal



AT HOME OUT THERE



fabsil

Fabsil Tent Care Kit
Everything you need to clean, care and protect all tents and outdoor equipment from rain & UV damage.

Code: R560



fabsil

Fabsil Seam Sealer
Fabsil Seam Sealer offers flexibility and reliability. Pack of 12.

Code: R574



fabsil

Fabsil Silicone Spray Universal Protector 400ml
Ideal for all outdoor fabrics. Contains UV Inhibitor. Pack of 6.

Code: R561



fabsil

Fabsil Silicone Spray Universal Protector 600ml
Ideal for all outdoor fabrics. Contains UV Inhibitor. Pack of 6.

Code: R562



fabsil

Fabsil Silicone Liquid Universal Protector 1L
Can be painted or sprayed. Contains UV Inhibitor.

Code: R563



fabsil

Fabsil Silicone Liquid Universal Protector 2.5L
Can be painted or sprayed. Contains UV Inhibitor. Pack of 6.

Code: R564



fabsil

Fabsil Silicone Liquid Universal Protector 5L
Can be painted or sprayed. Contains UV Inhibitor. Pack of 3.

Code: R565



fabsil

Fabsil Gold Silicone Concentrate 200ml Spray
Ultimate Product Protection. Ideal for Tents & Awnings.

Code: R566



fabsil

Fabsil Gold Silicone Concentrate 1L
Waterproof with unique UV absorber protecting fabric from the sun.

Code: R567



fabsil

Fabsil Gold Silicone Liquid Universal Protector 5L
Waterproof with unique UV absorber protecting fabric from the sun.

Code: R585



fabsil

Grangers Tent & Gear Cleaner Bottle 500ml
Dilute & Sponge on to clean & Prepare for Waterproofing. Pack of 6.

Code: R569



Grangers



Grangers Performance Wash Bottle 300ml

Ensures your waterproof and technical gear is clean and fresh, keeping you warm and dry for longer.

Code: R571

Grangers



Grangers Performance Wash 1L Eco Refill Pouch

Ensures your waterproof and technical gear is clean and fresh, keeping you warm and dry for longer.

Code: R5601

Grangers



Grangers Active Wash 750ml

This solution is formulated to head straight for the bacteria that causes sweaty odours to linger.

Code: R5602

Grangers



Grangers Wash & Repel Clothing 2 in 1 300ml

This 2-in-1 formulation offers powerful cleaning and durable repellence whilst saving water, energy and time.

Code: R576

Grangers



Grangers Wash & Repel 2 in 1 Eco Pouch 1L

This 2-in-1 formulation offers powerful cleaning and durable repellence whilst saving water, energy and time.

Code: R572

Grangers



Grangers Clothing Repel 300ml

Clothing Repel is a PFC-free, bluesign® approved, durable waterproofing treatment.

Code: R5603

Grangers



Grangers Odour Eliminator 275ml

Works to remove those unpleasant odours. Perfect for those non-washable items or as a refresh.

Code: R5605

Grangers



Grangers Gear Cleaner Universal Spray 275ml

High Performance Spray Cleaner for Clothing & Footwear. Removes Dirt & Odours

Code: R570

Grangers



Grangers Performance Repel Plus 275ml

Protect against the elements by restoring the water-repellent finish found in all technical gear.

Code: R5604

Grangers



Grangers Down Wash Kit 300ml

Includes a down wash formula and three reusable dryer balls to remove dirt without damage.

Code: R575

Grangers



Grangers Clothing Care Kit

A do-it-all kit designed to take care of all your clothing needs.

Code: R583

Grangers



Grangers Down Care Kit

This kit encompasses all your down care needs.

Code: R584

Grangers



Grangers Rubber Boot Care 150ml

A spray-on product, formulated to restore the appearance of all rubber footwear.

Code: R5606

Grangers



Grangers Footwear Repel Plus 275ml

Offers durable repellency to keep feet warm and dry.

Code: R580

Grangers



Grangers Footwear Care Kit

New and improved all-in-one kit, designed to take care of all your footwear.

Code: R582

Grangers



Grangers Waterproofing Wax 100ml

Produced with natural beeswax, ensures durable water-repellency & nourishment for all leather footwear.

Code: R581

Grangers



Grangers G-WAX Leather Treatment Tin 80g

A traditional wax designed to add nourishment and protection to all leather footwear.

Code: R578

Grangers



Grangers Wax Cotton Dressing 180g

Designed to make reviving both the appearance and performance of your wax cotton clothing easy.


Code: R568

Grangers

GET TO KNOW GRANGERS

Since 1937, we've been dedicated to protecting you against the elements. Built upon a love of British weather and a passion for the outdoors, we love nothing more than defying the elements and being able to make any adventure possible.






Fenwicks Waste Pipe & Tank Cleaner 1L

Powerful formula designed to remove stubborn stains & unpleasant odours from waste tanks & toilet cassettes.


Code: H266



Fenwicks Windowize 100ml Tube

A simple but effective product for removing scratches, branch marks & hazing from plastic acrylic windows.

Code: H235



Fenwicks Awning Cleaner 1L

Suitable for cleaning most colourfast canvas and synthetic materials.


Code: H238



Fenwicks Awning Re-Proofer 1L

Highly effective waterproofing for canvas and synthetic fabrics. Water based, CFC solvent free & air cured.


Code: H239



Fenwicks Black Streak Remover 1L

10:1 solution. Tackle black streaks and other stubborn marks easily. Biodegradable & safe on all surfaces.


Code: H245



Fenwicks Caravan Cleaner 1L

Removes black streaks, green algae, traffic film and road grime. Biodegradable & safe on all surfaces.


Code: H250



Fenwicks Motorhome Cleaner 1L

Increased cleaning activity for use in power washes, & contains corrosion inhibitors for steel bodywork.


Code: H255



Fenwicks Bobby Dazzler 1L

Protects against road traffic film, salt spray, acid rain, rust, and airborne pollutants, and contains algae and mould inhibitors to slow their return, aiding future cleaning.

Code: H260



Fenwicks Over Wintering 1L

Protects against algae, mould, fungus, airborne pollutants, acid rain and bird lime, and it is easily removed in springtime with Caravan or Motorhome Cleaner.

Code: H265

GET RID OF THOSE UNSIGHTLY SCRATCHES

Windowize is solvent free & great on acrylic windows



Royal Leisure Multi-Sil Silicone Lubricant 400ml

Leaves a dry, touch free finish within seconds.

Code: R650



Royal Leisure Multi-Proof Max Strength Waterproof Spray 400ml

Replicates original water-repellent finish found on outdoor products.

Code: R651



Royal Leisure Multi-Spray Heavy Duty Maintenance Lubricant 400ml

Lubricates locks, hinges and tools, frees rusted parts & stops squeaks.


Code: R652



Royal Leisure Multi-Grease Anti Corrosive White Grease 400ml

Lubricates towbars, brake linkages, hinges, sliders, wire and cables.

Code: R653



Royal Leisure Multi-Brake Brake & Towball Degreaser 400ml

Frees off seized brakes & Prevents disc squeal.

Code: R654



Royal Leisure Premium Exterior Cleaner Caravan & Motorhome Cleaner 2L

High performance dirt removal & concentrated for up to 80 washes.

Code: R660



Royal Leisure Premium Winter Protection Caravan & Motorhome 2L

Repels dirt, algae & black streaks, no need to rinse.

Code: R661



Telescopic Car, Motorhome & Caravan Wash Brush

Large soft brush head with hose connection. 119 - 203 cm.

Code: W411



Kontrol Moisture Trap 500g Scent Free

Helps to prevent condensation, mould, mildew and associated odours.

Code: K100



Kontrol Moisture Trap With Extra Refill Scent Free

Helps to prevent condensation, mould, mildew and associated odours.

Code: K101



Kontrol Mini Moisture Trap 100g Lavender Scent

Helps to prevent condensation, mould, mildew and associated odours.

Code: K103



Kontrol Mini Moisture Trap 100g Fresh Linen Scent

Helps to prevent condensation, mould, mildew and associated odours.

Code: K104



Kontrol Refill Moisture Krystals 500g Scent Free

Scent-free moisture absorbing crystals supplied in a resealable bag for ease of use and storage.

Code: K110



Kontrol Refill Moisture Krystals 1KG Scent Free

Scent-free moisture absorbing crystals supplied in a resealable bag for ease of use and storage.

Code: K111



Kontrol Refill Moisture Krystals 2.5KG Scent Free

Scent-free moisture absorbing crystals supplied in a resealable bag for ease of use and storage.

Code: K112



Kontrol Refill Moisture Krystals 2.5KG Fresh Linen Scent

Scented moisture absorbing crystals supplied in a resealable bag for ease of use and storage.

Code: K113





Kontrol Non Spill Disposable Mini Dehumidifier 180g

This scent-free dehumidifier helps protect against damp, mould and mildew.

Code: K117



Kontrol Aqua Trap Refill Tabz Scent Free Moisture Trap Refills 450g

Fits Kontrol Aqua Trap K118.

Code: K119



Kontrol Aqua Trap Refill Tabz Fresh Linen Scent Moisture Trap Refills 450g

Fits Kontrol Aqua Trap K118.

Code: K120



Kontrol Hanging Dehumidifier 210g Fresh Lavender Scent

A compact hanging dehumidifier ideal for hanging in wardrobes.

Code: K116



Kontrol Hanging Dehumidifier 210g Fresh Linen Scent

A compact hanging dehumidifier ideal for hanging in wardrobes.

Code: K115



Protecting your home from damp, mould and musty odours



Designed to be hidden in plain sight whilst attracting and locking in excess moisture in the calibrated easy pour reservoir. The Tablet included attracts moisture like iron filings to a magnet. Simply pour away the liquid and replace the tablet when it has done its job.



Kontrol Refillable Aqua Trap Scent Free Moisture Trap

2-in-1 dehumidifier with 500g of hygroscopic calcium chloride crystals that absorb up to 1 litre.

Code: K118



Telescopic Floor Brush

Collapses down for storage into small spaces. 90 - 120 cm.

Code: W409



Small 10L Swing Top Bin Cream

Dual action: Push lid to swing, press down to clip in vertical position. 23 x 38 x 21 cm.

Code: R528



Small 10L Swing Top Bin Silver

Dual action: Push lid to swing, press down to clip in vertical position. 23 x 38 x 21 cm.

Code: R529



Flip Lid Bin

Code	Size
R550	Small 30x27x14
R551	Large 33x32x20



Cupboard Load Protector Bar Small

To prevent goods moving during transit. Extendable Length: 25.5 - 43cm.

Code: W442



Cupboard Load Protector Bar Medium

To prevent goods moving during transit. Extendable Length: 40.5 - 71cm.

Code: W443



Cupboard Load Protector Bar Large

To prevent goods moving during transit. Extendable Length: 48 - 80cm.

Code: W444



Small Round 26cm Washing Up Bowl Cream

4L Volume. Overall Dimensions: 27 x 27 x 13 cm.

Code: R520



Small Round 26cm Washing Up Bowl Silver

4L Volume. Overall Dimensions: 27 x 27 x 13 cm.

Code: R521



Small Square 32cm Washing Up Bowl Cream

7L Volume. Overall Dimensions: 32 x 28 x 13 cm.

Code: R522



Small Square 32cm Washing Up Bowl Silver

7L Volume. Overall Dimensions: 32 x 28 x 13 cm.

Code: R523





5L Bucket with Pour Out Spout Cream

Overall Dimensions: 25 x 25 x 22 cm.

Code: R524



5L Bucket with Pour Out Spout Silver

Overall Dimensions: 25 x 25 x 22 cm.

Code: R525



10L Bucket with Pour Out Spout Cream

Overall Dimensions: 29 x 29 x 27 cm.

Code: R526



10L Bucket with Pour Out Spout Silver

Overall Dimensions: 29 x 29 x 27 cm.

Code: R527



Cutlery Tray Barley White

Plastic organiser for the kitchen. 356mm x 243mm.

Code: F550



Foldable Kitchen Drainer

Unfolded size 15.5 x 29.5 x 31 cm.

Code: W416



Small Dish Drainer Cream

Holds up to 12 plates, with 2 sections for cutlery. 37 x 40 x 11cm.

Code: R530



Small Dish Drainer Silver

Holds up to 12 plates, with 2 sections for cutlery. 37 x 40 x 11cm.

Code: R531



Suction Cup W/ Hook

For Hanging Up Items On Hard Flat Surfaces.

Code: N280



1 Pint Measuring Jug

Code	Size
R532	1 Pint
R533	2 Pint



Plastic Funnel

Code	Size
R534	8cm
R535	14cm



0.4L Beaker & Lid

Food Safety Approved with Airtight Lid. 8 x 8 x 14 cm.

Code: R536



1L Square Food Storer

Food Safety Approved. Airtight lid. 15 x 15 x 8cm.

Code: R537



1.5L Rectangular Food Storer

Food Safety Approved. Airtight lid. 21 x 15 x 7cm.

Code: R538



Bacon Box Food Storer

Food Safety Approved. Airtight lid. 129 x 12 x 7cm.

Code: R539



Acrylic Container With Airtight Lid

Contains 1 x 1000ml container. 1 x 1300ml container 1 x 1900ml container.

Code: R853



22cm Round Pet Bowl Assorted Colours

Dishwasher safe.

Code: R543



Salad Spinner

For a washed, crisp and dry salad. BPA Free PP Plastic. 69x23x64cm.

Code: R587



Collapsible Space Saving Colander

Folds away for storage. BPA Free PP Plastic. 34x20x33cm.

Code: R588



23cm Deep Colander Stainless Steel

Long lasting design. 356 x 243mm

Code: R598



First Choice Non Stick 5 Pc Set

14cm milk pan, 24cm frying pan and 16/18/20cm pans comes with lids. Suitable for all hobs.

Code: R589



First Choice Non Stick 3 Pc Saucepan Set

Set Of 3 Includes 16cm, 18cm, 20cm Saucepans & Tempered Glass Lids. Dishwasher Safe.

Code: R599



Sapphire 15cm Aluminium Non Stick Milk Pan

Ergonomic Heat resistant Handle. Dishwasher Safe. 46 x 33 x 19.2 cm. Weight: 450g

Code: R600



Sapphire Non Stick Frying Pan

Code	Size
R601	20cm 8"
R602	25cm 10"



First Choice Two Hole Egg Poacher Aluminium

Non-stick Aluminium with tempered glass lid. 35 x 31 x: 21 cm.

Code: R603



First Choice Four Hole Egg Poacher Aluminium

Non-stick Aluminium with tempered glass lid. 35 x 31 x: 21 cm.

Code: R604



First Choice Spare Cup Poacher Cup Black

Spare cup to be used with first choice egg poachers R603 & R604.

Code: R605



Small Grill Pan

Rack and detachable handle. Enamel. 28 x 22 x 4 cm.

Code: R606



Large Grill Pan

Rack and detachable handle. Enamel. 40 x 22.4 x 4 cm.

Code: R607



Mini Grill Pan with Wire & Detachable Handle

Enamel coated 31cm mini grill pan, with trivet and removable handle.

Code: T256



0.7L Stainless Steel Teapot

Stainless steel with heat resistant Handle. Dishwasher safe. 37.5 x 15.2 x 32.2 cm. Weight: 270g.

Code: R608



Aluminium Whistling Kettle

Code	Size
R590P	1L
R596P	2L



1L Aluminium Teapot 6 Cup

Polished Aluminium with heat resistant handle. 50 x 15.6 x 28.8 cm. Weight: 220g.

Code: R593



2L Stainless Steel Whistling Kettle

Stainless steel with heat resistant handle. Dishwasher safe. 57.6 x 20.5 x 40.9 cm. Weight: 400g.

Code: R594





Party Wine Glasses

Acrylic Wine Glasses in mixed colours. Dishwasher safe. Capacity: 290ml. Pack of 4.

Code: R800



Party Prosecco Flutes

Acrylic Flutes in mixed colours. Dishwasher safe. Capacity: 190ml. Pack of 4.

Code: R801



Party Bella Wine Goblets

Acrylic Goblets in mixed colours. Dishwasher safe. Capacity: 410ml. Pack of 4.

Code: R802



Savoy Champagne Flutes

Durable polycarbonate looks and feels like real glass. Dishwasher safe. Capacity: 290ml. Pack of 4.

Code: R803



Savoy Wine Glass

Durable polycarbonate looks and feels like real glass. Dishwasher safe. Capacity: 450ml. Pack of 2.

Code: R804



Savoy Wine Glass

Durable polycarbonate looks and feels like real glass. Dishwasher safe. Capacity: 570ml. Pack of 2.

Code: R805



Savoy Tumblers

Durable polycarbonate looks and feels like real glass. Dishwasher safe. Capacity: 340ml. Pack of 2.

Code: R806



Party Slim Tumblers

Acrylic Tumblers in mixed colours. Dishwasher safe. Capacity: 300ml. Pack of 4.

Code: R809



Stacking Deluxe Wine Goblet

Blue Acrylic Goblets with weighted base. Dishwasher safe. Capacity: 340ml. Pack of 2.

Code: R810



Premium Short Tumblers

Clear Polycarbonate Tumblers. Dishwasher safe. Capacity: 290ml. Pack of 2.

Code: R816



Premium Tall Tumblers

Clear Polycarbonate Tumblers. Dishwasher safe. Capacity: 450ml. Pack of 2.

Code: R817





**Azure Premium Plus
Stacking Mug Set**

Break resistant melamine. Capacity:
325ml. Pack of 4.

Code: R851



**Granite Premium Plus
Stacking Mug Grey**

Break resistant melamine. Capacity:
325ml. Pack of 4.

Code: R825



**Granite Premium Plus
Stacking Mug Aqua**

Break resistant melamine. Capacity:
325ml. Pack of 4.


Code: R826



**Azure Premium Plus
Dining Set**

Break resistant melamine. 12pc Set.

Code: R850



Granite Premium Plus Grey

Break resistant melamine. 12pc Set.

Code: R820



Granite Premium Plus Aqua

Break resistant melamine. 12pc Set.

Code: R821



Premium Cutlery Set

4 knives, 4 forks, 4 dessert spoons
and 4 teaspoons. Made from hand
polished stainless steel trim.

Code: R854



Bottle Holder Single

Helps to secure bottles and jars
during transit. Pewter. 85.5x71x25cm

Code: W401



Bottle Holder Double

Helps to secure bottles and jars
during transit. Pewter. 87x167x25.2cm

Code: W402



Stemmed 6 Glass Holder

Fixes to the wall to enable you to
hang 6 wine glasses. Length 90cm.

Code: W403



Stemmed 3 Glass Holder

Fixes to the wall to enable you to
hang 3 wine glasses.

Code: W404



Coleman Xtreme™ Coolers

Our new range of Coleman Xtreme™ coolers comes with an updated look and modern shape. They are designed to keep large volumes of food and drinks cool for up to five days in high temperatures.

These high performance coolers are in it for the long haul and are perfect for your family at the campsite, on a picnic, or for those long summer barbecues.

High performance is guaranteed thanks to the thick, injected polyurethane insulation, filling every gap of the cavity, and ensuring there are no areas of weakness.



Models from 50qt and larger have an additional insulation in the lid to increase the cooling performance even more.

As an added feature, robust lids are strong enough to be used as a seat for up to 113 kg!

World Class
Insulated Products
Since 1954



COOLERS



Coleman 100 QT Xtreme Wheeled Cooler

- Keeps the ice up to 5 days
- Very large capacity: 94 litres
- Insulation – thick premium PU full foam insulation in lid and body for extra long-lasting ice retention
- 2 heavy-duty wheels and a convenient handle for easy pulling across uneven ground, as well as 2 swing-up handles for easy lifting
- Lid attached to the body, snap lock for tight closure of the cooler box
- High density HDPE
- No-tilt draining – drain excess water easily at the end of your trip without having to tip the cooler up
- Built-in cup holders: 4 practical cup holders to keep your drink secure on top of the cooler
- Have-A-Seat Lid™ – not just a cooler! Robust enough to double as a seat, supports up to 110 kg

Code: R4681



Coleman 28 QT Xtreme Cooler

- Keeps the ice up to 3 days
- Capacity: 26 litres – offers enough space for up to 10 standing or 8 lying 1.5 litre bottles
- Thick premium PU full foam insulation for long-lasting ice retention

Code: R465



Coleman 28 QT Xtreme Wheeled Cooler

- Keeps the ice up to 3 days
- Capacity: 26 litres – offers enough space for up to 10 standing or 8 lying 1.5 litre bottles
- Wheels with extending handle

Code: R4651



Coleman 52 QT Xtreme Cooler

- Keeps the ice up to 4 days
- Capacity: 49 litres
- Thick premium PU full foam insulation

Code: R4660



Coleman 50 QT Xtreme Wheeled Cooler

- Keeps the ice up to 4 days
- Capacity: 47 litres
- Thick premium PU full foam insulation
- Wheels with extending handle

Code: R466



Coleman 62 QT Xtreme Wheeled Cooler

- Keeps the ice up to 4 days
- Capacity: 58 litres
- Thick premium PU full foam insulation
- Wheels with extending handle

Code: R4671



Coleman 70 QT Xtreme Wheeled Cooler

- Keeps the ice up to 5 days
- Capacity: 66 litres
- Thick premium PU full foam insulation
- Wheels with extending handle

Code: R467



Coleman Flip Lid 6 Can 5 QT Personal Cooler

- Lid reverses for use as tray
- 24 hour Ice Retention
- 270 x 220 x 180mm – Holds 4.73L

Code: R460



Camping Gaz Flexi Freez Ice Pack


Pack of 24.

Code: R469



Camping Gaz Freez Icepack


Code	Size
R470	M10 Pair
R4711	M20
R471	M30



Royal Leisure Outdoor Deluxe BBQ 2 +1 Side Burners

- 1066 x 484 x 1080cm
- 430 x 390cm Cooking Area
- Runs on either butane or propane
- Enamelled Grill
- Flame Tamer
- Warming Rack
- Temperature Guage
- Trolley and 4pc castors.
- Weight: 20.5kg


Code: W911



Royal Leisure Outdoor Deluxe BBQ 3+1 Side Burner

- 1166 x 84 x 1080cm
- 530 x 390cm Cooking Area
- Runs on either butane or propane
- Enamelled Grill
- Flame Tamer
- Warming Rack
- Temperature Guage
- Trolley and 4pc castors.
- Weight: 24.5kg

Code: W912



Royal Leisure Outdoor Deluxe BBQ 4+1 Side Burner

- 1276 x 484 x 1080cm
- 640 x 390cm Cooking Area
- Runs on either butane or propane
- Enamelled Grill
- Flame Tamer
- Warming Rack
- Temperature Guage
- Trolley and 4pc castors.
- Weight: 26.5kg

Code: W913





Royal Leisure Charcoal Smokeless Portable BBQ


- Cast Iron Grill
- Rechargeable USB Power Pack or x4 AA Batteries
- 34x34x22cm
- 31cm Cast Iron Grill Cooking area
- 5-10 minutes ready to cook time
- Easy start
- Bellows airflow system
- Large Capacity 1.5 hour grilling time
- Carry bag included
- Weight: 5.05kg



Red: V951/R




Code: V951/S



Combo Portable Gas BBQ With Folding Trolley

- Easy to assemble
- Two fold-out side shelves
- Sturdy trolley for maximum portability
- Propane or butane compatible
- Piezo ignition
- Variable heat control
- Large single burner with flame tamer
- Heat output 3.9kw
- Weight: 12.5kg


Code: V739



Royal Leisure Portable Outdoor Table Top BBQ With Cast Iron Plate

- 2pcs Matt porcelain enameled cast iron grills
- Stainless steel tube burner
- Foldable legs
- Removable side shelves
- Temperature gauge integrated hood
- Efficient piezo ignition
- Ideal for Propane and Butane
- Hose and regulator not included
- Weight: 12.5kg

Code: W910



Gordon BBQ Complete With Lava Rock

- Ideal small portable barbecue complete with lava rock
- 48x29.5x28.5 cm cooking area 42x27cm
- Compatible with propane and butane
- Supplied in a full colour box
- Full Colour Box
- Weight: 4.2kg

Code: V950



Campingaz Cook Double Stove CV Version

- 2 x 1800 W. Manual Ignition
- Gas consumption: 261 g/h
- Boil time: 6 min 45 sec
- Runtime: 1 h 40 min on CV470 cartridge
- Fuel source: Campingaz® CV470+ cartridge
- 45 x 30 x 9.6 cm / 1.9 kg
- Built-in hose and regulator featuring Easy Clic Plus connection
- Dishwasher safe enameled steel pan supports hold x2 22cm pans

Code: R487



Campingaz Bistro Stove 3

- 2,200W / Piezo ignition
- Gas consumption: 160 g/h
- Runtime: up to 1hr 15min
- Boil time: 5min 30sec
- 33 x 28 x 9 cm / 1.43kg
- Carry case included
- Enamelled pan support
- Cartridge safety locking system
- Campingaz® CP 250 cartridges
- Pan Size: min. 12cm / max. 26cm

Code: R488



Portable 2 Burner Outdoor High Wall Plancha Grill

- Heat Output: 6.8 KW
- Efficient Burners: Two stainless steel burners
- 67.5 x 47.5 x 24 cm
- Cooking Surface: 66 x 40 cm
- Powder-coated steel body
- Porcelain-enameled cast iron
- Adjustable feet
- Convenient oil cup for easy cleanup

Code: W905



Campingaz Twister Plus Single Burner Stove

- Power: 2,900 watt
- Heat screen to protect the knob
- Compact and light
- Easy Clic PLUS connection enables you to connect and disconnect the cartridge in a few seconds.
- Boil time: 3min 45sec 1 litre

Code: R415



Campingaz Twister Plus PZ Single Burner Stove

- Power: 2900 Watt
- Piezo ignition
- Patented Easy Clic® Plus System to easily and securely connect Campingaz valve cartridges
- Runs off Campingaz CV300 Plus and CV470 Plus gas cartridges

Code: R416



Coleman Red Filter Funnel with Metal Filter

Coleman Replacement Filter Funnel, designed to fit Coleman Northstar Lanterns.


Code: R449



Barbequick Instant Disposable Barbeque

Lights with a single match, is ready to cook on within 20 minutes and is light and portable.


Code: R620



Barbequick Party Instant Disposable Barbeque

FSC® Certified. Easy to light with a single match. 1.5 hours cooking time.


Code: R621



Barbequick 2pk Instant Lighting Charcoal

FSC® Certified. Requires no additional fuel. Simply ignite the paper bag. Clean and mess free.


Code: R623



Barbequick 3kg FSC Lumpwood Charcoal

Can reach cooking temperature quickly, within 20 minutes! Perfect for quick or last minute BBQ decisions.


Code: R624



Barbequick 4.5kg FSC Lumpwood Charcoal

Bar-Be-Quick lumpwood can reach cooking temperature quickly, within 20 minutes!

Code: R625



Barbequick Grab Bag Instant Lighting Charcoal

Clean, quick and easy to use, with none of the mess associated with traditional charcoal.


Code: R631



Barbequick 5kg Eco Wood Free Briquettes

100% sustainable. Easy to light, with a little help from or any firelighter, fluid or gel. Odourless – no food taint.


Code: R632



BarBeQuick 1L Barbeque & Fire Lighting Fluid

Low odour. Suitable for barbecues, open fires and wood burning stoves.


Code: R627



BarBeQuick 450ml Barbeque & Fire Lighting Gel

Safer alternative to other lighting fluids


Code: R630



Barbequick Long Gas Lighter

Light your barbecue, firepit or indoor fireplace with this barbecue lighter. A refillable utility lighter, ideal for barbecues, fires and gas cookers too.

Code: R628



Barbequick Barbeque & Oven Cleaner 500ml

Perfect for any tough after-BBQ cleaning, on any barbecue, or even to clean your inside oven!

Code: R629



CARAVAN STEPS



With a robust and durable build supporting a maximum load of 150kg, the Royal Leisure Deluxe Steps offer dependable performance in a lightweight package.



Quality, Non-Slip Tread

Designed with safety in mind, our non slip-tread is known for its fantastic grip!



Robust, Lightweight Frame

Supports up to 150kg, yet still light enough to not cause weight limit concerns.



Royal Leisure Deluxe Single Step

- Rubber, anti-slip safety treads
- Tubular steel construction
- Weight: 2.0kg
- 25.5 x 43 x 35 cm
- Max Load 150kg
- Built to EN14183 standard

Code: R761



Royal Leisure Deluxe Double Step

- Rubber, anti-slip safety treads
- Tubular steel construction
- Weight: 4.4kg
- 38 x 43 x 62.5 cm
- Max Load 150kg
- Built to EN14183 standard

Code: R762



Single Step

- Anti-slip rubber platform
- Tubular Steel Construction
- Weight: 2.00kg
- 42 x 38 x 25 cm
- Max Load: 150kg
- Meets EN14183

Code: V721



Double Step

- Anti-slip rubber platforms
- Tubular Steel Construction
- Weight: 4.35kg
- 63 x 42 x 38 cm
- Max Load: 150kg
- Meets EN14183

Code: V722



Plastic Single Step Large

- Anti-slip punched tread
- Plastic construction
- Weight: 1.5kg
- 58 x 39.5 x 24.5 cm
- Max Load: 150kg

Code: V881



Plastic Single Step

- Anti-slip punched tread
- Reinforced thermoplastic construction
- Weight: 1kg
- 23 x 43 x 28 cm
- Max Load 150kg

Code: V882



Large Plastic Step

- Anti-slip punched tread
- Polypropylene construction
- Weight: 1kg
- 58 x 40 x 25 cm
- Max Load 125kg

Code: W432



Medium Plastic Step

- Anti-slip punched tread
- Polypropylene construction
- Weight: 1.65kg
- 49.5 x 34.5 x 23.5 cm
- Max Load 125kg

Code: W433



Small 40cm Plastic Stool Silver

- Easy to clean
- Plastic construction
- Weight: 0.6kg
- 24 x 29 x 38 cm
- Max Load 150kg

Code: R541



Small 40cm Plastic Stool Black

- Easy to clean
- Plastic construction
- Weight: 0.6kg
- 24 x 29 x 38 cm
- Max Load 150kg

Code: R542



Small 40cm Plastic Stool Cream

- Easy to clean
- Plastic construction
- Weight: 0.6kg
- 24 x 29 x 38 cm
- Max Load 150kg

Code: R540



EXTERNAL SCREEN

NRF Thermal External Screen

These thermal external screens offer protection against weather damage and provide internal privacy.

Due to their superb thermal insulation, they are ideal for use during the colder months.

Code	Vehicle
N1030	VW T5
N1031	Mercedes Sprinter 1996 - 04/2006
N1032	Mercedes Sprinter 05/2006 - 04/2014
N1033	Boxer/Ducato 94 - 2001
N1034	Fiat Ducato 2006 - 05/2014
N1035	Ford Transit 2006 - 03/2014
N1036	Renault Master 2005 - 2010
N1037	Ford Transit 04/2014 Onwards
N1038	Fiat Ducato 06/2014 Onwards
N1040	Mercedes Sprinter > 2014
N1041	VW T6





NRF Thermal Interior Blind

With 7 layers to ensure that heat is kept inside the vehicle in wintertime and reflect the sunlight in the summertime, the vehicle is kept cooler. Also ensures that condensation is lowered.

These interior blinds are fitted using high-grade suction cups to adhere to your windows.

Code	Vehicle
N1050	Mercedes Sprinter 00-06
N1051	VW T5
N1052	Boxer/Ducato X250 2007 Onwards
N1053	Renault Master 2011 Onwards
N1054	Mercedes Sprinter 05/2006 - 04/2014
N1055	Renault Traffic 2015
N1056	Renault Traffic 2011 Onwards
N1057	Boxer/Ducato 2002 - 2006
N1058	Boxer/Ducato 1994 - 2001
N1059	Ford Transit Custom
N1060	VW T4
N1061	Mercedes Sprinter 05/2014 Onwards
N1062	Ford Transit 2014
N1063	Iveco Daily 2000 - 03/2014
N1064	Transit 2001 - 2013



NRF Suction Cup for Internal Blind

40mm diameter and stem thickness of 10mm. Designed to fit most brands of internal blinds.

Code	Qty
N1021	10 Cups
N1022	2 Cups





APPLIANCES



IN THIS SECTION

» Fridges	72
» Ovens & Microwaves	74
» Combi Units	75
» Hobs	76
» Sinks	78
» Water Heaters	79

DC COMPRESSOR REFRIGERATOR



KEY FEATURES

- ✓ Automatic Low Voltage Cut Out
- ✓ Reversible Door
- ✓ Removeable Door Panel
- ✓ Reliable Cubigel Compressor
- ✓ No Flush Fit Installation Kit Required
- ✓ Fixed Freezer Compartment
- ✓ Boost / Night Modes
- ✓ 2 Year Warranty
- ✓ Spares Available
- ✓ High Efficiency 0.6 Amps Per Hour
- ✓ Single Packed Ready For Retail
- ✓ Low Weight - 16kg
- ✓ H 530 X W 380 X D 510mm

Royal Leisure DC 50L Compressor Refrigerator

Code	Colour
RL50B	Black
RL50S	Silver

NEW!



REVERSIBLE DOOR



THETFORD



Thetford N4080E+

- Control panel: LED
- 821H x 486W x 543mmD
- Door shape: Flat framed 30mm
- Door type hinging: Left but can be converted to right
- Energy consumption: 2.6 kWh/24h
- Energy consumption gas: 270 g/24h
- Energy selection or power source selection: Automatic
- Average energy consumption at an ambient temperature of 25°C

Code: R191

THETFORD



Thetford N4145E+

- Control panel: LED
- 1245H x 525W x 543D mm
- Door shape: Flat framed 10mm
- Door type hinging: Left but can be converted to right
- Energy consumption: 4.0 kWh/24h
- Energy consumption gas: 420g/24h
- Energy selection or power source selection: Automatic
- Average energy consumption at an ambient temperature of 25°C

Code: R193

THETFORD



Thetford N4090E+

- Control panel: LED
- 821H x 525W x 543D mm
- Door shape: Flat framed 30mm
- Door type hinging: Left but can be converted to right
- Energy consumption: 2.6 kWh/24h
- Energy consumption gas: 270 g/24h
- Energy selection or power source selection: Automatic
- Average energy consumption at an ambient temperature of 25°C.

Code: R291



Thetford T2090C Compressor Fridge 84L

- 28.3 Ah/24h average
- 975H x 418W x 486Dmm including protruding door handle of 11mm
- Days on 2 x 95Ah battery*: 3.5 days
- Display: Capacitive touch
- Door type hinging: Right hinge
- Energy consumption: 339Wh/24h
- Freezer volume: 6L
- Bulk packed on a pallet, not packed in single boxes & do not include instruction manual.

Code: R290

Thetford T2090C Fridge Decor Panel Only

- A decorative black door panel for the Thetford T2090 Compressor Fridge R290
- 400mm x 875mm
- Matt Black Finish

Code: R290P



Thetford T2090C Compressor Fridge 84L

- 28.3 Ah/24h average
- 975H x 418W x 486Dmm including protruding door handle of 11mm
- Days on 2 x 95Ah battery*: 3.5 days
- Display: Capacitive touch
- Door panel: Matte black
- Door shape: Flat framed
- Door type hinging: Right hinge
- Energy consumption: 339Wh/24h
- Freezer volume: 6L

Code: R194



Thetford N4175A

- Control panel: LCD
- 1245H x 525W x 628D mm
- Door shape: Curved framed
- Door type hinging: Left but can be converted to right
- Energy consumption*: 4.0 kWh/24h
- Energy consumption gas*: 420g/24h
- Energy selection or power source selection: Automatic
- Average energy consumption at an ambient temperature of 25°C.

Code: R293



Thetford N4175E+

- Runs between 205v and 250v
- 1245H x 525W x 628D mm
- Automatic power source selection
- User display with touch control
- Fade-in interior light
- Securely closed door
- Flexible bottle slide
- 3 flexible shelves & door bins
- Black framed door & control panel
- Power cables and gas inlet tube at the bottom-backside of the fridge

Code: R294



Thetford T2152

- Powerful 12v Compressor
- 1500H x 418W x 578D mm
- Night Mode For Quieter Running and Extra Efficiency
- 152 Litre Capacity Total
- Freezer Volume 17 litres
- Total Volume 150 Litres
- Power consumption 0.51 kWh/24h - 0.40 kWh/24h Night mode
- Door type Flat framed 10mm
- Left Hand Hinged as standard, but easily reversible to right hand

Code: R295



Can F05010 Built In Oven And Grill

- Supply: LPG 28-30 mbar
- 475H x 370W x 430D mm
- Safety system: Thermocouple
- Voltage: 12V DC
- Power Supply: LPG 28-30 mbar
- Weight: 22kg
- Material: Stainless Steel
- Ignition: 12V
- Oven 152 g/h, Grill 125.5g/h
- Capacity Description: 23l

Code: CAN03



Thetford Triplex Oven & Grill Black

- 3 burners 1 auxiliary burner, 2 semi-rapid burners
- 468H x 463W x 500D mm
- High quality materials/components
- Stainless interior
- Sealed rattle free burners
- 12V electronic ignition
- Durable & light weight
- Flame failure, automatic gas shut-off on all burner
- Oven volume: 36 Litres

Code: R280



Thetford Duplex Oven And Grill With 12v Ignition Black

- Burners: Oven: 1.5kW / Grill: 1.6kW
- 438H x 445W x 490D mm
- Flame failure device on valves
- Oven shelf
- Multifunctional pan
- Detachable handle and pan trivet
- High quality materials/components
- Optimal use of space
- Superior cooking performance

Code: R281



20L 700w Flatbed Microwave Black

- No rotating plate
- 287H x 454W x 316D mm
- Child safety lock
- Push button door release
- Quick start option
- Defrost setting
- Green LED display
- "No Rattle" Flatbed design

Code: W920



20L 700w Flatbed Microwave Silver

- No rotating plate
- 287H x 454W x 316D mm
- Child safety lock
- Push button door release
- Quick start option
- Defrost setting
- Green LED display
- "No Rattle" Flatbed design

Code: W920S



No more noise on the move!

Say goodbye to annoying rattles and hello to quiet convenience with our flatbed design microwave, featuring no rotating plate!

Perfect for your campervan, offering a peaceful, smooth operation while saving valuable space!

THETFORD



Thetford Topline Series 111 Combination Unit

- Gas Burners: 2 x 1.5kw
- Ignition: 12V
- Total Input: 3kw
- Weight: 11kg
- 370D x 195H x 900W mm
- Cut Out: 888 x 358 mm

Code: R288

Can
An AIRACEL Brand



Can FL1323 Single Hob & Sink Campervan Combi Unit R/H

- High-quality stainless steel
- 530L x 325D x 150H mm for a compact, space-saving design
- Integrated sink measures 280mm x 180mm for practical use
- 3.9kg, lightweight & easy to install
- Single glass lid with a concealed hinge for a sleek, modern look
- Fixed pan support grid with anti-vibration rubber washers
- Also available with a left-hand sink under part number CAN02
- Supplied with the seal, waste & fixing kit; tap not included

Code: CAN01

Can
An AIRACEL Brand



Can FL1324 Single Hob & Sink Campervan Combi Unit L/H

- High-quality stainless steel
- 530L x 325D x 150H mm for a compact, space-saving design
- Integrated sink measures 280mm x 180mm for practical use
- 3.9kg, lightweight & easy to install
- Single glass lid with a concealed hinge for a sleek, modern look
- Fixed pan support grid with anti-vibration rubber washers
- Also available with a right-hand sink under part number CAN01
- Supplied with the seal, waste & fixing kit; tap not included

Code: CAN02

Can
An AIRACEL Brand

i Tap not included



Can FL1402 Piezo Ignition Combination Hob Sink L/H

- Power supply: LPG 28-30 mbar
- 716mm W x 340 D x 150 H mm
- High-quality 304L stainless steel with a satin finish for durability.
- Weight: 5kg
- Cut-out: 696mm x 325mm
- Ignition: Piezo
- 1 kW auxiliary burner and 1.9 kW semi-rapid burner
- Tap hole diameter: 27mm
- Gas consumption: 73g/h for the auxiliary burner and 127g/h for the semi-rapid burner
- Supplied with seal & waste kit

Code: CAN04

Can
An AIRACEL Brand


i Tap not included



Can FL1402 Piezo Ignition Combination Hob Sink R/H

- Power supply: LPG 28-30 mbar
- 716mm W x 340 D x 150 H mm
- High-quality 304L stainless steel with a satin finish for durability.
- Weight: 5kg
- Cut-out: 696mm x 325mm
- Ignition: Piezo
- 1 kW auxiliary burner and 1.9 kW semi-rapid burner
- Tap hole diameter: 27mm
- Gas consumption: 73g/h for the auxiliary burner and 127g/h for the semi-rapid burner
- Supplied with seal & waste kit

Code: CAN05



THETFORD



Thetford Series 345 Rectangular Hob

- Gas Burners: 2 x 1.5kw, 1 x 2.5kw
- 445D x 100H x 540W mm
- Ignition: 12V
- Weight: 6kg
- Total Input: 5.5kw
- Cut Out: 527 x 429mm

Code: R286

THETFORD



Thetford Series 922 Hob

- Gas Burners: 2 x 1.5 kW
- 305D x 95H x 500W mm
- Ignition: 12V
- Weight: 5kg
- Total Heat Input: 3.0kW
- Max Input Gas: 216 g/h

Code: R285

Can
An AIRKCEL Brand



Can FC1336-P 2 Burner Hob

- Power supply: LPG 28-30 mbar
- 530mm W x 340mm D x 48mm Hob area, 105mm Valves area
- Gas consumption: 73g/h auxiliary burner, 127g/h semi-rapid burner
- Gas burners: 2 with Piezo ignition for easy lighting
- Wattage: 1 kW auxiliary burner, 1.9 kW semi-rapid burner
- Safety device: Thermocouple for added protection
- Stainless steel 304L with satin finish
- Cut-out size: 515mm x 325mm
- Weight: 4.8kg
- Series: FC Series

Code: CAN06

Can
An AIRKCEL Brand



Can FC1336-E 2 Burner Hob

- Power supply: LPG 28-30 mbar
- Dimensions: 530mm W x 340mm D x 48mm Hob area, 105mm Valves area
- Weight: 4.8kg
- Material: Stainless steel 304L for durability
- Cut-out size: 515mm x 325mm for a perfect fit
- Gas burners: 2
- Ignition: 12V Electronic
- Wattage: 1 kW auxiliary burner, 1.9 kW semi-rapid burner

Code: CAN07

Can
An AIRKCEL Brand



Can FC1343-E LH 3 Burner Hob

- Power: 1 x Auxiliary burner 1 kW, 2 x Semi Rapid burners 1.9 kW
- Dimensions: 480mm W x 480mm D x 105mm H
- Weight: 5.5kg
- Power supply: LPG 28-30 mbar
- Gas consumption: 73g/h auxiliary burner, 127g/h semi-rapid burners
- Safety device: Thermocouple
- Ignition: 12V for reliable performance

Code: CAN08

Can
An AIRKCEL Brand



Can FC1344-E RH 3 Burner Hob

- Power: 1 x Auxiliary burner 1 kW, 2 x Semi Rapid burners 1.9 kW
- Dimensions: 480mm W x 480mm D x 105mm H
- Weight: 5.5kg
- Power supply: LPG 28-30 mbar
- Gas consumption: 73g/h auxiliary burner, 127g/h semi-rapid burners
- Safety device: Thermocouple
- Ignition: 12V for reliable performance

Code: CAN09


THETFORD



Thetford Topline 981 Combination Of Gas & Induction L/H Hob

- Gas Burners: Hob - 1 x 1.0kw 1 x 1.5kw
- Ignition: Spark ignition
- Total Input: Heat gas - 2.5kw
- Amps Description: Max current - 0.7A
- Capacity: Hob Capacity - max pan sizes - 1 x 100 - 160mm 1 x 120 - 200mm 1 x 180 - 220mm
- Input; Max input gas -180g/h
- 380D x 100H x 500W mm

Code: R287



Domino 230v Ceramic Hob

- Touch control for easy operation
- Dimensions: 260W x 490D mm
- Weight: 4.2kg
- Two cooking zones for versatile cooking
- 9 power levels for precise heat control
- Child safety lock for added security
- Timer for convenient cooking duration
- Residual heat indicator for safety
- 13amp connection with plug fitted for easy installation

Code: W921



Domino 230v Induction Hob

- Touch control for easy operation
- Dimensions: 260W x 490D mm
- Weight: 4.2kg
- Two cooking zones for flexible cooking
- 9 power levels for precise heat control
- 2 x Boost function for extra power
- Timer for convenient cooking duration
- Residual heat indicator for safety
- 13amp connection for easy installation

Code: W922





Can LA1410 Round Semispheric Sink

- Finish: Shiny for a stylish appearance
- Dimensions: 320mm W x 350mm D x 150mm H
- Weight: 4.5kg
- Finish: Semi-gloss for a modern, clean appearance
- Material: AISI304 stainless steel for long-lasting durability

Code: CAN13



Can LA1418-BA Round Sink

- Finish: Frosted for a sleek appearance
- Dimensions: 385mm D x 120mm H
- Weight: 1.5kg
- Material: Stainless steel 304L for durability
- Colour: Silver for a modern finish
- Cut-out size: 365mm for a precise fit

Code: CAN14



Can LA1402 Rectangular Sink

- Finish: Semi-gloss for a modern look
- Dimensions: 320mm W x 350mm D x 150mm H
- Weight: 1.5kg
- Material: Stainless steel 304L for durability

Code: CAN15



Can LR1760 Rectangular Sink Including Lid & Tap

- Folding cold water tap for easy use - included
- Dimensions: 320mm W x 350mm D x 150mm H
- Weight: 4.5kg
- Finish: Semi-gloss for a modern, clean appearance
- Material: AISI304 stainless steel for long-lasting durability
- Includes a tempered glass lid that doubles as additional countertop space when closed

Code: CAN11



i Tap not included

Can LR1770 Round Sink Including Lid

- Folding cold water tap for easy use - not included
- Dimensions: 320mm W x 350mm D x 150mm H
- Weight: 4.5kg
- Finish: Semi-gloss for a modern, clean appearance
- Material: AISI304 stainless steel for long-lasting durability
- Includes a tempered glass lid that doubles as additional countertop space when closed


Code: CAN12



Thetford Argent Stainless Steel Sink

- Capacity: 9.5L
- Dimensions: 360mm W x 470mm D x 153mm H
- Weight: 3.2kg
- Surface mounted fixation for easy installation
- Glass lid for added convenience
- Includes siphon for drainage
- Inside bowl dimensions: 290mm W x 368mm D x 99mm H
- Worktop cut-out size: 335mm W x 430mm D


Code: R270



Thetford Argent Black Enamel Sink

- Capacity: 9.5L
- Dimensions: 360mm W x 470mm D x 153mm H
- Weight: 3.2kg
- Surface mounted fixation for secure installation
- Glass lid for convenience
- Includes siphon for drainage
- Inside bowl dimensions: 290mm W x 368mm D x 99mm H
- Worktop cut-out size: 335mm W x 430mm D

Code: R271



Thetford Series 34 Sink With Glass Lid

- Material: Stainless steel & glass for durability and easy cleaning
- Dimensions: 400mm W x 445mm D x 140mm H
- Weight: 2.9kg
- Quality and ergonomic layout proven for years
- Perfectly matches the basic line 345 hob for a cohesive look

Code: R272



iMass Instantaneous Water Heater

The latest innovation in Europe and CE approved. Guaranteeing an instant and unlimited supply of hot water in caravans, motorhomes and horseboxes, without any preheating. A comfort that you normally only enjoy at home is now also available in your RV.

As there is always enough water available, it does not matter how many people want to take a shower or how long they intend to use it. This water heater can also be used for outdoor showers or for your children's paddling pool, no problem.

- High efficient copper heat exchanger with an efficiency up to 92%
- Low temperatures of around 90°C
- Burner input power propane/butane: 10 kW
- Up to 60% less gas consumption than regular tank models.
- No tank means no loss of heat and during the night, there is absolutely no noise. Also less weight!
- Starts & stops automatically sensing the water flow.
- Selection of the water temperature 35-60C via remote control.
- The burner power is continuously adjusted by a modulating valve and µ-Processor control.
- No corrosion problems or Legionella bacteria
- Highly efficient exhaust blower

Spare parts available on Page 288.

Code: S570



WATER



IN THIS SECTION

» Toilets	82
» Fresh Up Sets	84
» Sanitation & Toilet Chemicals	86
» Water Purifiers	88
» Water Carriers	89
» Taps	90
» Shower Accessories	97
» Tap Accessories	100
» Water Pumps	101
» Sink Wastes	102
» Water Hose & Pipes	104
» Water Filters	105
» Water Fittings	106
» Hose & Pipe Connectors	113
» Water Inlets	114
» External Outlets	116
» Outdoor Utility / Food Grade Hose	117

THETFORD



Thetford Porta Potti 145

- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 12 L
- Comfort class: 3/5
- Flush System: Bellows Pump
- Net Weight: 3.6 KG
- 330 H x 383 W x 427 D mm

Code: R100

THETFORD



Thetford Porta Potti 165

- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 21 L
- Comfort class: 3/5
- Flush System: Bellows Pump
- Net Weight: 3.8 KG
- 414 H x 383 W x 427 D mm
- Optional hold down kit available separately R222

Code: R101

THETFORD



Thetford Porta Potti 335

- Flush-Water Capacity: 10 L
- Waste Tank Capacity: 10 L
- Comfort class: 4/5
- Flush System: Piston Pump
- Level Indicator: Waste
- Net Weight: 3.3 KG
- 313 H x 342 W x 382 D mm
- Supplied with hold down kit

Code: R102

THETFORD



Thetford Porta Potti 345

- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 12 L
- Comfort class: 4/5
- Flush System: Piston Pump
- Level Indicator: Waste
- Net Weight: 3.8 KG
- 330 H x 383 W x 427 D mm

Code: R103

THETFORD



Thetford Porta Potti 365

- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 21 L
- Comfort class: 4/5
- Flush System: Piston Pump
- Level Indicator: Waste
- Net Weight: 4 KG
- 414 H x 383 W x 427 D
- Optional hold down kit available separately R222

Code: R104

THETFORD



Thetford Porta Potti 565P Excellence

- Integrated toilet paper holder
- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 21 L
- Comfort class: 5/5
- Flush System: Piston Pump
- Level Indicator: Waste/Flush
- Net Weight: 4.9 KG
- 448 H x 388 W x 450 D mm
- Optional hold down kit

Code: R105

THETFORD



Thetford Porta Potti 565E Excellence Electric

- Integrated toilet paper holder
- Flush-Water Capacity: 15 L
- Waste Tank Capacity: 21 L
- Comfort class: 5/5
- Flush System: Electric
- Level Indicator: Waste/Flush
- Net Weight: 5 KG
- 448 H x 388 W x 450 D mm
- Optional hold down kit

Code: R106

THETFORD



Thetford C223-S Cassette

- Bowl Material: Plastic
- Flush-Water Capacity: N/A
- Waste Tank Capacity: 18 L
- Central Water Tank: Yes
- Flush System: Electric 12V
- Level Indicator: 1 Level
- Seat Height: 492mm
- Net Weight: 6.8 KG
- 495 H x 365 W x 580 D mm
- OEM Model - No passive vent, retail packing, installation or user manual.

Code: R260

THETFORD



Thetford C223-CS Cassette Toilet

- Bowl Material: Plastic
- Flush-Water Capacity: N/A
- Waste Tank Capacity: 18 L
- Central Water Tank: Yes
- Flush System: Electric 12V
- Level Indicator: 1 Level
- Net Weight: 7.2 KG
- 534 H x 394 W x 580 D mm
- OEM Model - No passive vent, retail packing, installation or user manual.

Code: R261

THETFORD



Thetford C224CW Cassette Toilet

- Bowl Material: Plastic
- Flush-Water Capacity: 9 L
- Waste Tank Capacity: 18 L
- Central Water Tank: No
- Flush System: Manual
- Level Indicator: 1 Level
- Net Weight: 8 KG
- 750 H x 417 W x 600 D mm
- OEM Model - No passive vent, retail packing, installation or user manual.

Code: R262

THETFORD



Thetford C262CWE Cassette Toilet

- Bowl Material: Plastic
- Flush-Water Capacity: 8 L
- Waste Tank Capacity: 17.5 L
- Central Water Tank: No
- Flush System: Electric 12V
- Level Indicator: 3 Levels
- Net Weight: 8.1 KG
- 750 H x 417 W x 603 D mm
- OEM Model - No passive vent, retail packing, installation or user manual.

Code: R263

Royal



Royal Leisure Camping Portable Toilet Deluxe

- Eliminates the need to use distant public restrooms or dig a hole for waste disposal
- Weight: 1.7kg
- Seat Width: 33cm
- Waste Container Capacity: 6L
- 380 H x 495 W x 415 D mm

Code: W419

THETFORD



Thetford Fresh Up Set C234

An economical solution to rejuvenate your C234 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat & lid.

Code	Size
R107	RH Inc. Weels & Handle
R108	LH Inc. Weels & Handle

Code: R109

THETFORD



Thetford Fresh Up Set C200

An economical solution to rejuvenate your C200 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Code: R109

THETFORD



Thetford Fresh Up Set C400

An economical solution to rejuvenate your C400 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Code: R111

THETFORD



Thetford Fresh Up Set C220

An economical solution to rejuvenate your C220 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Code: R240

THETFORD



Thetford Fresh Up Set C500

An economical solution to rejuvenate your C500 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Only suitable for Hobby/Fendt.

Code: R241

THETFORD



Thetford Fresh Up Set C500

An economical solution to rejuvenate your C500 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Code: R242

THETFORD



Thetford Fresh Up Set C250/ C260

An economical solution to rejuvenate your C250/C260 series cassette toilet. This kit includes a new waste-holding tank with wheels and a handle, along with a replacement toilet seat and lid.

Code: R110





THETFORD



Thetford 299900 Fresh Up Cassette Carry Bag
Fits: C200, C220 C223CS, C224CW, C223S and C250/C260.

Code: R245

THETFORD



Thetford 299901 Fresh Up Cassette Carry Bag
Fits: C2, C3, C4, C400, C500.

Code: R246

THETFORD



Thetford 299902 Potti Carry Bag X35 X45
Fits: Porta Potti 145, 335 & 345

Code: R229

THETFORD



Thetford 299901 Potti Carry Bag X65
Fits: Porta Potti 165, 365 & 565

Code: R230

THETFORD



Thetford Porta Potti 335 Hold Down Kit
A perfect solution to fix the toilet firmly to the floor.

Code: R222





Thetford Aqua Soft Toilet Tissue

4 rolls per pack. 15 Packs of 4 rolls.

Code: R132

Bulk Pallet [x270 Packs]: R133



Thetford Aqua Soft Toilet Tissue

6 rolls per pack.

Code: R252

Bulk Pallet [x180 Packs]: R253



Toilet Roll 200 Sheets White Biodegradable

Pack of 36.

Code: V937



Thetford Aqua Kem Blue 2L

Box of 6 Bottles.

Code: R112



Thetford Aqua Kem Duo Pack Caravan Pink & Blue

Box of 6 duo packs. 12 bottles in total, 6 of each. Aqua rinse 0.75L, Aqua Kem 0.78L.

Code: R237



Thetford Aqua Rinse Plus Conc. 0.75L

Box of 12.

Code: R234



Thetford Aqua Kem Blue Conc. Eucalyptus 0.78L

Box of 12 Bottles.

Code: R113



Thetford Aqua Kem Blue Conc. 0.78L

Box of 12 Bottles.

Code: R115



Thetford Aqua Kem Lavender Conc. 0.78L

Box of 12 Bottles.

Code: R118



Thetford Aqua Kem Grey Water Fresh Conc. 0.80L

Box of 12 Bottles.

Code: R114.



Thetford Aqua Kem Duo Tank Cleaner 0.78L

Box of 12 Bottles.

Code: R117



Thetford Aqua Kem Green Conc. 0.75L

Box of 12.

Code: R232

THETFORD



Thetford Aqua Kem Power Pods Blue Bag Of 20 Pods
20 pods per bag. 10 packs of 20 pods.

Code: R247

THETFORD



Thetford Aqua Kem Power Pods Bio Bag Of 20 Pods
20 pods per bag. 10 packs of 20 pods.

Code: R248

THETFORD



Thetford Aqua Kem Blue Sachets
Each tub contains 15 sachets. 6 tubs of 15 sachets.

Code: R120

THETFORD



Thetford Aqua Rinse Spray 0.5L
Box of 9 Spray Bottles.

Code: R126

THETFORD



Thetford Bathroom Cleaner 0.5L
Box of 9 Spray Bottles.

Code: R129

THETFORD



Thetford Toilet Bowl Cleaner 0.75L
Box of 9 Squirt Bottles.

Code: R127

THETFORD



Thetford Maintenance Spray Seal Lubricant 200ml
Box of 12 Aerosol Cans.

Code: R131



Mini Toilet Brush & Holder
Practical space saving Toilet Brush holder which can be wall mounted.

Code: N783






Royal Leisure Flush Pink Bowl Rinse 2L

Formaldehyde free with strong antibacterial action. Keeps flush water fresh.

Code: R930



Royal Leisure Flush Blue Bowl Rinse 2L

Formaldehyde free with strong antibacterial action. Quickly breaks down waste.

Code: R931



Royal Leisure Green Bio Toilet Fluid 2L

Formaldehyde free with strong antibacterial action. Quickly breaks down waste.

Code: R932



Royal Leisure Blue Toilet Fluid 4L

Formaldehyde free with strong antibacterial action. Quickly breaks down waste.


Code: R933



Royal Leisure Pink Toilet Fluid Double Concentrate 1L

Formaldehyde free with strong antibacterial action. Keeps flush water fresh.


Code: R935



Royal Leisure Blue Toilet Fluid Double Concentrate 1L

Formaldehyde free with strong antibacterial action. Quickly breaks down waste.

Code: R936



Clean Tabs Puriclean 400g For 60 Gallon Tank

A unique dual-purpose formula which both cleans and sterilises the complete water system.

Code: N473



Clean Tabs Puriclean 100g For 15 Gallon Tank

A unique dual-purpose formula which both cleans and sterilises the complete water system.

Code: N474

Puriclean has been proven in use worldwide since 1977.

A unique dual-purpose formula which both cleans and sterilises the complete water system – tank, pipes, pumps and taps. Puriclean eradicates bacteria, viruses, biofilm, algae and fungi with a powerful action that won't harm the components in the water system.

Puriclean is easy to use by simply adding to the water system and left to soak for 1-12 hours, then rinsed. Periodic use will ensure a clean healthy system for water storage.




Clean Tabs Aqua Clean Mega Tabs

Rapid-dissolving effervescent tablets are designed to purify 225 litres of water with each tablet.


Code: N477



Clean Tabs Aqua Clean Midi Tabs

Rapid-dissolving effervescent tablets are designed to purify 25 litres of water with each tablet.

Code: N476



Clean Tabs Aqua Clean Mini Tabs

Rapid-dissolving effervescent tablets are designed to purify 1 litre of water with each tablet.

Code: N676

CleanTabs



Clean Tabs Aqua Sol Fresh Water Treatment 300ml

Non-corrosive, will not harm water system components. Add 1 capful to every 25L of water when filling tank.

Code: N478

CleanTabs



Clean Tabs Puri Sol Water Tank Cleaner 300ml

Puri Sol is formulated to remove biofilm, kill micro-organisms and eliminating odours.

Code: N480

CleanTabs



Clean Tabs Waste Guard Water Deodoriser 300ml

Waste Guard is a unique new concept which effectively removes odours from stored waste water.

Code: N481



Fresh Water Jerry Can

Code	Description
R500	5L With Cap
R501	9.5L With Cap
R502	9.5L With Tap
R503	25L With Cap
R504	25L With Tap



Spare Cap/Tap for Jerry Can

Code	Description
R505	Cap R500, R501, R503
R506	Tap R502, R504



23L Black Waste Tank With 2 Red Caps

Features side and top openings for easy filling or emptying.

Code: R507



Fresh Water Carrier

Code	Description
W195	5L Body only
W196	10L Body only
W197	25L Body only
W204	5L With Cap
W202	10L With Cap
W200	25L With Cap
W193	5/10L Cap only
W198	25L Cap only


Code	Description
W205	5L With Tap
W203	10L With Tap
W201	25L With Tap
W194	5/10L With Tap
W199	25L Tap only



Red Cap With Washer

Compatible spare for 23L Waste Tanks R507.


Code: R508



Reich Deluxe White Cold Water Tap

20mm Base Hole, Ridged Fittings, Microswitch F281, 1/2" Screw On Adaptors F117.

Code: F240



Reich Deluxe Matt Chrome Cold Water Tap

20mm Base Hole, Ridged Fittings, Microswitch F281, 1/2" Screw On Adaptors F117.

Code: F265



Comet Novo Beige Single Tap

Ridged Fittings, Microswitch F280 Spout F285.

Code: F250



Comet Florenz Chrome Cold Water Tap

33mm Base Hole, Ridged Fittings, Microswitch F215.


Code: F298



Reich Keramik Mono Cold Water Tap

27mm Base Hole, Ridged Fittings, Microswitch F282.


Code: N510



Reich Samba Chrome Cold Water Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout N515.


Code: N513



Reich Samba Chrome Cold Water Tap

33mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F219, Spout N515.

Code: N519



Reich Samba Chrome Cold Water Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout N515.

Code: N519S



Reich Deluxe White Mixer Tap

Ridged Fittings, Microswitch F281, 1/2" Screw On Adaptors F117.


Code: F245



Reich Matt Chrome Deluxe Mixer Tap

Ridged Fittings, Microswitch F281, 1/2" Screw On Adaptors F117.


Code: F269



Comet Novo Beige Mixer Tap

Ridged Fittings, Microswitch F280 Spout F285.


Code: F260



Reich Twist R/H Chrome Mixer Tap

45° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Spout F227.


Code: F213



Reich Twist R/H Matt Chrome Mixer Tap

45° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Spout F228.


Code: F214



Reich Twist R/H Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Spout F227.


Code: F239



Reich Twist R/H Matt Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Spout F228.


Code: F244



Reich Twist L/H Chrome Mixer Tap

45° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F227.


Code: F211



Reich Twist L/H Matt Chrome Mixer Tap

45° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F228.


Code: F212



Reich Twist L/H Chrome Mixer Tap

90° Swivel, 33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F227.


Code: F271



Reich Twist L/H Matt Chrome Mixer Tap

90° Swivel, 33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F228.


Code: F272



Reich Twist L/H Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F219, Spout F227.


Code: N104



Reich Twist L/H Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Spout F219.


Code: N104S



Reich Twist L/H Matt Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F218, Spout F228.


Code: N105



Reich Twist L/H Matt Chrome Mixer Tap

90° Swivel, 39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F228.


Code: N105S



Reich Samba Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout N515.


Code: N514



Reich Samba Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F219, Spout N515.


Code: N518



Reich Samba Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout N515.


Code: N518S



Comet Florenz Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F215.


Code: F226



Reich Carino Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Spout N515.


Code: N516



Reich Carino Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216, Spout N515.


Code: N516S



Reich Kama Chrome Mixer

360° Swivel, 27mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216.


Code: F258



Reich Kama Chrome Mixer

360° Swivel, 27mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216.


Code: F258S



Reich Kama Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216.


Code: F274



Reich Kama Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216.


Code: F274S



Reich Pelikan Chrome Mixer Tap

360° Swivel, 33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216.

Code: F238



Reich Pelikan Chrome Mixer Tap

360° Swivel, 33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216.

Code: F238S



REICH
WATER SOLUTIONS

Reich Ceramic Deluxe Mixer Tap Rigid Connectors
27mm Base Hole, Ridged Fittings.

Code: N1111



REICH
WATER SOLUTIONS

Reich Mono 2005 Chrome Mixer Tap
27mm Base Hole, Ridged Fittings, Microswitch F282.

Code: F241



REICH
WATER SOLUTIONS

Reich Mono Matt Chrome Mixer Tap
27mm Base Hole, Smooth Fittings, Microswitch F282, Cartridge F219, Spout F228.


Code: F242



REICH
WATER SOLUTIONS

Reich Keramix Style Chrome Mixer Tap
33mm Base Hole, Ridged Fittings, Microswitch F232.

Code: F309



REICH
WATER SOLUTIONS

Reich Keramix Style Matt Chrome Mixer Tap
33mm Base Hole, Ridged Fittings, Microswitch F232.

Code: F279



REICH
WATER SOLUTIONS

Reich Trend A Chrome Mixer Tap
27mm Base Hole, Ridged Fittings, Microswitch F281, Spout V865, Tap Rose F251.

Code: F112



REICH
WATER SOLUTIONS

Reich Trend E Keramik Chrome Mixer Tap
33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216, Spout V865, Tap Rose F251.

Code: F113



REICH
WATER SOLUTIONS

Reich Trend E Keramik Chrome Mixer Tap
27mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Spout V865, Tap Rose F251.

Code: N106



REICH
WATER SOLUTIONS

Reich Trend E Keramik Chrome Mixer Tap
27mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216, Spout V865, Tap Rose F251.

Code: N106S



REICH
WATER SOLUTIONS

Reich Trend E Chrome Shower Mixer Tap
33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Hose T267, Shower Head N608.

Code: N496



REICH
WATER SOLUTIONS

Reich Concept E Chrome Mixer Tap
33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216.


Code: N497



REICH
WATER SOLUTIONS

Reich Concept E Chrome Mixer Tap
33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216.


Code: N497S



Comet Ducale Chrome Mixer Tap With Short Spout

Ceramic cartridge fully enclosed in brass. Stainless Steel Ridged Fittings. 12cm Spout.

Code: V873



Comet Ducale Chrome Mixer Tap With Medium Spout

Ceramic cartridge fully enclosed in brass. 15cm Spout.


Code: V886



Comet Ducale Chrome Mixer Tap With Long Spout

Ceramic cartridge fully enclosed in brass. 22cm Spout.


Code: V887



Comet Roma Chrome Mixer Tap

360° Swivel, 33mm Base Hole, Ridged Fittings, Microswitch F215.


Code: F225



Comet Roma Chrome Mixer Tap

360° Swivel, 33mm Base Hole, Smooth Fittings, Microswitch F215.


Code: F225S



Comet Stilo Chrome Mixer Tap

27mm Base Hole, Female Push Fit Fittings. With 19cm Spout.


Code: V888



Comet Roma Chrome Mixer Tap

360° Swivel, 33mm Base Hole, Smooth Fittings, Microswitch F215.


Code: F22522CM



Reich Charisma Chrome Short Spout Mixer Tap

30-35mm Base Hole, Copper Pipe Fittings, Microswitch F231, Cartridge F216.

Code: F235



Reich Charisma Long Spout Mixer Tap

30-35mm Base Hole, Copper Pipe Fittings, Microswitch F231, Cartridge F216.

Code: F236



Cara L180 Chrome Mixer Tap

The Cara L180 single lever mixer tap has a strong chromed brass body and spout.

Code: N482



Carafax L240 Mixer Tap

240mm swivel spout, with push fit tails for quick connection to standard 15mm pipe work.

Code: N882



Cara Basin Dee Chrome Mixer Tap

Stylish basin tap.


Code: N885



Cara Squin Swivel Chrome Mixer Tap

Stylish swivel tap.


Code: N887



Reich Linnea L Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F277, Cartridge F219, Collar F5600. With 179mm spout.


Code: F560



Reich Linnea L Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F277, Cartridge F219, Collar F5600. With 179mm spout.


Code: F560S



Reich Linnea L Black Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F277, Cartridge F219. With 179mm spout.


Code: F561



Reich Linnea L Black Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F277, Cartridge F219. With 179mm spout.

Code: F561S



Reich Linnea K Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F277, Cartridge F219, Collar F5600. With 146mm spout.


Code: F562



Reich Linnea K Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F277, Cartridge F219, Collar F5600. With 146mm spout.


Code: F562S



Reich Linnea K Black Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F277, Cartridge F219. With 146mm spout.


Code: F563



Reich Linnea K Black Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F277, Cartridge F219. With 146mm spout.


Code: F563S



Reich Twister Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219.


Code: F564



Reich Twister Black Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219.


Code: F565



Reich Contur E Black Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216.

Code: F566



Reich Contur E Black Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216.


Code: F566S



Reich Vector E Chrome Short Spout Mixer Tap

126mm Spout, 33mm Base Hole, 12mm Uniquick Hose Tails, Microswitch F232, Cartridge F219.


Code: N511



Reich Vector E Chrome Long Spout Mixer Tap

159mm Spout, 33mm Base Hole, 12mm Uniquick Hose Tails, Microswitch F232, Cartridge F219.


Code: N512



Reich Trend S Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch N293, Cartridge F219.


Code: N493



Reich S90 Contur Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F247, Cartridge F219.


Code: N517



Reich S90 Contur Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F247, Cartridge F219.


Code: N517S



Comet Stilo High Chrome Mixer Tap

High spout mixing tap.

Code: V859



Comet Luca Chrome Mixer Tap

33mm Base Hole, 12mm Female Fittings.

Code: V860



Cara Swan Squin Lever Tap Chrome Mixer Tap

High-reaching spout.

Code: N884



Cara Flexi Black Chrome Mixer Tap

Flexible, high-reaching spout.

Code: N883



Cara Minimixer Chrome Mixer Tap

Single lever tabletop shower mixer tap has a strong chromed brass body and spout.

Code: N483



Cara Shower Mixer Squin 1/2" Chrome Mixer Tap

Stylish shower mixer tap.


Code: N886



Reich Vector Shower Chrome Mixer Tap With Swift Logo

33mm Base Hole, Smooth Fittings, No Microswitch, Cartridge F216, 3/8" shower connection.


Code: N1512S



Reich Kama Table Top Shower Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F232, Cartridge F216, Hose T295, 3/8" shower connection.

Code: N801



Reich Trend A Table Top Chrome Shower Mixer Tap

27mm Base Hole, Ridged Fittings, Microswitch F281, Spout F227, Hose T267.


Code: F111



Reich Trend A Table Top Chrome Shower Mixer Tap

33mm Base Hole, 90° Nozzle 12mm Uniquick Hose Tails, Microswitch F281.


Code: N800



Reich Twist Under Table Chrome Mixer

For All Showerheads. Microswitch F273, Cartridge F219.


Code: N609



Reich Twist Table Top Matt Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F219, Spout F228, Hose T267.


Code: F229



Reich Twist Table Top Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F273, Cartridge F219, Spout F227, Hose T267.


Code: F243



Reich Twist Table Top Chrome Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F227, Hose T267.


Code: F243S



Reich Twist Table Top Chrome Mixer Tap

39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Spout F227, Hose T267.


Code: F243S/39MM



Reich Kama Chrome Shower Mixer Tap

33mm Base Hole, Microswitch F232, Cartridge F216, Hose T267, Shower Head N608.


Code: N490



Reich Kama Chrome Shower Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Shower Head N610.


Code: N492



Reich Trend E Chrome Shower Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Hose T267, Shower Head F234.


Code: N494



Reich Trend E Chrome Shower Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Hose T267, Shower Head N614.


Code: N495



Reich Kama Shower Chrome Mixer Tap

33mm Base Hole, Ridged Fittings, Microswitch F232, Cartridge F216, Shower Head F234.


Code: F278



Reich External Shower Point Spare Hose And Head

5mm hose connectors, 2m hose fits all external Reich shower enclosures.

Code: F123



Reich Twist Matt Chrome Shower Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Shower Head N608, Hose T267.


Code: F259



Reich Twist Matt Chrome Shower Mixer Tap

39mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F219, Shower Head N608, Hose T267.


Code: F229/39MM



Reich Twist Chrome Shower Mixer Tap

33mm Base Hole, Smooth Fittings, Microswitch F273, Cartridge F218, Shower Head N608, Hose T267.


Code: F259C



Comet Novo Beige Shower Mixer Tap

Ridged Fittings, Microswitch F280, Shower Head F263, Hose F262.

Code: F261



Comet Novo Beige Shower Hose

Two tone Beige colour scheme. Shower Head F263.

Code: F262



Comet Novo Beige Shower Head & Bracket

Two tone Beige colour scheme. Hose F262.


Code: F263



Complete Shower Fitting

Includes hose, head, bracket & sliding wall bar. Spare Reich Julia Shower head.


Code: F297



Cara Shower Set

Complete with hose, head and wall bracket.


Code: N485



Comet King Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: V871



Comet Roma Trigger Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.

Code: V872



Reich Julia Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: F234



Reich Contur Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: F2341



Reich Contur S Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: F2342



Reich Duett Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: N608



Reich Kombi Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: N610



Reich Trend Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: N614



Reich Orion Shower Head

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: T265



Reich Charisma Lever Showerhead

Hose 3/8" - 1/2" T295, Hose 1/2" - 1/2" T267.


Code: V847



Reich 1/2" 1.5m Shower Hose

1.5 metre chrome hose, available with standard 1/2" hose connections.


Code: T267



Reich 1/2"-3/8" 1.5m Shower Hose

1.5 metre chrome hose, available with 1/2" to 3/8" hose connections.

Code: T295



Reich Wall Connection Elbow Bracket

Bracket for shower head. Includes 300mm hose & 1/2" connections.

Code: T266



Comet Florenz Lever For Comet Florenz Taps

Spare Comet Florenz lever to suit all Comet Florenz taps.

Code: V853



Comet Florenz Spout For Comet Florenz Taps

Spare Comet Florenz spout to suit all Comet Florenz taps.

Code: V854



Comet Roma Lever For Comet Roma Taps

Spare Comet Roma lever to suit all Comet Roma taps.


Code: V858



Comet Beige Novo Spout For Comet Novo Taps

Spare Beige Novo spout to fit all Comet Novo taps.

Code: F285



Reich Spout for Reich Twist Taps

Spare Chrome Twist spout to fit all Reich Twist taps.


Code: F227



Reich Spout for Reich Twist Taps

Spare Matt Chrome Twist spout to fit all Reich Twist taps.

Code: F228



Reich Carino Samba Spout For Reich Carino Samba Taps

Spare Chrome Carino Samba spout to fit all Reich Carino Samba taps.

Code: N515



Reich Trend Spout For Reich Trend Taps

Spare Chrome Trend spout to fit all Reich Trend taps.

Code: V865



Water fittings

A holiday for the eyes! Elegant, durable and functional, these three characteristics make our fittings your ideal companions in your leisure vehicle. The variety of colours and materials means there is something to suit every taste. As much as necessary, as little as possible: our fittings dispense water sparingly and at the same time ensure an optimal spray pattern. This leaves nothing to be desired, even when travelling!





Comet Elegant 12v 10L Submersible Pump

Comet Elegant submersible pump, as used in Thetford toilet systems.

Code: F221



Comet Vip Plus 20L Water Pump

As used in Carver & Truma systems.


Code: F222



Reich 19L Tandem Pump

High power twin pump with no non return valve, 19 litre 12V 1,4 bar.

Code: F254



Reich 19L Twin Pump with Non Return Valve

19 litre per minute pump rate, and is fitted with a non-return valve. 12V.

Code: F255



Reich 8L Water Pump

Maximum 8 litre per minute pump rate. 12V.

Code: F283



Reich 12L Water Pump

Maximum 12 litre per minute pump rate. 12V.


Code: F299



Reich 15L Water Pump

Maximum 15 litre per minute pump rate. 12V.

Code: F306



Reich 18L Water Pump

Maximum 18 litre per minute pump rate. 12V.


Code: F307



Reich Powerjet 22L Submersible Pump

12v high pressure pump 1.8 Bar. 22L/min pump rate.


Code: N626



Reich Powerjet 25L Submersible Pump

12v high pressure pump 2.1 bar. 25L/min pump rate.

Code: N627



Reich Easy 14L Pump

12v, 14lpm flow rate, 0.5 bar.

Code: N630





Can 1 1/4" Right Angled Sink Waste

1-1/4" - 20mm & 25mm hose tail.

Code: CAN19



1 1/4" Straight Sinkwaste

Designed to fit 28.5mm waste hose.

Code: F626



1 1/4" Angled Sinkwaste

Designed to fit 28.5mm waste hose.

Code: F627



1 1/4" Right Angled Sinkwaste

Designed to fit 28.5mm waste hose.

Code: F628



1 1/4" Straight Sinkwaste

Designed to fit 3/4" convoluted Waste Hose, or 23.5mm waste Hose.

Code: F630



1 1/4" Angled Sinkwaste

Designed to fit 3/4" convoluted waste hose, or 23.5mm waste hose.

Code: F631



48mm Angled Sinkwaste

Suitable for most Euro sink units. Supplied with plug. Stainless Steel top to 20mm waste.

Code: F592



48mm Straight Sinkwaste

Suitable for most Euro sink units. Supplied with plug. Stainless Steel top to 20mm waste.

Code: F593



3/4" Straight Stainless Steel Top Sinkwaste

Designed to fit 3/4" convoluted waste hose, or 23.5mm waste Hose.

Code: F632



3/4" Right Angled Stainless Steel Top Sinkwaste

Designed to fit 3/4" convoluted Waste Hose, or 23.5mm waste Hose.

Code: F633



3/4" Straight White Plastic Top Sinkwaste

Designed to fit 3/4" convoluted Waste Hose, or 23.5mm waste Hose.


Code: F635



3/4" Right Angled White Plastic Top Sinkwaste

Designed to fit 3/4" convoluted Waste Hose, or 23.5mm waste Hose.


Code: F636



Reich 39mm Right Angled Water Drain

An angled 28mm waste outlet, complete with 39mm stainless steel strainer.


Code: N499



Reich 33mm Right Angled Water Drain

An angled 28mm waste outlet, complete with 33mm stainless steel strainer.


Code: N500



Reich 39mm Straight Water Drain

An straight 28mm waste outlet, complete with 39mm stainless steel strainer.

Code: N501



Reich 33mm Straight Water Drain

An straight 28mm waste outlet, complete with 33mm stainless steel strainer.

Code: N502



Reich 39mm Water Drain Plug

Plug only.

Code: N507



Reich 33mm Water Drain Plug

Plug only.

Code: N508



White Waste Strainer

Strainer only.

Code: N778



Chrome Plated Waste Strainer

Strainer only.

Code: N779



1.5" Sink Waste Plug

Plug only.


Code: N780



Universal Self-Seating Plug

Plug only.

Code: N781



Spare Sink Plug For 1 1/4" Sinkwaste

Plug only.

Code: F629



Spare Plug For 3/4" Sinkwaste

Pack of 2.

Code: F634

Blue PVC Fresh Water Hose		1140	3/8" Blue Hose 30m	Fresh Water
		1120	1/2" Blue Hose 30m	Fresh Water
Blue Reinforced PVC Fresh Water Hose		1142	3/8" Blue Hose 30m	Fresh Water
		1124	1/2" Blue Hose 30m	Fresh Water
Red Reinforced PVC Fresh Water Hose		1141	3/8" Red Hose 30m	Fresh Water
		1125	1/2" Red Hose 30m	Fresh Water
Clear PVC Fresh Water Hose		1105	3/8" Clear Hose 30m	Fresh Water
		1110	1/2" Clear Hose 30m	Fresh Water
Clear Reinforced Fresh Water Hose		1111	1/2" Clear Hose 30m	Fresh Water
Semi Rigid Pushfit Water Pipe		N242	12mm Blue Semi Rigid Hose 25m	Fresh Water
		N243	12mm Red Semi Rigid Hose 25m	Fresh Water
Convolutd Fresh Water Hose		1160	40mm Convolutd White Food Grade Fresh Water Hose 10m	Fresh Water
		1166	26mm Convolutd Blue Food Grade Fresh Water Hose 30m	Fresh Water
Push Fit Blue Rigid Fresh Water Pipe		1151/U	28mm Rigid Blue Fresh Water Pipe 3m	Fresh Water
Black Flexible Convolutd Waste Water Hose		1135	19mm Black Flexible Convolutd Waste Water Hose 30m	Waste Water
		1167	20mm Black Flexible Convolutd Waste Water Hose 30m	Waste Water
Grey Flexible Convolutd Water Hose		1149	23.5mm Grey Convolutd Waste Water Hose 50m	Waste Water
		1165	26mm Grey Convolutd Waste Water Hose 30m	Waste Water
		1150	28.5mm Grey Convolutd Waste Water Hose 25m	Waste Water
Push Fit Grey Rigid Waste Water Pipe		1151	28mm Rigid Grey Waste Water Pipe 3m	Waste Water



Filtapac Rechargeable Filter Cartridge

The Filtapac filter is ideal as a replacement for the Mk II Carver filter.

Code: F101



Filtapac Econoflo

Filtapac econoflo in-line water filter.

Code: F293



Filtapac Refills For Carver Filters

Pack of 18.

Code: F294



Filtapac Spares Kit

The spares kit contains sponge spacer & foam washer replacement for the Filtapac Carver.

Code: F295



Filtapac Aquaflo Rechargeable Filter

Fits Whale WF3000 housing with Extra refill.

Code: T289



Filtapac Ivory Water Filter Housing Carver Truma Type

Also available in White V725W

Code: V725



Filtapac Ivory Spare Housing Lid Carver/Truma Type

Also available in white V726W

Code: V726



Filtapac Water Plug Security Clips

Supplied in pairs.

Code: V727



Filtapac Housing Lid Hinge Pins

Supplied in pairs.

Code: V728



Reich Push Fit MyClean Water Filter

Supplied with push fit connections.

Code: F571



Reich Rigid MyClean Water Filter

Supplied with rigid connections.

Code: F572



Reich Myclean Water Filter Cartridge

Filter can be changed quickly and easily without it getting wet.

Code: F570



Reich Uniquick 12mm Straight Connector
Pluggable UniQuick piping system.

Code: N283



Reich Uniquick 12mm Elbow Connector
Angled connector for the pluggable UniQuick piping system.

Code: N284



Reich Uniquick 12mm Equal T Connector
Pluggable UniQuick piping system.

Code: N285



Reich Uniquick 12mm End Plug
UniQuick guarantees 100% leak-proof up to a pressure of 6 bar at 80 °C and is frost-resistant.

Code: N295



Reich Uniquick Fresh Water Tank Inlet
Replaces PVC hoses & reduces algae formation.

Code: N290



Reich Uniquick Drain Valve
Reich Uniquick drain valve.

Code: N291



Reich Uniquick Adaptor
From 12mm quick fit pipe to 10mm hose nozzle.

Code: N286



Reich Uniquick In Line
Non return valve for 12mm quick fit pipe.

Code: N287



Reich Uniquick NRV Quick Fit
Quick fit Connection & 10/12mm Hose Nozzle - 12mm Quickfit Pipe.

Code: N288



Reich Uniquick NRV Screwfit
Screwfit connection & 10/12mm hose nozzle - 12mm quickfit pipe.

Code: N289



Reich Uniquick 12mm Stem Nozzle To 3/8" Hose
UniQuick hose connector 12 mm, suitable for drinking water supply.

Code: N292



Reich Uniquick 12mm End Stopper
Simply inserts in to a 12mm pipe fitting to blank off the joint.

Code: N294



12mm Equal In-Line Shut

A 12mm equal push fit connector containing an in-line, quick action shut off valve.

Code: N241



12mm Stem In-Line

Includes shut off valve.

Code: N274



12mm Equal Bulkhead Connector

Enables 12mm semi rigid water systems to pass through bulkhead walls up to 20mm thick.

Code: N238



12mm Tank Fitting Assembly

Enables quick push fit 12mm connection.

Code: N239



12mm Equal Y Piece

Push fit fitting for rapid water connections in systems using 12mm semi rigid fresh water pipe.

Code: N223



Straight Pushfit Adaptor

12mm to 1/2" Hose.

Code: N270



Equal Tee Piece

Push fit fitting for rapid water connections in systems using semi rigid fresh water pipe.

Code	Size
N222	12mm
N275	15mm



Equal Elbow

Push fit fitting for rapid water connections in systems using semi rigid fresh water pipe.

Code	Size
N224	12mm
N276	15mm



Equal Straight Connector

Push fit fitting for rapid water connections in systems using semi rigid fresh water pipe.

Code	Size
N225	12mm
N277	15mm



Straight Adaptor Bsp To 12mm Push Fit Female

Adapts from a BSP female thread to a 12mm quick Push Fit connector.

Code	Size
N233	3/8"
N232	1/2"



Straight Adaptor Male Bsp To 12mm Push Fit

Adapts from a BSP male thread to a 12mm quick Push Fit connector.

Code	Size
N234	3/8"
N235	1/2"



Male Bsp To 12mm Stem Water Fitting Adaptor

Adapts from a BSP Male thread to a 12mm Stem fitting.

Code	Size
N236	3/8"
N237	1/2"



Straight Reducer Push Fit Connector

Reduce a larger pipe or fitting to a smaller pipe fitting.

Code	Size
N271	15mm - 12mm
N227	12mm - 10mm
N273	12mm - 8mm



Stem Elbow Convert

Converts Push Fit to a Stem connection.

Code	Size
N226	12mm
N279	15mm



12mm Stem Straight Convert

Straight Adaptor to increase a 12mm Stem fitting to a quick Push Fit connection.

Code	Size
N229	12mm - 10mm
N230	12mm - 15mm



12mm-10mm Elbow Reducer

Reduce a 12mm pipe or fitting to a 10mm pipe fitting.

Code: N228



End Plug

A solid 12mm end plug to quickly blank off 12mm push fit fittings.

Code	Size
N231	12mm
N278	15mm



In-Line Filter/Strainer

Includes push fit connectors & removable sealed cap to clean the metal strainer.

Code	Size
N247	10mm
N246	12mm



1/2" Hose Inlet

1/2" Hose inlet with cover to fit underneath the edge of a caravan for fresh water inlet.

Code: F623



3/4" Hose Outlet With Cover

Outlet hose socket with 3/4" internal diameter to fit a 3/4" hose into an external tank.

Code: F624



28.5mm Hose Outlet With Cover

Made from durable Polypropylene.

Code: F625



28.5mm Y Piece Water Hose Connector

Ridged, push-on Y piece connector joins three 28.5mm waste hoses.

Code: F606



Easy Drain

28.5mm Y-Piece waste water pipe outlet.

Code: I171



28.5mm Straight Water Hose Connector

A ridged, push-on straight connector for joining two 28.5mm waste hoses.

Code: F603



28.5mm Convuluted To 28mm Push Fit Adaptor

Ensures a good fit between 28.5mm convuluted hose and 28mm push fit.

Code: F612



28.5mm Convuluted To 28mm Push Fit Pipe Adaptor

Ensures a good fit between 28.5mm convuluted hose & 28mm rigid pipe.

Code: F613



28mm Pushfit Straight Rigid Pipe Connector

A straight connector to join 28mm push fit rigid pipe together.

Code: F614



28mm Pushfit Pipe To 20mm Hose Connector

Ensure a good fit between 28mm rigid pipe & 20mm 3/4" convuluted hose.

Code: F654



28mm Pushfit T Rigid Pipe Connector

A T piece connector to join 28mm push fit rigid pipe together.

Code: F617



Push Fit 28mm Sink Waste Trap 'U' Waste Trap

A 28mm Push fit sink waste "U" trap with removeable cap for cleaning.

Code: F653



28mm Pushfit Elbow Rigid Pipe Connector

Elbow connector to join 28mm Push Fit Rigid Pipe together.

Code: F615



28mm 90° Rigid Pipe Connector

Elbow connector to join 28mm push fit rigid pipe to other fittings.

Code: F6150



28mm Pushfit Y Rigid Pipe Connector

A Y Piece connector to join 28mm push fit rigid pipe together.

Code: F616



Pushfit Y Piece 28.5mm Water Hose Connector

Seven piece Y connector secures joining of 28.5mm Convuluted Hose.

Code: I170



Water Pipe Floor Connector

Rigid Pipe to 28mm Convuluted Hose.

Code: F591



28mm Water Tank Connector & Backing Nut

Threaded adaptor connects 28.5mm convuluted hose to a waste tank.

Code: F590



23.5mm Hose Sealing Sleeve
23.5mm Hose sealing sleeve.

Code: F610
Pair: F610PR



28.5mm Hose Sealing Sleeve
28.5mm hose sealing sleeve.

Code: F611
Pair: F611PR



Waste Water Drain Tap Grey
Simple push-fit attachment to 28mm rigid pipe. Enables draining of on board water tanks.

Code: F667



Waste Outlet Connection Kit
2 x 28mm x 90 degree elbow, 1 x 28mm tee connector, 1 x 300mm x 28mm waste pipe.

Code: I172



28mm Push Fit 90° Connector
Elbow connector to join 28mm Blue push fit rigid pipe together.

Code: F615/U



28mm 90° Rigid Pipe Connector
Elbow connector to join 28mm Blue push fit rigid pipe to other fittings.

Code: F6150/U



28mm Convolute Push Fit Reducer
Ensures a good fit between 28.5mm convoluted hose and 28mm push Fit.

Code: F612/U



28mm Push Fit Straight Connector
A Straight connector to join 28mm Blue push fit rigid pipe together.

Code: F614/U



40mm Angled Connector
1 1/4" BSP complete with nut and washer.

Code: I175



20mm Angled Connector
3/4" BSP complete with nut and washer.

Code: I176



10mm Straight Connector
3/4" BSP complete with nut and washer.

Code: I177



Fresh Water Drain Tap Blue
Simple push-fit attachment to 28mm rigid pipe. Enables draining of on board water tanks.

Code: F655



1/2" To 3/8" Reducing Water Connector
A ridged, push-on reducing connector for joining a 1/2" hose to a 3/8" hose.

Code: F599



3/8" Straight Water Hose Connector
A rigid, push-on straight connector for joining two 3/8" water hoses.

Code: F600



1/2" Straight Water Hose Connector
A ridged, push-on straight connector for joining two 1/2" water hoses.

Code: F601



3/4" Straight Water Hose Connector
A rigid, push-on straight connector for joining two 3/4" water hoses.

Code: F602



3/8" Elbow Piece Water Hose Connector
A rigid, push-on elbow connector for joining two 3/8" water hoses.

Code: F652



1/2" Elbow Water Hose Connector
A rigid, push-on elbow connector for joining two 1/2" water hoses.

Code: F607



1/2" Y Piece Water Hose Connector
A rigid, push-on Y piece connector for joining three 1/2" water hoses.

Code: F604



3/4" Y Piece Water Hose Connector
A rigid, push-on Y piece connector for joining three 3/4" water hoses.

Code: F605



3/8" Y Piece Water Hose Connector
A rigid, push-on Y piece connector for joining three 3/8" water hoses.

Code: F651



1/2" T Piece Water Hose Connector
A rigid, push-on T piece connector for joining three 1/2" water hoses.

Code: F608



3/4" T Piece Water Hose Connector
A rigid, push-on T piece connector for joining three 3/4" water hoses.

Code: F609



3/8" Water T Piece Hose Connector
A rigid, push-on T piece connector for joining three 3/8" water hoses.

Code: F650



Comet Non Return Valve
Comet non return valve in line 10mm fitting prevents back pressure.

Code: F223



Herbie Hose Clip
Secure water hose connections quickly.

Code	Size	Qty
F645	1"	5
F645B	1"	100
F646	1 3/8"	5
F646B	1 3/8"	100



Sealing Washer 50 Piece Set
A superb value packet of 50 assorted sealing washers and O rings.

Code: T123




Hose Clip 00
13-20mm. Fits 1/2" & 3/8" water hose. Pack of 2 clips. Bulk pack is a pack of 100 clips.

Code: F300
Bulk Pack [x100]: F302



Stainless Steel Hose Clips OX
18-25mm. Supplied in pairs.

Code: F668




Stainless Steel Jubilee Clips
25-40mm. Single clip.

Code: F669



Floor Seal
Ideal for sealing around pipes coming through the caravan floor.

Code	Size	Qty
F640	5-11mm	10
F641	10-19mm	10
F642	19-28mm	10
F640B	5-11mm	50
F641B	10-19mm	50
F642B	19-28mm	50



40mm Black Water Inlet With Locking Zadi Cap

Secure Vecam barrel with a wide 40mm hose connection throat for rapid filling of onboard water tanks.


Code: F312



40mm White Water Inlet With Locking Zadi Cap

Secure Vecam barrel with a wide 40mm hose connection throat for rapid filling of onboard water tanks.


Code: F313



Black Locking Water Cap Only

Replacement Zadi locking water cap for F312.

Code: F314



White Locking Water Cap Only

Replacement Zadi locking water cap for F313.

Code: F315



Black Throat Assembly Only

Replacement Zadi throat assembly in Black, for F312.

Code: F316



White Throat Assembly Only

Replacement Zadi throat assembly in White, for F313.

Code: F317

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✓ Over 8,000 lines in stock
- ✓ Exclusive trade pricing
- ✓ Credit accounts available
- ✓ Key brands
- ✓ Same day dispatch
- ✓ Trade only
- ✓ Online ordering
- ✓ Dedicated customer service



Image taken by @markpemberton_photos

Supply connections

Our utility connections give you easy access to the local infrastructure where you are. You can easily connect water, gas and electricity to your leisure vehicle and thus ensure even more comfort for your mobile four walls. As soon as they are no longer needed, the connections are well hidden and safely protected, e.g. behind supply flaps, waiting for their next use.

REICH
THE QUALITY EXPERIENCE



REICH
THE QUALITY EXPERIENCE

REICH is an accessory specialist for recreational vehicles and Europe's leading manufacturer in the field of water supply for motorhomes and caravans. As a quality brand of REICH GmbH, Reich Water Solutions ensures pure drinking water and pure refreshment on tour.

Europe-wide
service

Adventures rarely stop at borders. That's why you can rely on our service throughout Europe. We are at your side with words and deeds, so that in the case of an emergency everything runs again quickly.



Reich External Shower Point With Mixer Valve, Charisma Shower Unit

Includes a complete shower head with hose and quick coupling.

Code: F122



Reich External Gas & Water Valve Point

Equipped with gas shut-off valve. Includes lock and key.


Code: F124



Reich White 1.4 Bar Colorado Mains Pressure Tap Regulator

UV-resistant ABS acrylonitrile butadiene styrene Plastic Housing.

Code: F125



Bullfinch Black Outdoor Utility Shower Point

Comes with shower hose & head.

Code: N126B



Bullfinch Grey Outdoor Utility Shower Point

Comes with shower hose & head.

Code: N126G



Bullfinch White Outdoor Utility Shower Point

Comes with shower hose & head.

Code: N126



Bullfinch Outdoor Utility Shower Hose & Head


Hose length 1.5m.

Code: N126HOSE



Fill Up With Hose

Code	Description
F288	1m Hose
F289	2m Hose
N249	5m Hose
N784	10m Hose



Aquapro Mains Adaptor Kit

High quality food grade hose supplied with tap connectors, hose extension connector and fitting caps.


Code: V591



Reel Of Food Grade Superflat Hose 50ft

15m Flat hose with quick-rewind cassette reel.

Code: N611



Food Grade Flat Hose 25ft

7.5m 25ft, 1/2" Blue flat food grade hose. Includes tap connector and quick release adjustable spray nozzle.

Code: N612



12mm Blue Food Grade Flat Hose

Crafted from premium quality, BPA-free materials, certified food grade.

Code: N613



Universal Tap Adaptor

A push on fitting to connect 1/2" hose to most standard tap fittings.

Code: F304



Aquacap

The Aquacap allows sealed connection for the submersible pump connection.

Code: F305



SECURITY



IN THIS SECTION

- » Hitch Locks & Wheel Clamps **120**
- » Alarms **121**
- » Exterior Locks **122**
- » Barrel & Key Sets **123**
- » Keys & Accessories **124**



Royal Leisure Universal Coupling Hitch Lock
 Universal Trailer/Caravan Hitch Lock. Can be used hitched or unhitched. Complete with high security padlock & 2 keys.

Code: V761



Royal Leisure Open Type Coupling Lock
 Universal Trailer/Caravan Hitch Lock. Easy to install and remove. Complete with stainless steel padlock.

Code: V755



Royal Leisure Full Face Wheel Clamp
 A quick fitting, full face, bright yellow steel folding wheel clamp for extra caravan security. Fits most 13" to 15" wheels, except bulbous profiles.

Code: T251



Royal Leisure Anti Theft Wheel Clamp
 This is a superior quality lightweight wheel clamp for caravans & trailers. Fast & simple to fit & easy to store. Great for all purpose trailers.

Code: V879



**STAY
 SECURE.**



AL-KO AKS 3004 Premium Hitchlock

The AL-KO Premium Safety Hitchlock provides top-tier security for your caravan, boasting a "Sold Secure Gold" standard rating to safeguard against theft. Engineered with an additional security bolt and a shielded mechanism, it delivers exceptional protection for your caravan's hitch, offering peace of mind.

Constructed with heavy-duty materials, this hitchlock is designed to withstand forceful attempts from tool-wielding thieves. It fits securely over the AKS 2004 or 3004 hitch head coupling handle and can remain in place along with the AL-KO safety ball even while towing, ensuring your caravan stays protected whether you're on the road, parked, or in storage.

The hitchlock comes complete with an instruction manual, two keys, and a contact card for easy key reordering.

Code: A270



AS350 Complete Alarm System

This can be installed on any caravan, as long as the correct adaptor harness is used.

As standard this alarm has the harness for Swift Caravans from 2018 onwards.

The alarm has a tilt sensor installed, the ability to control the awning/marker light and built in siren.

Supplied with: Alarm unit, 2x Key fobs, Movement sensor PIR with surround



Replacement Key Fob For AS350 Sargent Alarm System

Up to 4 key fobs can be used with any model of Stinger alarm. The fobs are 'learnt' by the system.

Code: T660

Code: T661



Alarm Harness Adaptor AS350 Alarm System Retro-fit

Manufacturer SKU: 68002-21.

Code: T665



Alarm Harness Adaptor AS350 for Pre 2017 Swift Alarm System

Manufacturer SKU: 68003-21.

Code: T667



Alarm Harness Adaptor AS350 for Coachman/Lunar Alarm System

Manufacturer SKU: 68001-21.

Code: T668



Caraloc 640 L/H Lock

Black 100mm x 100mm lock, which can be fitted left hand. Replacement barrel: S173.

Code: S140



Caraloc 640 R/H Lock

Black 100mm x 100mm lock, which can be fitted right hand. Replacement barrel: S173.

Code: S150



Caraloc 640 Spare Front

Spare Front for the Caraloc 640 100mm x 100mm lock with keys. Replacement barrel: S173.

Code: S145



Caraloc 640 L/H Interior

Replacement left handed interior for the Caraloc 640 lock.

Code: S153



Caraloc 640 R/H Interior

Replacement right handed interior for the Caraloc 640 lock.

Code: S155



Caraloc 640 High Security Front

Replacement front, that includes a high security barrel and keys. Replacement barrel: S171.

Code: S175



Caraloc 2000 L/H Lock

15mm x 115mm left hand replacement for the Caraloc 640 lock, with a WD barrel and keys. Replacement barrel: S270.

Code: S177



Caraloc 2000 R/H Lock

115mm x 115mm right hand replacement for the Caraloc 640 lock, with WD barrel and keys. Replacement barrel: S270.

Code: S179



Caraloc Bottle Box Lock

Caraloc bottle box lock fits thicknesses from 12.5mm - 25 mm. Use No 8 C/Sunk Screws. Replacement barrel: S270.

Code: S305



Spare Mc Tang Cam Arm For Caraloc Bottle Box Lock

Replacement plastic Cam for Caraloc bottle box lock S305.

Code: S306



Vecam Zadi L/H Lock

Black left hand 115mm diameter circular caravan door lock, with Vecam barrel and keys. Replacement barrel: S200.

Code: S180



Vecam Zadi R/H Lock

Black right hand 115mm diameter circular caravan door lock, with Vecam barrel and keys. Replacement barrel: S200.

Code: S190



Baggage Door Lock With MC Barrel & 2 Keys

For door up to 22mm thick, 80mm d. replacement barrel: s173.

Code: N103



Caraloc High Security Barrel Replacement Barrel & Keys

A replacement high security barrel for the Caraloc 640 lock.

Code: S171



Spare Vecam Zadi Barrel & Keys

Spare Vecam barrel and pair of keys for Vecam locks.

Code: S200



Vecam Zadi 8 Barrel & Keys Set

Vecam 8 barrel & keys set for multi-vehicle locks that require the same key.

Code: S211



Spare WD Barrel & Keys Tang 18.1mm

Barrel and 2 Keys for WD series door lock Caraloc 2000. Tang 18.1mm.

Code: S270



Short Tang WD Barrel & Keys

Used for most compartment, toilet doors & battery box.

Code: S271



WD Short Tang Barrel

WD Short Tang Barrel comes with screw thread + 2 keys.


Code: S470



Compression Lock Body

Lock body only, for WD compression lock.

Code: S273



Compression Lock Set

Lock cylinder, latch bar & compression lock body.

Code: S274



Latch Bar Kit

Latch bar kit for WD compression lock.

Code: S272



Lock Cover

Pack of 2.

Code: S284



Southco Gas Bottle Lock Locker Lock

Replacement lock for a wide variety of different gas lockers.

Code: S310



Snake Cut Lock Set

Replacement barrel cylinder comes with 1x foldaway + 1x over-moulded key coachman type.

Code: S276



Southco Vice Latch

An easily installed replacement latch to fit a wide variety of different lockers barrel and keys.

Code: S315



WD Barrel Removal Tool

This tool is required to successfully remove and replace a WD barrel.

Code: S290

WD Spare Keys

Spare keys for WD barrel locks. Fitted to many Swift Bailey Coachman and Lunar caravans. Single Key.



Code	WD Key Number
S280/001	No. 001
S280/002	No. 002
S280/003	No. 003
S280/004	No. 004
S280/005	No. 005
S280/019	No. 019
S280/020	No. 020
S280/028	No. 028
S280/029	No. 029
S280/030	No. 030
S280/032	No. 032
S280/047	No. 047
S280/048	No. 048
S280/052	No. 052
S280/053	No. 053
S280/054	No. 054
S280/058	No. 058
S280/059	No. 059
S280/060	No. 060
S280/062	No. 062
S280/064	No. 064
S280/067	No. 067
S280/069	No. 069
S280/078	No. 078

Code	WD Key Number
S280/082	No. 082
S280/083	No. 083
S280/084	No. 084
S280/085	No. 085
S280/097	No. 097
S280/098	No. 098
S280/099	No. 099
S280/100	No. 100
S280/101	No. 101
S280/105	No. 105
S280/106	No. 106
S280/107	No. 107
S280/108	No. 108
S280/109	No. 109
S280/110	No. 110
S280/123	No. 123
S280/124	No. 124
S280/125	No. 125
S280/126	No. 126
S280/130	No. 130
S280/131	No. 131
S280/132	No. 132
S280/133	No. 133
S280/134	No. 134

Code	WD Key Number
S280/135	No. 135
S280/148	No. 148
S280/149	No. 149
S280/150	No. 150
S280/151	No. 151
S280/152	No. 152
S280/156	No. 156
S280/157	No. 157
S280/158	No. 158
S280/159	No. 159
S280/160	No. 160
S280/161	No. 161
S280/174	No. 174
S280/175	No. 175
S280/176	No. 176
S280/177	No. 177
S280/178	No. 178
S280/182	No. 182
S280/183	No. 183
S280/184	No. 184
S280/185	No. 185
S280/186	No. 186
S280/187	No. 187
S280/199	No. 199



Vecam Zadi Barrel Removing Key

A special key, and instructions, for removing Vecam barrels successfully

Code: S220



Spare Vecam Zadi Key

Spare Vecam Zadi key new style - after no. 9000 pair.

Code: S210



Vecam Zadi Blank Plastic Topped Key

A plastic topped blank Vecam key to be cut for some Vecam locks.

Code: S215



Vecam Zadi Old Style Key Pre No.9000

Replacement key for older pre No.9000 locks. Pk of 2.

Code: S216



Southco Key

A universal key that fits many different locker types.

Code: S227



Small Padlock

Small key operated padlock.

Code: N194



Combination Padlock

Small combination operated padlock.

Code: N257



Tracking Fitted Sticker Motorhome

Safety sticker for extra security, showing there is a tracker fitted to your motorhome.

Code: S401



Tracking Fitted Sticker Caravan

Safety sticker for extra security, showing there is a tracker fitted to your caravan.

Code: S400

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✓ Over 8,000 lines in stock
- ✓ Exclusive trade pricing
- ✓ Credit accounts available
- ✓ Key brands
- ✓ Same day dispatch
- ✓ Trade only
- ✓ Online ordering
- ✓ Dedicated customer service



LIGHTING & BULBS



IN THIS SECTION

» Number Plate Lights & Marker Lamps	128
» Rear Lighting	131
» Cluster Lighting	132
» Reflectors	133
» Interior Lighting	134
» Awning Lighting	135
» Bulbs & Tubes	136



Britax 867 No. Plate Lamp

106 x 57 x 57 mm. Replacement Bulb: 1 x 12V 10w Single Contact C340.

Code: D150



Jokon K415 No. Plate Lamp

100 x 55 x 58 mm. Replacement Bulb: 1 x 12V 10w Single Contact C340.

Code: D160



Jokon K420 No. Plate Lamp

72 x 50 x 38 mm. Replacement Bulb: 1 x 12V 10w Single Contact C340.

Code: D175



Hella 2KA No. Plate Lamp

100 x 54 x 56 mm. Replacement Bulb: 1 x 12V 10w Single Contact C340.

Code: D176



Hella 2KA No. Plate Lamp 004 331067

92 x 19 x 29 mm. Replacement Bulb: D475.

Code: D179



Hella 2KA No. Plate Lamp 005 049007

83x 33x 39 mm. Replacement Bulb: D460.

Code: D181



Jokon PLR 2000 Front Marker Lamp

110 x 45 x 18mm. Replacement Bulb: D475.

Code: D422



Jokon PL115 Front Marker Lamp

71 x 61 x 37 mm. Replacement Bulb: 1 x 12V 5w Festoon D460.

Code: D220



Jokon PL96 Front Marker Lamp

74 x 26 x 46 mm. Replacement Bulb: 1 x 12V 5w Festoon D460.

Code: D240



Jokon PL130 Front Marker Lamp

75 x 45 x 25 mm. Replacement Bulb: 1 x 12V 5w Festoon D460.

Code: D250



Britax 814 Front Marker Lamp

84 x 26 x 29 mm. Replacement Bulb: 1 x 12V 5w Festoon D460.

Code: D260



Hella Oval Flush Front Marker Lamp

101 x 45 mm. Replacement Bulb: 1 x 12V 5w Capless Bulb D475.

Code: D178



Snap Fit Front Marker Lamp

110 x 40 x 25 mm. Replacement Bulb:
1 x 12V Capless Bulb 5w D475.

Code: D293



Jokon LED 12V Front Marker Lamp

1.0W. 100 x 44 x 12.5mm.

Code: D439



Jokon LED 12V Front Marker Lamp

108 x 44 mm.

Code: D440



Britax 881 Front Lamp

74 x 28 x 30 mm. Bulb: 1 x D460.

Code	Description
D275	Britax 881 Front Lamp
D276	Spare Lens



Britax 9002 Lamp

160x80x56mm. Bulbs: 1 x D480, 1 x D470.

Code	Description
D180	Britax 9002 Lamp
D190	Spare Lens



Hella Oval Flush Rear Marker Lamp

101 x 45 mm. Replacement Bulb: 1 x
12V 5w Capless Bulb D475.

Code: D173



Britax 882 Rear Marker Lamp

74 x 28 x 30 mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D287



Snap Fit Rear Marker Lamp

110 x 40 x 25 mm. Replacement Bulb:
1 x 12V Capless Bulb 5w D475.

Code: D289



Jokon LED 12V Rear Marker Lamp

1.0W 100mm x 44mm x 12.5mm Red.

Code: D437



Jokon LED 12V Rear Marker Lamp

108L x 44W mm.

Code: D442



Jokon LED 12V Rear Tail Marker Lamp

30mm Diameter. Round.

Code: D445





Hella Oval Flush Side Marker Lamp

101 x 45 mm. Replacement Bulb:
1 x 12V 5w Capless Bulb D475.

Code: D174



Britax 813 Side Marker Lamp

84 x 26 x 29 mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D265



Britax 883 Side Marker Lamp

74 x 28 x 30 mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D271



Snap Fit Side Marker Lamp

110 x 40 x 25mm. Replacement Bulb:
1 x 12V Capless Bulb 5w D475.

Code: D292



Jokon SPL115 Side Marker Lamp

71 x 61 x 37 mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D290



Side Marker Lamp with Screw on Lens

92 x 43 x 37mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D297



Jokon 102 Side Marker Lamp

90 x 40 x 40 mm. Replacement Bulb:
1 x 12V 5w Festoon D300.

Code: D298



Hella 883 Side Marker Lamp

60 x 60 x 40 mm. Replacement Bulb:
1 x 12V 5w Festoon D460.

Code: D299



Jokon SPL07 Side Marker with Clip On Lens

92mm x 43mm x 37mm. Replacement Bulb: 1 x 12V 5w Single Contact D300.

Code: N118



Jokon LED 12V Side Marker Lamp

1.0W 100mm x 44mm x 12.5mm
Amber.

Code: D438



Jokon LED 2010 12V Side Marker Lamp

125L x 45W x 18D mm. 112mm between screw holes.

Code: D443



Hella Side Marker Lamp L/H White Baseplate

120 x 40 x 30 mm Red/White. White Baseplate. D460.

Code: T262



Hella Side Marker Lamp L/H Grey Baseplate

120 x 40 x 30 mm Red/White. Grey Baseplate. D460

Code: T262/G



Hella Side Marker Lamp R/H White Baseplate

120 x 40 x 30 mm Red/White. White Baseplate. D460

Code: T263



Hella Side Marker Lamp R/H Grey Baseplate

120 x 40 x 30 mm Red/White. Grey Baseplate. D460

Code: T263/G



Hella Red Oval Stop / Tail Lamp

140.4mm x 98.4mm. Replacement Bulb: 1 x 12V 21w/5w T/C D470.

Code: N524



Hella Oval Indicator Lamp

140.4mm x 98.4mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: N525



Hella Oval Rear Fog Lamp

140.4mm x 98.4mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: N526



Hella Oval Reverse Lamp

140.4mm x 98.4mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: N527



Hella Circular Rear Stoplight Combination Light

Used on Swift Bessacar Lunar & Autotrail. 55mm diameter. 21W bulb.

Code: N532



Hella Circular Indicator Lamp

90mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: N520



Jokon 94.4mm Diameter Rear Indicator Light

94.4mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: D282



Jokon 94.4mm Diameter Rear Stop/Tail Light

94.4mm. Replacement Bulb 1 x 12V 21w/5w T/C D470.

Code: D283



Jokon Circular Fog Light 94.4mm Diameter

94.4 mm. Replacement Bulb: 1 x 12V 21w Single Contact D480.

Code: D302



Hella Circular Reverse Lamp
90mm. Replacement Bulb: 1 x 12V 21 w Single Contact D480.

Code: N523



Jokon 94.4mm Diameter Front Light
94.4mm. Replacement Bulb: 1 x 12V 21 w Single Contact D480.

Code: D284



Britax 9300 Wraparound Cluster Lamp 12V
383 x 130 x 52 mm. Bulbs: 3 x 12V 21w Single D480 1 x 12V 21w/5w D470 .

Code: D365



Hella Caraluna Caravan L/H - Mk1 Cluster With Reverse
Bulbs: 3 x 12V 21w Single Contact D480 1 x 12V 21w/5w Double D470.

Code: D390



Hella Caraluna Motorhome L/H - Mk1 Cluster With Reverse
Bulbs: 3 x 12V 21 w Single Contact D480 1 x 12V 21w/5w Double D470.

Code: D391



Hella Caraluna Caravan L/H - Mk1 Cluster With Fog
Bulbs: 3 x 12V 21w Single Contact D480 1 x 12V 21w/5w Double D470.

Code: D392



Hella Caraluna Motorhome R/H - Mk1 Cluster With Fog
Bulbs: 3 x 12V 21 w Single Contact D480 1 x 12V 21w/5w Double D470.

Code: D399



Hella Caraluna Caravan R/H - Mk1 Cluster With Fog
Bulbs: 3 x 12V 21w Single Contact D480 1 x 12V 21w/5w Double D470.

Code: D400



Hella Caraluna Caravan R/H - Mk2 Cluster With Fog
1x 12V 21w Single D480 1x 12V 21w/5w Double D470, 1x Amber D482.

Code: D402



Hella Caraluna Motorhome L/H - Mk2 Cluster With Reverse
1 x 12V 21w Single D480 1 x 12V 21w/5w Double D470, 1 x Amber D482.

Code: D403



Hella Caraluna Motorhome R/H - Mk2 Cluster With Fog
1 x 12V 21w Single D480 1 x 12V 21w/5w Double D470, 1 x Amber D482.

Code: D404



Hella Caraluna Caravan L/H - Mk2 Cluster With Fog
1 x 12V 21w Single D480 1 x 12V 21w/5w Double D470, 1 x Amber D482

Code: D405



Jokon 3000 L/H Caravan BBSNWDR

462L x 178.5W x 106.5mm D mm.

Code: D420



Jokon 3000 R/H Caravan BBSNWDR

462L x 178.5W x 106.5mm D mm.


Code: D421



Jokon Clips

Jokon Clips A useful Bulb Retaining Clip which fits most Jokon Lamps.

Code: D450




Self Adhesive Reflectors Pair

Amber, white and red reflectors in small, medium and large sizes.

Code	Description	Size
G160	Small Amber	72 x 43mm
G165	Small White	72 x 43mm
G167	Small Red	72 x 43mm
V875	Medium Amber	95 x 38mm
V876	Medium White	95 x 38mm
V877	Medium Red	95 x 38mm


Code	Description	Size
G170	Large Amber	130 x 50mm
G180	Large White	130 x 50mm
G190	Large Red	130 x 50mm



Oval Stick On Reflector

Dimensions: 101mm x 45mm.

Code	Description
T320	Amber
T321	Red
T322	White



Standard Triangular Reflector

160mm x 140mm Red.

Code: D410



Self Adhesive Circular Reflector Pair

Diameter = 60 mm.

Code	Description
G161	White
G162	Amber
G163	Red



Triangular Reflector with White border

180mm x 160mm Red.

Code: D415



Friglight Chrome Nova Downlighter Without Switch

77mm. 18mm recess. Bulb: 1x12V G4 halogen bulb 10w C365.

Code: C659



Friglight Chrome Nova Downlighter With Switch

77mm. 18mm Recess. Bulb: 1 x 12V G4 Halogen Bulb 10w C365.

Code: C702



Friglight Chrome Pinto Downlighter With Switch

82mm Diameter x 34mm 30mm Recess. Bulb: 1 x 12v G4 Halogen Bulb: 10w C365.

Code: C704



Friglight Chrome Star Downlighter With Switch

70mm Diameter x 25mm 15mm Recess. Bulb 10w C365.

Code: C706



Targa Locker Light IQ57 Waterproof White

IP65 Waterproof. Bulb: 1 x 12V G4 Halogen Bulb 10w C365. 90mm.

Code: C714



Touch On/Off Light

Requires 4 x AA Batteries Not included.

Code: T405



Square Cupboard Light White

Bulb: 1 x 12V G4 Halogen Bulb 10w C365. 110mm x 110mm x 40mm.

Code: C717



Eyeball MR11 Spotlight Matt Silver Sand

90mm Diameter x 70mm x 23mm Recess.

Code: C713



Nebula LED Striplight 626mm

Aluminium housing with end switch. 30 bright LEDs. 626mm x 44mm x 15mm.

Code: T301



Nebula LED Striplight 1106mm

Aluminium housing with end switch. 60 bright LEDs. 1106mm x 44mm x 15mm.

Code: T302



Apollo 12 LED Striplight 250mm Switched

423 x 45 x 35 mm.

Code: C264



Apollo 24 LED 6W Striplight 610mm Switched

652 x 45 x 35 mm.

Code: C265



Downlighter Cover

Avoid heat problems, with cable cut out on one side, and top vents for heat dissipation. 135L x 90W x 38H mm.

Code: F507



Downlight Cover Beige

Downlight cover with round cable hole and top vents for heat dissipation. 135L x 90W x 38H mm.

Code: F5070



Orizon 24 LED Striplight

Consists of 30 high intensity LEDs encapsulated in a IP66 weatherproof casing to give an excellent spread of light. 522mm x 18mm x 11mm.

Code: T298



Orizon 48 LED Striplight

Consists of 60 high intensity LEDs encapsulated in a IP66 weatherproof casing to give an excellent spread of light. 522mm x 18mm x 11mm.

Code: T299



Mains Inspection Lamp

Portable work light with hanging hook and 5 metres x 0.75 mm VDE Cable. Requires a Edison Screw Bulb not supplied.

Code: T414



Astro White LED Awning Light

592 x 43 x 30 mm. Waterproof to IP67.

Code: T303



Astro Grey LED Awning Light

592 x 43 x 30 mm. Waterproof to IP67.

Code: T903

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✔ Over 8,000 lines in stock
- ✔ Exclusive trade pricing
- ✔ Credit accounts available
- ✔ Key brands
- ✔ Same day dispatch
- ✔ Trade only
- ✔ Online ordering
- ✔ Dedicated customer service

Single Contact Bulbs




N120	12V Single Contact Bulb 4w with Ba9s Base
D300	12V Single Contact Bulb 5w with Bau15s Base
C340	12V Single Contact Bulb 10w with Bau15s Base
C350	12V Single Contact Bulb 15w with Bau15s Base
D480	12V Single Contact Bulb 21w with Bau15s Base
D481	12V Amber Single Contact Bulb 21w with Bau15s Base Level Pins
D482	12V Amber Single Contact Bulb 21w with Bau15s Base Offset Pins

Twin Contact Bulbs



D310	12V Twin Contact Bulb 5w with Ba15d Base
D320	12V Twin Contact Bulb 10w with Ba15d Base
D476	12V Twin Contact Bulb 21w with Ba15d Base
D470	12V Twin Contact Bulb 21w/5w with Ba15d Base

Festoon Bulbs




D460	12V Festoon Bulb 5w with S8 Cap
D490	12V Festoon Bulb 10w with S8 Cap
D500	12V Festoon Bulb 18w with S8 Cap

General 12V Bulbs



D474	12V Capless Bulb 1.2w with 5mm Wedge Base
D475	12V Capless Bulb 5w with 10mm Wedge Base
C330	12V Bulb 24w Table Lamp Bulb with Ba22d 22mm Bayonet Base

12V Tubes



C311	12V Fluorescent 4W Tube with G5 caps
C312	12V Fluorescent 6W Tube with G5 caps
C310	12V Fluorescent 8W Tube with G5 caps
C320	12V Fluorescent 13W Tube with G5 caps
C313	12V 4W UV Fluorescent Bug Killer Tube with G5 caps
C314	12V 9W PLTube with 4 Pin 2G7 Base
C315	12V 16W 2D Square 4 Pin Fluorescent Tube with GR10 Base

240V Mains Bulbs



V884 240V Clear Bulb 25w with Bi Pin G9 Base



C390 240V Pygmy Bulb 25w with Small Edison E14 Screw Base

Halogen Bulbs




C364 12V 5W G4 Halogen Bulb



C365 12V 10W G4 Halogen Bulb



C366 12V 20W G4 Halogen Bulb



C371 12V 8.4W Krypton Bulb



N531 12V 10W Halogen Bulb 9mm Ba9s Base



C372 12V 10W MR8 Dichroic Halogen Bulb G4



T255 12V 5W MR11 Dichroic Halogen Bulb G4 with 18° Lens



C367 12V 10W MR11 Dichroic Halogen Bulb G4 with 18° Lens



N530 12V 10W MR11 Dichroic Halogen Bulb G4 with 30° Lens



C368 12V 20W MR11 Dichroic Halogen Bulb G4 with 30° Lens



N528 12V 10W MR16 Dichroic Halogen Bulb G4 with 50° Lens



N529 12V 20W MR16 Dichroic Halogen Bulb G4 with 50° Lens

SMD Bulbs



C380 12V 1.2W 9 SMD Dichroic MR11 140 Lumen



C381 12V 2W 12 SMD Dichroic MR16 210 Lumen



C382 12V 2.4W 12 SMD G4 Side Pin 160 Lumen



C383 12V 2W 10 SMD G4 Back Pin 150 Lumen

LED Bulbs & Tubes



T294 12V Capless Single LED Bulb Wedge Base 5w Equivalent



T393 LED MR16 G5.3 Lamp 2W 12V Bulb



Bulb & Fuse Kit W4

This Caravan Bulb and Fuse Kit from W4 contains a range of interior and exterior bulbs and fuses. This emergency kit comes in a compact, sturdy storage container.

Code: C420



GAS & SAFETY



IN THIS SECTION

» Gas Cartridges	140
» Regulators	141
» Regulator Kits & Hose	143
» Pigtails	144
» Compression Fittings	146
» Copper Pipe & Manifold/Adaptor Valves	148
» Gas Lockers & Accessories	149
» Gas Outlets	150
» Extinguishers & Alarms	152
» Test/Maintenance Sprays & Safety Stickers	153

CAMPINGGAZ



Campingaz C206 GLS Gas Cartridge Butane

Classic pierceable cartridges. 190g. EN417:2012 Gas lock system. 80/20 Butane/Propane.

Code: R400

CAMPINGGAZ



Campingaz CV300 Plus Valve Gas Cartridge Butane/Propane Mix Resealable 240g

Comes with self-sealing safety valve. Easy Clic Plus connection.

Code: R402

CAMPINGGAZ



Campingaz CV470 Plus Valve Gas Cartridge Butane/Propane Mix Resealable 450g

Code: R403

Bulk Pack [x4]: R403/4

CAMPINGGAZ



Campingaz CP250 Gas Cartridge Butane/Isobutane

For Bistro type stoves. 220g.

Code: R401

CAMPINGGAZ



Campingaz CG1750 High Power Gas Cartridge Butane/Propane Mix

Screw thread. 175g. Self sealing safety valve.

Code: R409

CAMPINGGAZ



Campingaz CG3500 HY Hyperformance Cartridge Butane/Propane Mix

350g. Self sealing safety valve.

Code: R412

Coleman



Coleman C500 Butane/Propane Mix 6 Pack

440g. Butane/Propane 70/30.

Code: R404

Coleman



Coleman C300 Performance Gas Cartridge Butane/Propane Mix

Mix for steady burn. 240g. High performance and reliable.

Code: R405

Coleman



Coleman C500 Performance Gas Cartridge Butane/Propane Mix

Mix for steady burn. 440g. High performance and reliable.

Code: R406

Coleman



Coleman C100 Xtreme Performance Gas Cartridge Propane/Butane Mix

Works even down to -27°C. 194g.

Code: R407

Coleman



Coleman C300 Xtreme Performance Gas Cartridge Propane/Butane Mix

Works even down to -27°C. 100/230g.

Code: R408

Coleman



Coleman Propane Non Refillable Cylinder

Combustible fuel. 453g Propane. Refillable Cylinder.

Code: R413



Coleman 1L Liquid Fuel

For all Coleman unleaded appliances. Burns cleaner & brighter.

Code: R414



Gas Refill Cartridge 250ml

A spare 250ml refill cartridge for gas igniters complete with multi fit nozzles.

Code: G789



Clip-on Regulator 21mm

Clips on to a range of cylinders, particularly the Calor 7kg and 15kg butane bottles.

Code: G530



Clip-on Regulator 20mm Fits Flo Gas

Clip on compact low-pressure butane regulator designed for gas canisters with 20mm outlet.

Code: G531



Clip-on Regulator 21mm with Manometer

Butane single stage low pressure regulator with pressure gauge.

Code: G532



Butane Regulator

28mB regulator, which fits on to Calor's 4.5kg cylinder.

Code: G540



Butane Regulator with Manometer

Butane screw on gas regulator with level gauge.

Code: G542



Camping Gas Regulator

28mB regulator, which screws into all Camping Gaz cylinders.

Code: G545



Campingaz Regulator 28Mbar

Fits 901, 904, 907 cylinders.

Code: R446



Campingaz Twin Connection CV/R Regulator Kit

Gas hose and regulator included with two steel connector clips. Allows connection to either Campinggaz refillable cylinder and Easy Clic Plus canisters.

Code: R4461





Propane Regulator

37mB regulator, suitable for propane cylinders.

Code: G550



Propane Regulator with Hand Wheel

Propane regulator with handwheel design for convenient application - no spanner required.

Code: G551



Propane Regulator with Manometer

Single stage low pressure regulator with pressure gauge.

Code: G552



27mm Patio Gas Regulator

28mB regulator which clips onto 27mm patio or shell gas type cylinders. Also fits Flo Gas & BP Gas.

Code: G832



Euro Caravan Regulator 30mb/10mm 90 Outlet

M20 inlet/10mm Compression outlet. Suitable for Propane or Butane.

Code: G923



Euro Caravan Regulator 30mb/8mm 90 Outlet

M20 inlet/8mm Compression outlet. Suitable for Propane or Butane.

Code: G924



Euro Caravan Regulator 30mb/10mm Outlet

M20 inlet/10mm Compression outlet. Suitable for Propane or Butane.

Code: G925



Euro Caravan Regulator 30mb/8mm 90 Outlet for Propane or Butane

M20 Inlet/8mm Compression outlet.

Code: G922



30Mbar Caravan Auto Changeover W20 x 8mm

Automatically maintains a 30mbar pressure with an 8mm outlet.

Code: G928



30Mbar Caravan Auto Changeover W20 x10mm

Automatically maintains a 30mbar pressure with a 10mm outlet.

Code: G929



Butane Regulator Gas Kit

Includes butane regulator, 2m gas hose & 2x M00 clips. Hose is 5/16" / 8mm.

Code: G736



Propane HW Regulator Gas Kit

Includes propane regulator with handwheel, 2m gas hose & 2x M00 clips. Hose is 5/16" / 8mm.

Code: G738



21mm Clip-On Regulator Gas Kit

Includes 21mm Clip-On Regulator, 2m gas hose & 2x M00 Clips. Hose is 5/16" / 8mm.

Code: G739



Camping Gas Regulator Gas Kit

Includes camping gas regulator. 2m gas hose & 2x M00 clips. Hose is 5/16" / 8mm.

Code: G737



Barbeque Gas Kit

Includes 27mm clip on regulator. 2m length of 5/16" orange HP gas hose, 2x M00 worm drive hose clips.

Code: G748



1m Black LP Gas Hose & Clips

5/16" Black LP gas hose, supplied complete with two M00 worm drive hose clips.

Code: N601



2m Black LP Gas Hose & Clips

5/16" Black LP gas hose, supplied complete with two M00 worm drive hose clips.

Code: N602



1m Orange HP Gas Hose & Clips

5/16" Orange HP gas hose, supplied with two M00 worm drive hose clips.

Code: N603



2m of High Pressure Gas Hose & Moo Clips Pair

5/16" Orange HP gas hose. 2x M00 worm drive hose clips.

Code: G747



H.P. Gas Hose Orange 50m Reel

High Pressure orange reinforced 5/16" / 8mm gas hose for nozzle connection.

Code: I145



H.P. Gas Hose Orange 50m Coil

Durable rubber hose with 8mm 5/16" bore.

Code: I146





Propane 500mm Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G926



Propane 750mm Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G936



Propane 1.5m Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G938



Propane 450mm Pigtail With Hand Wheel Fitting

M20 fitting to connect directly to a fixed euro regulator.

Code: G826HW



Propane 750mm Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator.

Code: G836HW



Propane 1500mm Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator.

Code: G838HW



Propane 450mm Pigtail With M20 Fitting

Propane 0.45m pigtail with M20 Fitting for central. regulator or changeover.

Code: G856



Propane 450mm Pigtail With Rupture Protection Nut W20

If hose is damaged, hose rupture protection trips & stops flow of gas.

Code: G858



Propane 500mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G826



Propane 750mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G836



Propane 1500mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G838





Butane 500mm Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G927



Butane 750mm Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G937



Butane 1.5m Stainless Steel 20yr Pigtail With Hand Wheel Fitting

Connect directly to a fixed euro regulator. With hand wheel. M20.

Code: G939



Butane 450mm Pigtail With M20 Fitting

Butane 0.45m pigtail with M20 fitting for central. regulator or changeover.

Code: G857



Butane 450mm Pigtail With Rupture Protection Nut W20

If hose is damaged, hose rupture protection trips & stops flow of gas.

Code: G859



Butane 500mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G827



Butane 750mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G837



Butane 1500mm Pigtail With M20 Fitting

Connect directly to a fixed euro caravan regulator.

Code: G839



Pigtail Washer

Pigtail washer Spare washer for pigtails.

Code: V566

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✓ Over 8,000 lines in stock
- ✓ Exclusive trade pricing
- ✓ Credit accounts available
- ✓ Key brands
- ✓ Same day dispatch
- ✓ Trade only
- ✓ Online ordering
- ✓ Dedicated customer service



Caravan Regulator to Copper Pipe Adapter.

M20x10mm adapter including test nipple.

Code: G830



5/16\"C x 5/16\"C In-Line Tap

This 5/16\" C x 5/16\" C sprung on/off tap for in-line fitting in copper pipe.

Code: G760



Quick Release Nozzle Coupling

Brass 'Fulham' nozzle hose connector to suit 8mm gas hoses.

Code: G844



Quick Release Gas Nozzle

A standard quick release nozzle for 8mm hose.

Code: H196

Bulk Pack [x50]: H196BULK



Copper Nozzle

Connects 8mm flexible gas hose.

Code	Size
G750	1/4"
G751	5/16"



Metric Copper Nozzle

Connects 8mm flexible gas hose.

Code	Size
G803	8mm
G807	10mm



Male Nozzle

Connects 8mm flexible gas hose.

Code	Size
G768	1/4"
G797	3/8"



Female Nozzle

Connects 8mm flexible gas hose.

Code	Size
G769	1/4"
G796	3/8"



3 Way Nozzle Tee Piece

Allows a tee junction in 8mm flexible gas hose.

Code: G773



Gas Nozzle \"Y\" Piece 3 Way for Gas Hose

Allows a Y junction in 8mm flexible gas hose.

Code: G840



Equal Tee Piece

Connects copper pipes.

Code	Size
G758	1/4\"C x 1/4\"C x 1/4\"C
G759	5/16\"C x 5/16\"C x 5/16\"C



Metric Equal Tee Piece

Connects copper pipes.

Code	Size
G802	8mm
G820	10mm



Unequal Tee Piece

Connects copper pipes.

Code	Size
G762	5/16" C x 5/16" C x 1/4" C
G808	10mm x 10mm x 8mm



Equal Ended Coupling

Connects copper pipes.

Code	Size
G756	1/4" C x 1/4" C
G757	5/16" C x 5/16" C



Metric Equal Ended Coupling

Connects copper pipes.

Code	Size
G801	8mm
G819	10mm



Tapered Male Coupling

Connects copper pipe to appliances.

Code	Size
G764	1/4" C x 1/8"
G765	1/4" C x 1/4"



Reducing Coupling

Connects copper pipes.

Code	Size
G761	5/16" C x 1/4" C
G804	10mm x 8mm



Equal Elbow Coupling

Connects copper pipes.

Code	Size
G794	1/4" C x 1/4" C
G795	5/16" C x 5/16" C



Metric Equal Elbow Coupling

Connects copper pipes.

Code	Size
G818	8mm
G822	10mm



Stop End

Provides secure blanking connection.

Code	Size
G774	1/4"
G798	5/16"



Metric Stop End

Provides secure blanking connection.

Code	Size
G817	8mm
G821	10mm



Blank Nut

Provides secure blanking connection.

Code	Size
G755	1/4"
G787	5/16"



Metric Coupling Nut

Spare copper compression fitting.

Code	Size
G809	8mm
G811	10mm



Copper Ferrules

For compression fittings. Pack of 5.

Code	Size
G753	1/4"
G754	5/16"



Copper Olives

For compression fittings. Pack of 5.

Code	Size
G805	8mm
G812	10mm



Copper Pipe 30m Coil

Malleable copper pipe, for compression fitting connection.

Code	Description
G778	1/4" Copper Pipe
G779	5/16" Copper Pipe
G806	3/8" Copper Pipe
G815	8mm Metric Copper Pipe
G816	10mm Metric Copper Pipe



PTFE Thread Tape

Ideal for making threaded joints more secure. PTFE Thread Tape 12mm x 12m Roll

Code: G790



Caravan Manifold Valve

8mm x 8mm manifold with brass olives.

Code	Description
G930	Single
G931	Double
G932	Triple



Adaptor Valve To Fit Campingaz Cylinder

Screws directly onto Campingaz cylinders.

Code: G777



Adaptor Valve With Handle To Fit Campingaz Cylinder

Screws directly onto Campingaz cylinders to provide a convenient carry handle.

Code: G7771



Straight 21mm Clip On Adapter

Adapts 4.5kg Calor threads to 21mm clip on fitting.

Code: G824



Right Angled 21mm Clip On Adapter

Adapts 4.5kg Calor threads to 21mm clip on fitting.

Code: G828



27mm Clip On Adapter

To fit butane thread, also fits Flo gas & BP gas.

Code: G831



Hilo Adaptor

Fits all UK POL valve cylinders. Indicates cylinder pressure.

Code: G843



Gas Locker For Camping Gaz 907 Bottle

Ideal for meeting regulations on safe storage and use of gas bottles.

Code: N011



Gas Bottle Base Holder

A 6kg & 7kg Calor gas bottle sits inside top and 2 inner recesses. The Flo Gas Light bottle sits inside top recess and the 2 outside recess.

Code: G782



Gas Bottle Holder - Round

Round type & navy blue straps.

Code: G786



Gas Bottle Strap

Strong & durable nylon gas bottle strap to hold gas bottles securely in place. Gas bottle strap is 1200mm long.

Code: G814



Saddle Clamp Bottle Holder

Complete with long black webbing restraining strap and quick release buckle.

Code: G793



Gas Bottle Bracket & Strap

Complete with restraining strap, quick release buckle and Spacer Block.

Code: G813



MOO Gas Hose Clips

For tightening & securing standard gas hose 8mm / 5/16".

Code: F290

Bulk Pack [x100]: F301



1/4" Pipe Clips

1/4" Pipe Clips for securing copper pipe. Pack of 5.

Code: G775



Heavy Weight Gas Spanner

Ideal for tightening and loosening the 4.5Kg Calor cylinder nut connection.

Code: N604



Gas Spanner for 4.5kg Calor Cylinder

Ideal for tightening and loosening the 4.5Kg Calor cylinder nut connection.

Code: G780

Bullfinch



Bullfinch White Outdoor Utility Gas Point Lock On Hose Fitting

A superb quality build in box for the side of a caravan or motorhome to allow an exterior gas product to be rapidly and securely connected via the quick release 5/16" ID hose nozzle control supplied.

Code: N125

Bullfinch



Bullfinch Black Outdoor Utility Gas Point Lock On Hose Fitting

A superb quality build in box for the side of a caravan or motorhome to allow an exterior gas product to be rapidly and securely connected via the quick release 5/16" ID hose nozzle control supplied.

Code: N125B

Bullfinch



Bullfinch Grey Outdoor Utility Gas Point Lock On Hose Fitting

A superb quality build in box for the side of a caravan or motorhome to allow an exterior gas product to be rapidly and securely connected via the quick release 5/16" ID hose nozzle control supplied.

Code: N125G

Bullfinch



Bullfinch Quick Release Nozzle Utility Gas Point

5/16" ID quick release nozzle on/off tap. For outdoor utility gas point.

Code: N127



Quick Release Gas Outlet Box White

A flush mounting, rectangular, quick release gas box, with integral On/Off tap. Ideal for connecting barbeques or other external gas equipment to a caravan or motorhome using a standard quick release nozzle H196.

Code: H191W



Spare Lid for Gas Outlet Box White

Suitable for flush mounting, rectangular, quick release gas boxes.

Code: H192

Supply connections

Our utility connections give you easy access to the local infrastructure where you are. You can easily connect water, gas and electricity to your leisure vehicle and thus ensure even more comfort for your mobile four walls. As soon as they are no longer needed, the connections are well hidden and safely protected, e.g. behind supply flaps, waiting for their next use.

REICH
THE QUALITY EXPERIENCE



REICH
THE QUALITY EXPERIENCE

REICH is an accessory specialist for recreational vehicles and Europe's leading manufacturer in the field of water supply for motorhomes and caravans. As a quality brand of REICH GmbH, Reich Water Solutions ensures pure drinking water and pure refreshment on tour.

Europe-wide
service

Adventures rarely stop at borders. That's why you can rely on our service throughout Europe. We are at your side with words and deeds, so that in the case of an emergency everything runs again quickly.

REICH
WATER SOLUTIONS



Reich External Gas Connection With Safety Valve And Lock White

Introducing the Reich External BBQ Point - the perfect solution for outdoor culinary enthusiasts! Designed for seamless integration into your recreational space, this locking flush-mount BBQ point combines functionality with a sleek aesthetic in a classic white color.

The auto gas shut-off feature adds an extra layer of security, providing peace of mind during your outdoor cooking adventures.

Supplied with the included lock and two keys.


Code: F126



Royal Leisure Home & Leisure Fire Safety Twin Pack

Contains: 1 ABC Powder Domestic Fire Extinguisher & 1 Fire Blanket.


Code: RS312



Royal Leisure BC Powder Fire Extinguisher Alpha 600g

Compact & powerful Powder BC fire extinguisher perfect for use in home, office, caravan, boat or RV.

Code: RS316



Royal Leisure ABC Powder 600g Aerosol Extinguisher

Compact & powerful Powder ABC fire extinguisher perfect for use in home, office, caravan, boat or RV.

Code: RS315



Deluxe 1Kg Fire Extinguisher

Ideal for fires arising from ordinary combustibles, as well as flammable liquids or gases.

Code: N555



BC Powder Fire Extinguisher 0.95Kg Beta 950

Ideal for small fires arising from flammable liquids or gases. 0.95Kg.


Code: M319



Red Fire Blanket 1m x 1m

Glass fibre blanket supplied in red hard plastic container for easy mounting.

Code: M322



FireAngel SB1-R Deluxe Smoke Alarm

1 year replaceable battery. Loud 85db alarm.


Code: N556



FireAngel FA6620 Deluxe Smoke Alarm

10 year lifetime battery. Loud 85db alarm.

Code: N588



FireAngel SCB10-R Smoke and CO Alarm

10 Year sealed battery. Detection of both smoke and carbon monoxide.

Code: N521



FireAngel FA3322 Digital CO Alarm

10 Year sealed battery.

Code: N559



FireAngel Carbon Monoxide Alarm

10 Year life sensor, two replaceable AA batteries, base plate and fixings.


Code: N552



FireAngel Carbon Monoxide Alarm

10 Year sealed battery, base plate and fixings.

Code: N553



DetectaGAS DG2 Carbon Monoxide Alarm Test Kit

For use with all domestic CO Alarms. 400ml Spray.


Code: R640



Smoke & CO Alarm Test Record Pad

50 Triplicate Sheets.


Code: R641



DetectaSmoke DS1 Smoke Alarm Tester Spray

250ml Spray. Delivers particles imitating those found in real smoke.


Code: R645



DetectaDusta DD1 Air Blast Spray 250ml

Ideal for Cleaning Smoke & CO Alarms and gas heater grilles/vents.

Code: R643



DetectaLeak DL1 Gas Leak Detection Spray

250ml Spray. Reliable, cost-effective way of testing for leaks.

Code: R644



Leak Detector Plus Spray

Test foam for the rapid and reliable detection of micro gas leaks or hairline cracks revealed by bubbles.

Code: G434



CO Alarm Failed Test Stickers Roll of 50

Warning signs for use on carbon monoxide/smoke alarms to indicate a test failure.

Code: R642



LPG Sticker

Self-adhesive label sticks on to Gas Bottle Locker.

Code: G783

Bulk Pack [x50]: G785



TOWING & AUTO



IN THIS SECTION

- » Towballs **156**
- » Towing Mirrors,
Hitchlock & Stability **157**
- » 12V Towing **158**
- » Stickers **163**
- » Jockey Wheels **164**
- » Clamps, Breakaway
Cables & Braces **167**
- » Jack Pads & Accessories **168**



50mm Towball
Standard 50mm towball.

Code: E270



50mm Towball Long Reach
Long Reach 50mm Towball. Not for use with Alko stabilizers except Alko 1300.

Code: E271



Towball Boot & Reflector Black
Protect the towball from the elements, when not in use.

Code: G603



Towball Boot Black
Thick PVC boot for protecting the towball from the elements, when not in use.

Code: G602



Plastic Ball Cover Black
Plastic ball cover for protecting the towball.

Code: G600



Plastic Ball Cover Chromed
Chromed plastic ball cover for protecting the towball.

Code: G601



Towball Cover Up
For protecting the towball.

Code: G605



Drop Plate
Metal drop plates for lowering the towball.

Code	Description
E310	2" Drop Plate
E320	3" Drop Plate
E330	4" Drop Plate
E340	4" Drop Plate With 6 Holes



Aluminium Spacer
Aluminium spacers to help the towball fitting clear the rear bumper.

Code	Description
E350	1/2" Aluminium Spacer
E360	1" Aluminium Spacer
E370	1 1/2" Aluminium Spacer
E380	2" Aluminium Spacer



Hitch / A Frame Cover
All year round protection.

Code	Description
G365	Hitch Cover White
G375	A Frame Cover White



Towball Bolts

High tensile steel towball bolts, to enable spacers/car plates to be fitted.

Description	Pair	100
55mm Towball Bolts	E230	E230B
65mm Towball Bolts	E240	E240B
75mm Towball Bolts	E245	E245B
80mm Towball Bolts	E250	E250B
100mm Towball Bolts	E260	E260B



Crusader Products Scissor Towing Mirrors

Designed to meet legal visibility requirements providing a view of at least 4m on either side for improved safety and confidence whilst driving. Universal fit design compatible with most vehicles, LH & RH mirror included.

Code: N625



**AL-KO ATC 2.0
Retro Fit
SA 1301-1500KG**
Anti-snaking system that can prevent accidents.

Code: A2300



**AL-KO ATC 2.0
Swift Retro
Fit SA 750-1300KG**
Anti-snaking system that can prevent accidents.

Code: A2301



**Royal Leisure Digital
Noseweight Gauge**
Measures up to 150kgs. Height adjustable 340mm - 430mm.

Code: V894



**Noseweight Gauge
50-75-100kg Marks**
Inserts directly into the ball socket of the caravan hitch.

Code: V874



**Weigh It Noseweight
Indicator**
Inserts directly into the ball socket of the caravan hitch.

Code: G565



13 Pin Socket with 2m of 13 Core Cable

13 Pin socket with 2m of 13 core cable.

Code: D602



13 Pin Socket with 2m of 13 Core Cable with Plate

13 Pin socket with 2m of 13 core cable with plate.

Code: D603



13 Pin Socket with 2m of 12N & 12S Cable

13 Pin socket with 2m of 12N & 12S cable.

Code: D608



13 Pin Socket with 2m of Cable

Supplied with 1.5 metre lengths of 12N Black and 12S Grey 7 core cable.

Code: N561



13 Pin Socket 4m Cable

13 Pin socket 4m 8 core cable.

Code: D637



13 Pin Socket To 12n & 12s

Enables easy connection between standard 12N/12S 7 Pin systems and 13 Pin continental systems.

Code: E161



13 Pin Plug To 12n & 12s

Enables easy connection between standard 12N/12S 7 Pin systems and 13 Pin continental systems.

Code: E166



13 Pin Extension Lead 2m Plug to Socket

13 pin trailing plug, 2m of 13 core cable.

Code: N562



13 Pin Extension Lead 2m Plug to Plug

13 pin trailing plugs, 2m of 13 core cable.

Code: N592



13 Pin Extension Lead

2m plug only 13 pin extension lead.

Code: N590



13 Pin Extension Lead 3m Plug to Socket

13 pin extension lead with 3m of 13 core cable.

Code: N591



13 Pin Extension Lead 3m Plug to Plug

13 pin extension lead with 3m of 13 core cable.

Code: N593



13 Pin Extension Lead 6m Plug to Socket

13 pin extension lead with 6m of 13 core cable, plug to socket.

Code: N594



Single 12N Socket With 7 Core Cable

Code	Description
D600	2m Cable
D600/4	4m Cable
D600/5	5m Cable



Single 12S Socket With 2m Of 7 Core Cable

Single 12S socket with 2m of 7 core cable.

Code: D601



Single 12N Socket With 2m With Plate

Single 12N socket with 2m of 7 core cable with plate.

Code: D604



12N Deluxe Wiring Kit

Single plate 12N wiring kit with 7 core cable, audible relay & 3m Blue Scotchloks.

Code: D620



12N Wiring Kit

Single plate 12N wiring kit with 7 core cable & audible relay.

Code: D520



Twin 12N / 12S Socket & Plate

Twin 12N & 12S sockets fitted to Tee back plate supplied with 7 core cable.

Code	Description
E155	2m Unwound
E156	5m Unwound
E160	1.5m Wound



12N Socket & Plate

12N socket fitted to a back plate supplied with 1.5m of 7 core cable.

Code: E140



12S Socket & Plate

12S socket fitted to a back plate supplied with 1.5m of 7 core cable.

Code: E150



12S Extension Lead

6m 12S lead with 7 core cable which is ideal for extending trailing 12S cables or trailer boards.

Code: E159



12N Extension Lead

6m 12N lead with 7 core cable which is ideal for extending trailing 12N cables or trailer boards.

Code: E164



Double Tee Car Backing Plate

A flat metal double Tee plate to secure 12N and 12S sockets.

Code: E223



Dogbone Socket Plate Both Ends

A flat metal double dogbone plate to secure 12N and 12S sockets.

Code: E224



13 Pin Socket Plate

A wide hole, flat steel backing plate to hold a 13 pin socket.

Code: N560



Single Car Backing Plate

A flat metal single backing plate to secure 12N and 12S sockets.

Code: E222



Piggyback 12S Extension Plate

Ideal for adding a 12S socket to an existing 12N single plate without re-wiring the N electrics.

Code: E217



Crusader Bump Stop

Crusader bump stop placed behind the tow ball, helps to minimise damage during hitch-up.

Code: E220



Mini Bumper Protector

Mini bumper stop placed behind the tow ball, helps to minimise damage during hitch-up.

Code: E221



13 Pin Plug

Used widely for a variety of caravan, trailer and towing applications.

Code: E162



Jaeger 13 Pin Plug

13 Pin Jaeger plug also suitable for 8 core and 12 core cables.

Code: E167



13 Pin Coupling Socket

Used widely for a variety of caravan, trailer and towing applications.

Code: E165



13 Pin Euro Socket

12v socket for mounting on an extension socket plate.

Code: T279



13 M Plug To 7 F Socket

Adapter for 13 pin towing electric systems with 7 pin towing electric systems.

Code: E168



13 F Socket to 7 M Plug

Adapter for 13 pin towing electric systems with 7 pin towing electric systems.

Code: E169



13 M Plug to 7N & 7S Sockets

13 M Plug to twin 7N & 7S sockets adaptor.

Code: E163



Mini Adaptor 7 Pin To 13 Pin

Replacement adaptor for 7 Pin sockets to 13 pin sockets compatible with all caravans.

Code: E178



Mini Adaptor 13 Pin To 7 Pin

Designed to convert a 7 Pin Plug on a caravan/trailer to a 13 pin socket on the towing vehicle.

Code: E179



12N Plastic Plug

7 Pin plastic plug for connecting running lights.

Code: E100



12N Metal Plug

7 Pin metal plug for connecting running lights.

Code: E105



12S Plastic Plug

7 Pin plastic plug for connecting supplementary power feeds.

Code: E110



12N Plastic Socket

7 Pin plastic socket for connecting running lights.

Code: E120



12N Metal Socket

7 Pin metal socket for connecting running lights.

Code: E135



12N Socket With Fog Cut Out

7 Pin plastic socket with fog cut-out for connecting running lights.

Code: E121



12N 7 Pin Jaeger Plastic Round Socket

7 Pin Jaeger plastic round socket.

Code: E122



12S Plastic Socket

7 Pin Plastic Socket for connecting Supplementary Power Feeds.

Code: E130



12S 7 Pin Plastic Straight Socket

7 Pin plastic straight socket.

Code: E133



12S In-line Coupling Socket

In-Line Coupling Socket, which accepts 12S Plugs.

Code: E264



12N In-Line Coupling Socket

In-Line Coupling Socket, which accepts 12N Plugs.

Code: E266



Socket Cover

Socket Cover for protecting the Socket.

Code: G604



Plug Cover

Plug Cover for protecting the Plug.

Code: G606



Gasket For Straight Sided Sockets Single Cable Entry

Single rubber gasket for cable entry.

Code: D998



Gasket For Straight Sided Sockets Double Cable Entry

Double rubber gasket for cable entry.

Code: D999



7 Pin N Type Gasket

Rubber gasket for 7 Pin. For securing 12N and 12S sockets, and making watertight.

Code: E265



Spare 13 Pin Socket Gasket

Gasket seal fits between the plate and the 13 pin socket to keep it water tight.

Code: T276



13 Pin Plug Parking Cap

Handy realignment tool

Code: E152



13 Pin Plug Holder

13 Pin Plug Holder.

Code: E153



Metal Plug Holder

This Metal Plug Holder stores the 7 pin plug when not in use.

Code: E402



3 Nut/Bolt/Washer Set For 12N & 12S Sockets

For securing 12N and 12S Sockets, and making watertight.

Code: E267



Audible Towing Sensor Relay

An audible sensor that produces a sound in sync with the turn signals when the caravan/trailer is connected.

Code: E170



LED Visual Towing Sensor

Front End Sensor.

Code: E171



Split Charge Combination Relay

Split Charge Combination Relay.

Code: E172



UK Sticker

Code	Description
S410	Extra Large - 180 x 133mm
S411	Small - 101 x 64mm
S412	Large - 140 x 100mm



UK Front Plate Sticker White Union Jack 40 x 112mm

White front number plate bearing the UK national identifier lettering and flag for overseas travel. Pack of 5.

Code: S413



UK Rear Plate Sticker Yellow Union Jack 40 x 112mm

Yellow rear number plate bearing the UK national identifier lettering and flag for overseas travel. Pack of 5.

Code: S414



Ireland Sticker - Large Oval IRL

Ideal for displaying Irish registration on vehicles caravans or trailers. Pack of 10.

Code: S406



Northern Ireland Sticker - Large Oval NI

Ideal for displaying Northern Ireland registration on vehicles caravans or trailers. 140 x 100mm. Pack of 10.

Code: S407



Tyre Pressure Sticker

Provides quick and clear reference for tyre maintenance on the go. Pack of 10.

Code: S402



60 Mph Sticker

Informative speed limit sticker for UK trailers and caravans. 100mm. Pack of 10.

Code: G122



JOCKEY WHEELS



35mm Jockey Assembly With Plastic Wheel

- Static load capacity: 100Kg
- Wheel Size: 160 x 40 mm
- Wheel: G270
- Clamp: G347

Code: G199



35mm Jockey Assembly With Metal Wheel

- Static load capacity: 100Kg
- Wheel Size: 160 x 40 mm
- Wheel: G270
- Clamp: G347


Code: G205



42mm Jockey Assembly With Metal Wheel

- Static load capacity: 200Kg
- Wheel Size: 200 x 40 mm
- Wheel: G280
- Clamp: G348


Code: V863



48mm Jockey Assembly With Plastic Wheel

- Static load capacity: 200Kg
- Wheel Size: 220 x 70 mm
- Wheel: G326
- Clamp: G349

Code: V864



48mm Jockey Assembly With Metal Wheel

- Static load capacity: 200Kg
- Wheel Size: 200 x 40 mm
- Wheel: G280
- Clamp: G349

Code: G230



48mm Jockey Assembly With Plastic Wheel

- Static load capacity: 150Kg
- Wheel Size: 190 x 40 mm
- Wheel: G275
- Clamp: G349

Code: G231



48mm Pneumatic Jockey Assembly With Metal Wheel

- Static load capacity: 150Kg
- Wheel Size: 260 x 85 mm
- Wheel: G292
- Clamp: G349

Code: G240



48mm Pneumatic Jockey Assembly With Plastic Wheel

- Static load capacity: 150Kg
- Wheel Size: 260 x 85 mm
- Wheel: G291
- Clamp: G349

Code: G241



48mm Pneumatic Jockey Assembly With Metal Wheel & Clamp

- Static load capacity: 150Kg
- Wheel Size: 260 x 85 mm
- Wheel: G292
- Clamp: G349 included

Code: G242



48mm Jockey Assembly With Metal Wheel

- Static load capacity: 200Kg
- Wheel Size: 220 x 65 mm
- Wheel: G281
- Clamp: G349

Code: G250



48mm Jockey Assembly With Plastic Wheel

- Static load capacity: 150Kg
- Wheel Size: 220 x 70 mm
- Wheel: G326
- Clamp: G349

Code: G255



AL-KO HD Pneumatic Jockey Wheel Assembly 48mm

Max nose load 200kg stationary and 120kg in manoeuvring operation.

Code: A210



AL-KO 8" Wheel Jockey Wheel Assembly 48mm

Max nose load 150kg stationary and 90kg in manoeuvring operation.

Code: A212





Metal Wheel For 35mm Jockey Assembly
160 x 40 mm.

Code: G270



Plastic Wheel For 48mm Jockey Assembly
190 x 40 mm.

Code: G275



Metal Wheel For 42mm & 48mm Jockey Assembly
200 x 40 mm.

Code: G280



Metal Wheel For 48mm Jockey Assembly
220 x 65 mm.

Code: G281



Pneumatic Metal Wheel For 48mm Jockey Assembly
260 x 85 mm.

Code	Size
G290	Complete Wheel
G355	Inner Tube
G357	Spare Tyre



Pneumatic Plastic Wheel For 48mm Jockey Assembly
260 x 85 mm.

Code: G291



Pneumatic Metal Wheel For 48mm Jockey Assembly
260 x 85 mm.

Code: G292



Plastic Wheel For 48mm Jockey Assembly
220 x 70 mm.

Code: G326



Spare Jumbo Metal Wheel
230 x 75 mm.

Code: G251



AL-KO Heavy Duty Wheel 3 Spoke Soft Tread
240 x 70 mm soft rubber replacement wheel max load capacity 150kg.

Code: A220



AL-KO Jockey Wheel Spare 215 x 65mm Rubber Wheel, Plastic Rim
Maximum load capacity of 150kg.

Code: A213



Jockey Clamp & Handle
Used for securing a specific stem diameter on a jockey assembly.

Code	Size
G347	35mm
G348	42mm
G349	48mm



Clamp Locking Handle For Jockey Clamp

Long locking handle for jockey wheel clamp.

Code: G350



AL-KO Jockey Wheel Clamp
Clamp with a rigid T-bar, compatible with 48mm diameter wheel tubes. 200kg max stationary nose weight.

Code: A200



AL-KO Jockey Wheel Clamp Handle
Secures your jockey wheel at the desired height.

Code: A201



AL-KO Breakaway Cable
1030mm high tensile steel breakaway cable to snatch on handbrake.

Code: A235



Plastic Coated Breakaway Cable
870mm high tensile steel breakaway cable to snatch on handbrake.

Code: G390



Plastic Coated Easy Fit Breakaway Cable
870mm high tensile steel breakaway cable to snatch on handbrake.

Code: V862



Plastic Coated Easi Fit Breakaway Cable
1000mm steel breakaway cable to snatch on handbrake.

Code: V842



AL-KO Corner Steady Wheel Brace 665mm
Designed for winding down AL-KO corner steadies. 19mm socket width.

Code: A230



Short Wheel Brace
Used for raising and lowering caravan jacklegs, and tightening 19mm nuts.

Code: G395



Long Wheel Brace
Used for raising and lowering caravan jacklegs, and tightening 19mm nuts.

Code: G400



AL-KO Retrofit Brake Shoe Axle Kit

Fits both euro and non-euro brake drums. ECE approval.

Code: A250



AL-KO 2051 Brake Drum Assembly 112 x5

Includes a 55mm hub cap & a 5-stud configuration with a 112mm PCD.

Code: A255



AL-KO AKS 2004/3004 Side Friction Pads Kit

Ensure optimal performance and safety for your AL-KO AKS stabilizer.

Code: A2000



AL-KO AKS 3004/3504 Friction Pad

AL-KO AKS3004 stabiliser replacement front and rear friction pads.

Code: A2001



AL-KO One Shot Locking Hub Nut M24 x 1.5

For use with AL-KO axle hubs. Ensures a secure connection.

Code: A2100



AL-KO 36mm One Shot Flange Nut

Compatible with AL-KO 2361 brake hubs providing reliable performance.

Code: A2110



AL-KO Plastic Weather Cover 5 Pack

For AL-KO secure barrel lock. Protect the barrel lock from the elements.

Code: A2211



AL-KO Secure Wheel Lock Dust Cap 5 Pack

For fitting of secure receiving points for AL-KO wheel locks when not in use.

Code: A2210



AL-KO Friction Cap Stopper Cap

For side of AKS 3004. New replacement for the red version.

Code: A2200



Royal Leisure Eco Jack Pads

Recycled plastic eco packaging. Complete with plastic pin. Pack of 4.

Code: R868



Royal Leisure Eco Pro Deluxe Jack Pads with Metal Pin

Recycled plastic & eco packaging. Complete with metal pin. Pack of 4.

Code: R869



Royal Leisure Deluxe Single Jack Pad

A single jack pad with metal pin.

Code: V861



Stack-a-pad

Spacer to level vehicle and secure on uneven ground. Pack of 4.

Code: V898



Wheel Chock With Handle

Caravan/trailer wheel chock, a vital safety device when parking or changing a wheel.

Code: V891



Yellow Grip Track

Grip tracks designed to be placed under your vehicles drive wheels helping you move on soft/muddy ground. Pack of 2.

Code: V883



Hi Visible Straps

Highly visible, yellow reflective hook & loop tape straps with nylon buckles. Can be used as armbands. Pack of 2.

Code: N557



Trailer Tri Level

A handy little triangle spirit level, ideal for leveling caravans and trailers.

Code: V613



Target Level

Self-adhesive, also comes with holes for a more permanent fixing.


Code: N539



Extendable Wheel Wrench

Extendable from 355mm to 530mm complete with 2 reversible drive sockets size 17/19mm & 21/23mm.


Code: V753



Corner Steady Winder For Use With Drill

Designed to make lowering and raising your corner steadies quick and easy. 19mm x 300mm.

Code: V760



Corner Steady Winder For Use With Drill

Designed to make lowering and raising your corner steadies quick and easy. 19mm x 500mm.

Code: V897



Reich Leg Winder 45cm Cordless Drill Adaptor

For lowering caravan corner steady legs quickly and easily.

Code: G396



Reich Leg Winder 30cm Cordless Drill Adaptor

For lowering caravan corner steady legs quickly and easily.

Code: G397



Flexible Nozzle With Strainer

Ideal for pouring liquids without spills.

Code: T124



MAINTENANCE & WORKSHOP



IN THIS SECTION

» Swivel Seat Systems	172
» Rock & Roll Bed	174
» Mirror Caps	175
» Sealant & Adhesive	176
» Gorilla Glue & Tapes	179
» Mastic Sealing Strips	180
» Clocks	181
» Door Fittings	182
» Hinges & Brackets	188
» Accessories	190
» Fill In Strips	191



Your comfort. Your safety.

SWIVEL SEAT SYSTEMS



CTA Seat Swivel Plate For Ducato/Jumper/Boxer

- Fiat Ducato X250-X290 2001-YTD
- Citroen Jumper 2006-YTD
- Peugeot Boxer 2006-YTD
- Opel Movano from 2022-YTD
- Toyota ProAce Max from 2024-YTD

Code: CTA100



CTA Seat Swivel Plate For VW T5/T6

- VW T5/T6 from 2003-YTD
- Use CTA103 for drivers side installation

Code: CTA101



CTA Seat Swivel Plate For Iveco Daily

- Iveco Daily from 1999-2013

Code: CTA102



CTA Driver Seat Handbrake Adapter VWT5-T6

- Enables CTA Seat Swivel Plate For VW T5/T6 CTA101 to be fitted to the drivers side of the vehicle

Code: CTA103



CTA Seat Swivel Plate For Renault Master

- Renault Master from 2011-YTD standard handbrake

Code: CTA104



CTA Seat Swivel Plate For Renault Master

- Renault Master from 2004-2010

Code: CTA105



CTA Seat Swivel Plate For Ford Transit/Transit Custom

- Ford Transit from 2014-YTD
- Ford Transit Custom from 2012-YTD
- Ford Tourneo Custom from 2012-YTD

Code: CTA106



CTA Seat Swivel Plate For Ford Transit

- Ford Transit from 2006-2014

Code: CTA107



CTA Seat Swivel Plate For Sprinter/Crafter

- Mercedes-Benz Sprinter from 2019-YTD
- Mercedes Benz Sprinter from 2006-2018
- Volkswagen Crafter from 2006-2016


Code: CTA108



CTA seat swivels are designed for installation on either the driver or passenger side of the vehicle. Built to the highest standards, they are crash-tested and CE-approved.



ROCK & ROLL BED



2 Seater M1 Crash Tested Rock & Roll Bed

- M1 Crash tested
- 2 Seat belts
- Fitting plate for VW T5, T6 & T6.1 included
- Headrests slot together as bed folds down
- Gas struts included for assisted elevating and collapsing
- Made in the UK
- Bespoke upholstery options are available upon request

Code: R979

Standard Upholstery Kit For R979 R&R Bed Frame

This Upholstery set is designed to be fitted with our Rock & Roll bed R979. The padding provides a comfortable platform for long distance journeys and a good nights sleep! All colours we offer are the standard VW colours so they can be paired with the front seats of the vehicle. Bespoke designs are available upon request, please contact our sales team for more information.

VW Tassimo Grey Design

Code: R970

VW Tassimo Design

Code: R971

VW Grid Design

Code: R972

VW Brick Design

Code: R973

VW Black Clip Design

Code: R974

VW Austen Design

Code: R975

VW Samora Design

Code: R976

MIRROR CAPS



VW T6 & VW T6.1 Mirror Caps

These genuine VW mirror caps are hydro dipped to create the stylish designs. They fit VWT6 and VWT6.1 vans. VW T5 caps are available upon request. Simply remove your current mirror caps and replace them by clipping these new caps on. Sold in pairs.

Bayleaf Green Silver Swirl



Code: R980

Ravenna Blue Silver Swirl



Code: R981

Black Pearl Silver Swirl



Code: R982

M Carbon Gloss



Code: R983

M Carbon Matte



Code: R984

Floral



Code: R985

Retro Flowers



Code: R986

Pink Hibiscus



Code: R987

Flower Power



Code: R988

Pansies




Code: R989



Sikaflex 522 Caravan & Motorhome Sealant

High weathering & mould resistance. 300ml tube.

Code	Description
G439	White
G4390	Black
G4391	Grey



Sikaflex 252 Sealant

A high quality structural adhesive. Suitable for structural joints that will be subjected to dynamic stresses. 300ml tube in White.


Code: G443



Sikaflex 521UV Sealant

This multipurpose product is suitable for internal and external sealing applications. 300ml tube.

Code	Description
G442	White
G4420	Black



Sikaflex 552 Sealant

Suitable for applications in areas of air ventilation and incidental food contact. 300ml tube in White.

Code: G444



Sikaflex 554 Sealant

This versatile sealant is perfect for a wide range of uses, including sealing joints, seams, and gaps, as well as bonding a variety of materials together. 300ml Tube.

Code	Description
G425	White
G426	Black



Sikaflex 221 Sealant

A multi-purpose polyurethane adhesive/sealant. 300ml tube.

Code	Description
G440	White
G441	Black
G4400	Grey



Sika Lastomer 710 Black

Non setting, high quality black butyl sealant for sealing of overlaps and rubber gaskets where movement is low, or where later disassembly is required. It has outstanding moisture resistance and adheres to a wide variety of substrates. 310ml Tube.

Code	Description
G4640	White
G464	Black



Sikaflex Aktivator 205 LUM Clear Cleaner
Enhanced adhesion on various substrates and visible under UV-light.

Code	Description
G449	250ml
G4491	1L



Spare Sealant Nozzle 5 Pack
A handy packet of 5 spare sealant tube nozzles to fit most standard sized cartridges.

Code: G431



Sikaflex 208 Clear Remover
Removes heavy contaminants. Suitable for most painted surfaces and plastics. 1L can.

Code: G450



Soudal Soudaseal RV61 Hybrid Bonding Sealant
Superb elastic hybrid bonding sealant. 290ml tube in White.

Code: T280



Soudal Fix All Flexi Multi Use Sealant & Adhesive
Single-component joint sealant with high adhesive strength. 290ml tube in White.

Code: G469



Seamseal CV Bedding Sealant
High performance, non-setting bedding sealant, with good adhesion. 380ml tube.

Code	Description
G460	Cream
G461	White



Seamseal BR Butyl Sealant
Cures by solvent evaporation, and adheres to a wide range of substrates. 380ml tube in White.

Code: G496



Silfix U7 Silicone Sealant
High modulus, acetoxy cure silicone sealant offers outstanding strength. 310ml tube.

Code	Description
G470	Clear
G480	White




Bostik Simson ISR- 70-03 Elastic Adhesive Sealant
 Permanently elastic and fast curing. 290ml tube.

Code	Description
G401	White
G407	Black




Bostik Simson STR-360 AP Structural Adhesive
 An elastic adhesive based on Silyl Modified Polymers SMP. 290ml tube in White.

Code: G403




Panel Pro Adhesive
 Exceptional panel bonding to aluminium, timber-based materials, insulation etc. Two Part. Polyurethane. 6.5kg tub.

Code	Description
G467	1.3kg Tub
G466	6.5kg Tub





Floor Kit Pro Adhesive
 Two part, low viscosity, solvent free, fast cure epoxy adhesive. 1.5kg tub.

Code: G459



Syringe for Floor Glue
 Vital for all floor repairs. Injects the glue perfectly in an 8mm drilled hole. 50ml capacity.

Code: G456

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✔ Over 8,000 lines in stock
- ✔ Exclusive trade pricing
- ✔ Credit accounts available
- ✔ Key brands
- ✔ Same day dispatch
- ✔ Trade only
- ✔ Online ordering
- ✔ Dedicated customer service



Gorilla Tape Black Tough Double Adhesive Tape

Code	Description
V993	11m x 48mm
V994	9m x 25mm



Gorilla Tape White Tough Double Adhesive Tape

Ultra tough cloth tape made from 3 layers. 10m x 48mm.

Code: V993/W



Gorilla Tape Clear Tough Double Adhesive Tape

Ultra tough cloth tape made from 3 layers. 8.2m x 48mm.

Code: V996



Gorilla Tape Waterproof Patch and Seal 3M

Forms a permanent bond which is 100% waterproof and airtight. 3m White tub.

Code: V995/W



Gorilla Epoxy Reusable Syringe

Sets In 5 mins, solvent resistant. Non-toxic once cured. 25ml.

Code: V997



Gorilla Superglue

Impact strength. Bonds to just about anything. 3g.

Code: V998



Gorilla Superglue

Impact strength. Bonds to just about anything. Pack of 2. 3g.

Code: V998/TWIN



Gorilla Superglue Gel

Impact strength bond. No runs. 15g.

Code: V999



Gorilla Grab Adhesive

Grabs virtually anything with ultra-high strength. 80ml tub.

Code: V922



Gorilla Glue

100% waterproof. Indoor/outdoor, Grip time 60 min. 60ml tub.

Code: V992



Gorilla Glue Clear

Bonds with a wide range of materials to create a virtually invisible bond. 50ml tub.

Code: V992/C



MASTIC SEALING STRIP




NEW!

Royal Leisure Mastic Sealing Strip 5 meter

KEY FEATURES

- ✓ Excellent Adhesion
- ✓ Strong UV Resistance
- ✓ Highly Conformable
- ✓ Perfect For Window Surrounds
- ✓ Specifically Designed For Caravan And Motorhomes

Width	Grey	White	Common Applications
19mm	RL504	RL501	Vents, Windows & External Lighting
32mm	RL505	RL502	Handles, Awning Rails & Aluminium Trims
45mm	RL506	RL503	Sealing Joints & Panels



INDIVIDUALLY PACKED FOR RETAIL



HP Mastic Strip 2.5mm x 19m

Strip sealant has good tack and adhesion to most common materials.

Code	Description
G475	400 45mm Wide
G499	600 45mm Wide
G509	400 32mm Wide



630mm x 30 Micron Single Ply Non Stick Plastics

Non stick polythene Roll 25kg

Code: Z311



Mastic Sealing Strip 5m

Ideal for sealing or re-bedding caravan fittings, such as aluminium mouldings, rails, trims, exterior lights & grab handles.

Code	Description
G500	Grey 32mm Wide Mastic
G501	White 19mm Wide Mastic
G502	White 32mm Wide Mastic
G504	White 45mm Wide Mastic
G505	Grey 19mm Wide Mastic
G508	Grey 45mm Wide Mastic



Stick n' Guard Carpet Protector

Code	Description
G744	600mm x 100m
G746	500mm x 10m



**Round Roman Clock
Unmounted**

White face, Brass frame. 90mm
Diameter. Battery included.

Code: H135



**Round Roman Clock
Unmounted**

Brass face, Brass frame. 90mm
Diameter. Battery included.

Code: H136



Round Arabic Clock

White face, Brass frame. 70mm
Diameter. Battery included.

Code: H155



Round Roman Clock

White face, Brass frame. 70mm
Diameter. Battery included.

Code: H156



Round Roman Clock

White face, Chrome frame. 70mm
Diameter. Battery included.

Code: H163



Round Arabic Clock

White face, Chrome frame. 70mm
Diameter. Battery included.

Code: H164



Round Thermometer

White face, Chrome frame. 70mm
Diameter. Battery included.

Code: H166



**Oval Arabic Clock
Unmounted**

White face, Brass frame. 80mm x
65mm. Battery included.

Code: H158



**Oval Roman Clock
Unmounted**

White face, Brass frame. 80mm x
65mm. Battery included.

Code: H159



**Oval Arabic Clock
Unmounted**

White face, Chrome frame. 80mm x
65mm. Battery included.

Code: H168



**Oval Arabic Clock
Unmounted**

White face, Chrome frame. 130mm x
75mm. Battery included.

Code: V990



**Oval Roman Clock
Unmounted**

White face, Brass frame. 130mm x
75mm. Battery included.

Code: V991



Chrome Mini Push Lock Kit

Designed to be installed into a 20mm hole. Suitable for boards sized 15 - 20mm.

Code: F480



Nickel Mini Push Lock Kit

Designed to be installed into a 20mm hole. Suitable for boards sized 15 - 20mm.


Code: F481



Hafele Chrome Large Push Button Lock Kit

Rosette diameter is 34mm for panel thickness 16mm. 25mm backset one sided operation. Brown case.

Code: M324



Hafele Chrome Large Push Button Lock Kit

Rosette diameter is 34mm for panel thickness 16mm. 25mm backset one sided operation. Brown case.


Code: M327



Hafele Nickel Small Button Push Lock Kit

Rosette diameter is 24.5mm for panel thickness 16mm. 15mm backset one sided operation. Brown case.


Code: T261



Hafele Chrome Small Button Push Lock Kit

Rosette diameter is 24.5mm for panel thickness 16mm. 15mm backset one sided operation. Brown case.

Code: T261C



Hafele Nickel Small Button Push Lock Kit+

All items from T261 plus an extra striking plate F918.

Code: T261SP



Hafele Large Push Button Lock Body

25mm backset one sided operation. Brown case.

Code: M330



Hafele Large Push Button Lock Body

25mm backset one sided operation. Matt Nickel case.

Code: M330MN



Hafele Large Push Button Lock Body

25mm backset one sided operation. White case.

Code: M330W



Hafele Nickel Large Push Knob & Rosette

Rosette diameter is 34mm for panel thickness 16mm. Door knob thickness is 13-19mm.

Code: M326



Hafele Chrome Large Push Knob & Rosette

Rosette diameter is 34mm for panel thickness 16mm. Door knob thickness is 13-19mm.

Code: M326C



Push Lock with Latch

13-16mm panel. Chrome & Silver. 40 x 30mm rectangular push lock.

Code: T136



Push Lock with Latch

13-16mm Panel. Chrome & Silver. 45 x 35mm square push lock.

Code: T137



Small Latch For Push Locks Brown

Brown case small latch for push locks. 20mm backset.

Code: T138



Southco Grabber Catch Latch

A Black grabber catch as fitted to Swift Caravans.

Code: S228



Standard Latch

A standard Grey latch.

Code: T139



Small Latch For Push Locks

Brown case small latch for push locks. 20mm backset.

Code: N775



Standard Latch

A standard Grey latch.

Code: N774



Mini Latch

This lock in/lock out mini latch is used in securing lockers and cupboard doors in caravans and motorhomes.

Code: N208



Stable Door Bolt Assembly

A solid cast, aluminium stable door bolt assembly, used in many older caravans.

Code: S397



Veneta Door Retainer

A neat plastic retainer for the caravan door.

Code: S380



Catch Plate For Door Lock

An 11mm Grey catch plate and latch for a door lock.

Code: T140



Soft Close Catch Plate

A Grey 11mm Grey catch plate which offers a soft close function for cupboards and drawers.

Code: T141



Double Roller Catch

A White double roller catch used for securing cabinet doors.

Code: C430



Roller Catch

A White nylon roller catch, ideal for small cupboards and more.

Code: C440



Roller Catch & Latch

A White nylon roller catch ideal for small cupboards and more.

Code: C441



Rocker Catch

A White rocker catch and plate used in securing lockers and cupboard doors in caravans and motorhomes.

Code: N205



Panco Catch

This panco catch is used in securing lockers and cupboard doors in caravans and motorhomes.

Code: N206



Pegaline Catch

The White pegaline catch is a useful fixing device for cupboards and removable fronts.

Code: N212



Double Roller Catch Metal

A White strong fixing used in securing lockers and cupboard doors in caravans and motorhomes.

Code: N213



Double Roller Catch Metal

A Burnished strong fixing used in securing lockers and cupboard doors in caravans and motorhomes.

Code: N263

Bulk Pack [x50]: N264



Cupboard Door Catch

A Grey door catch, great for use in cupboards and lockers.

Code: N773

HAFELE



Hafele Magnetic Catch

Used for securing cabinet doors and drawers. White case.

Code: F490

HAFELE



Hafele Magnetic Catch

Used for securing cabinet doors and drawers. Brown case.

Code: C450



Snap Retainer Lock

A Beige snap retainer lock.

Code: N771



Snap Retainer Lock

A Brown snap retainer lock.

Code: N772



Nylon Door Retainer

This White strong nylon clip is a very popular retainer for the caravan door.

Code: S370



Plastic Door Retainer

A neat White plastic retainer for the caravan door.

Code: S375



Pivoted Veneta Door Retainer

A White secure and durable pivoted door retainer for reliable hold.


Code: S379



Viva Door Retainer

A Beige strong, sprung caravan door retainer.

Code: S385



Extended Viva Door Retainer

A Beige strong, sprung caravan door retainer with a longer than normal reach.

Code: S386



Quick Release Barrel Door Retainer

A stylish Grey solution for holding doors open, perfect for caravans & motorhomes.

Code: S387



Quick Release Barrel Door Retainer

A stylish Black solution for holding doors open, perfect for caravans & motorhomes.

Code: S390



Heavy Duty Door Retainer

This Cream heavy duty, trigger release Door Retainer enables simple and effortless door retention and disengagement.

Code: S391



Heavy Duty Door Retainer

This White heavy duty, trigger release Door Retainer enables simple and effortless door retention and disengagement.

Code: S392



Heavy Duty Door Retainer

This Cream Cam Door Retainer is particularly useful for larger doors.

Code: S393



Heavy Duty Door Retainer

This Black Cam Door Retainer is particularly useful for larger doors.

Code: S394



Heavy Duty Door Retainer

This Grey Cam Door Retainer is particularly useful for larger doors.

Code: S403



Heavy Duty Door Retainer

This Light Grey Cam Door Retainer is particularly useful for larger doors.

Code: S404



External Catch

A White external catch ideal for use on Motorhomes & Caravans.

Code: S399



Grab Handles

A pair of White Grab Handles with 137mm centres.

Code: G595



Grab Handles

A pair of Grey Grab Handles with 137mm centres.

Code: G593



Grab Handles

A pair of Black Grab Handles with 137mm centres.

Code: G594



Silver Grab Handle & Rubber Infill

A silver grab handle with black rubber infill. 150mm centres.

Code: S398



Grab Handle

A White strong, large white grab handle, complete with matching white hole covers. 192mm centres.

Code: G591



Plastic Turnbuckle

This Black solid turnbuckle has 35mm hole centres and has many uses.

Code: F461



Turnbuckle Spacer

A Black spacer for turnbuckle F461.

Code: F442



Sliding Door Guide

The guide helps the lower door stay on track. Beige.

Code: F501



Sliding Door Guide

The guide helps the lower door stay on track. Aspen White.

Code: F501W



Plastic Grey Turnbutton

These Grey Turnbuttons can be used with, or without, spacers for many retaining purposes.

Code: F432



Spacer for Grey Turnbutton

Provides extra depth for plastic turnbuttons. Grey, can be used with F432.

Code: F434



Plastic Tan Turnbutton

These Tan Turnbuttons can be used with, or without, spacers for many retaining purposes.

Code: F430



Spacer for Tan Turnbutton

Provides extra depth for plastic turnbuttons. Tan, can be used with F430.

Code: F440



Plastic White Turnbutton

These White Turnbuttons can be used with, or without, spacers for many retaining purposes.

Code: F431



Spacer for White Turnbutton

Provides extra depth for plastic turnbuttons. White, can be used with F431.

Code: F441



Plastic Beige Turnbutton

These Beige Turnbuttons can be used with, or without, spacers for many retaining purposes.

Code: F450



Spacer for Beige Turnbutton

Provides extra depth for plastic turnbuttons. Beige, can be used with F450.

Code: F460



Sliding Door Hanger

Centre pin fits through the door taking all the weight instead of screw. Beige.

Code: F500



Plastic Hinges

A pair of plastic hinges, for securing flaps, or doors, or bottle locker lids. 1 3/4" pack of 2.

Code: F536



Nylon Hinges

Specialist hinges, for use in caravan and motorhome interiors. 50mm pack of 2.

Code: N149



Hafele Flush Cranked Hinge

Zinc plated and built to withstand the test of time, even in high-traffic areas. For 15-19mm doors.

Code: F917



Metal Fixing Bracket & Cover

Ideal for corner joints where the fixing may be visible. Pack of 5.

Code	Description
F503	White
F502	Off White
F517	Grey
F506	Beige
F505	Apple Cherry

HAFELE



Hafele Steel Striking Plate

Reinforces door locks for added protection. 40x12x12mm.

Code: F918



Mini Catch Strike Plate

Code	Description
N776	11mm
N777	15mm



Double Corner Joint & Cover

A pack of 10 Grey corner joints.

Code: F5020



Double Corner Joint & Cover

A pack of 10 Black corner joints.

Code: F5021



Polytop Pin

Useful fixings for use in caravans and motorhomes. 3/4" 20mm plated. Pack of 10.

Code: N169

HAFELE



Hafele Hinged Snap Cap

Ideal for concealing screw or bolt heads.

Code	Description
F900	White
F901	Beige
F913	Black
F914	Light Brown
F915	Dark Brown

HAFELE



Hafele Pozi Screw Top Covers

Push in pozi-drive screw top covers, for concealing screw heads. Pack of 10. Fits 6-8mm screws.

Code	Description
F902	White
F903	Beige
F904	Light Brown
F912	Dark Brown
F902S	Grey

HAFELE



Hafele Silver Domed Screw Caps

These Domed Screw Caps are ideal for concealing screw heads, particularly on mirrors.

Code: F906



22mm D Mould 8ft
Beige Top & White Bottom.
Conceal joints and wiring. 10 Pack.

Code: F110



Letterbox Bracket Flap Support

A Letterbox Bracket, for supporting sink top and cupboard side flaps.

Code: F531



Surejust Cranked Aluminium Table Leg

Designed to be fitting with the Surejust table leg clamp. 710mm.

Code: S580



Surejust Aluminium Clamp for Table Leg

Clutch style knob for adjustment and 4 hole mounting bracket. Fits S580.

Code: S581



Triangular Flap Support Bracket

An adjustable bracket, for supporting small side flaps, or folding shelves.

Code: F532



Table Storage Brackets

A pair of brackets, to store a table vertically. Pack of 2.


Code	Description
F533	White
F5330	Grey
F539	Tan



Plastic Table Bracket & Bolt

A clip over and lock table bracket and bolt used for securing tables.


Code: N216



Adjustable Lock Stay With Standard Bracket

A locker cupboard stay, for supporting raised flaps.


Code: F537



Adjustable Locker Stay With Large Bracket

A locker cupboard stay, for supporting raised flaps.

Code: F538



Locking Slide Table Rail With Table Brackets

The sliding rail system has a lock device to secure the table in position.

Code: F552



Cavity Fixer Rubber Sh

Useful fixings for use in caravans and motorhomes. M4 x 12.6mm. Pack of 2.

Code: N170



Cavity Fixer Rubber Long

Useful fixings for use in caravans and motorhomes. M4 x 24mm. Pack of 2.

Code: N770



Cavity Fixer Jacknut

Useful fixings for use in caravans and motorhomes. M4 x 25mm. Pack of 2.

Code: N171



Awning Rail Screw

Useful fixings for use in caravans and motorhomes.

Code: N173



Cupboard Door Stop Domes
Soften door closing.

Code	Description
N220	12 Dome Sheet
N220B	50 Dome Sheet



Window Filler Tool

For fitting filler in window rubber.

Code: G100



Channel Filler Tool

For rolling 110 filler into channel.

Code: G101



Spare Channel Filler Tool Bit

For rolling 110 filler into channel.

Code: G102



Caravan Door Rubber Double Bubble

Used to seal many caravan doors post approximately 1993. 25m roll.

Code: G132



PVC Awning Section

A standard PVC Awning Rail Gasket, to aid edge-sealing. 100m coil.

Code: G138



Caravan Window Insert
20m Roll PVC

Slides into the grooved profile of window rubber.

Code	Description
G133	20m x 23mm Roll White
G134	20m x 23mm Roll Grey
G135	20m x 25mm Roll White



Window Seal 20m Roll with Mastic Bubble

Pre-lined with mastic for ease of application.

Code	Description
G119	20m x 30mm Mastic Small Bubble
G120	20m x 30mm Mastic Large Bubble
G123	20m x 34/35mm Mastic Large Bubble
G128	20m x 25mm Mastic Small Bubble
G129	20m x 25mm Mastic Large Bubble
G136	20m x 27mm Mastic Small Bubble
G137	20m x 27mm Mastic Large Bubble



Sink & Hob Seal

Used to seal around sinks & hobs. 25m coil.

Code: G140



Netted Magazine Holder

Screws onto any vertical surface to give useful expandable storage. 310mm x 210mm.

Code: F499



Fill In Strip 13mm 100m

Coloured plastic strip to fill in caravan trims and hide fixings.

Code	Description	Code	Description
G379	Navy Blue	G383	Green
G380	Maroon	G384	Cream
G381	Black	G385	Grey
G382	White	G386	Silver



Wide Fill In Strip 100m

Coloured plastic strip to fill in caravan trims and hide fixings.

Code	Description
G387	15mm Black
G388	15mm Cream
G389	14mm Grey



VENTILATION



IN THIS SECTION

» Rooflights	194
» Blinds & Flynets	197
» Accessories	198
» Vents	200



Maxxair Maxxdome

Sits perfectly in the roof or sidewall of any motorhome bathroom or shower.

For sidewall applications, the fan guard acts as a rain shield and protects your interior from weather and debris.

- Suitable for 38mm to 152mm roof thickness
- Operates on 12vDC
- Removable screens make cleaning a breeze
- Locking lid with single hand push button
- 6" diameter

Code	Description
M106	Black
M107	White



MaxxAir Maxxfan Deluxe

Engineered with precision and packed with features, this fan combines reliability, efficiency, and convenience for a superior cooling experience.

- Powerful Airflow
- Multi-Speed Options
- Quiet Operation
- Remote Control
- Energy-Efficient
- Sleek Design
- Easy Installation
- 400 x 400mm

Code: M100



MaxxAir Maxxfan Deluxe

The Maxfan Deluxe boasts a powerful motor that delivers a high volume of fresh air, ensuring rapid cooling and improved air circulation

- Powerful Airflow
- Multi-Speed Options
- Quiet Operation
- Remote Control
- Energy-Efficient
- Sleek Design
- Easy Installation
- 400 x 400mm

Code: M101



MaxxAir Maxxshade

The Maxxshade from MaxxAir is the perfect addition to your roof vent. This is the perfect solution for blocking out the sunlight and UV rays.

- Fully retractable, spring loaded roller shade with secure "snap-lock" closure
- Fits 400 x 400mm and 356 x 356mm roof vents
- Easy installation on Maxxfans
- Simply install using the existing 4 screw holes
- 475x492x40mm
- 1kg

Code: M102



MaxxAir Maxxshade Plus with LED

The Maxxshade from MaxxAir is the perfect addition to your roof vent. This is the perfect solution for blocking out the sunlight and UV rays.

- Fully retractable, spring loaded roller shade with secure "snap-lock" closure
- Fits 400 x 400mm and 356 x 356mm roof vents
- Easy installation on Maxxfans
- Simply install using the existing 4 screw holes
- 475x492x40mm
- 1kg

Code: M103



MaxxAir Maxxdome Plus

Sits perfectly in the roof or sidewall of any motorhome bathroom or shower.

For sidewall applications, the fan guard acts as a rain shield and protects your interior from weather and debris.

- Built in white LED lighting
- Suitable for 38mm to 152mm roof thickness
- Operates on 12vDC
- Removable screens make cleaning a breeze
- Locking lid with single hand push button
- 6" diameter

Code	Description
M104	Black
M105	White



MPK Rooflight

Provides fresh air in the living area and, thanks to polypropylene frosted glass, also gentle daylight in the interior. A fold-down mesh frame protects against insects and lets light and air into the interior of the caravan, while the optional roller blind provides blackout and a pleasant night's sleep.

- Space-saving milk glass dome made of polypropylene
- Telescopic display unit, tiltable on four sides, with locking device

Code	Description
F310	Beige - 280 x 280mm
F320	Beige - 360 x 320mm
N310	White - 280 x 280mm
N320	White - 360 x 320mm



MPK VisionStar M Pro With Smoked Dome & Airflow Roof Light

Introducing the MPK Vision Star M Pro, an advanced Roof Light designed for maximum comfort and performance. Elevate your RV or caravan experience with the latest features that make this roof light a standout choice.

- Variable Opening up to 50°
- Very Flat Glazing Dome 80mm
- Improved Noise Reduction
- Insulated Frame
- Permanent Ventilation
- UV-Filter with Tinted Glazing Dome
- Robust Domes from Polycarbonate
- Inner Frame with Double Plisse Flynet and Blind Pleated Material
- Permanent Ventilation 150 cm² with Closed Blind
- 400 x 400mm

Code: F329



MPK 420 Integrated Rooflight

With the same basic specification as the 400x400 MPK Rooflight, the 420 also includes an integrated flynet and can be available with a roller blind surround, which does not restrict the free airflow when in use.

- Space-saving milk glass dome made of polypropylene
- Telescopic display unit, tiltable on four sides, with locking device

Code	Description
F390	Beige - Complete
F391	Beige - No Blind
F395	Ivory - Complete
F392	Ivory - No Blind



MPK VisionStar L Pro Rooflight

The large panorama roof window VisionStar L offers you a unique view in addition to particularly plenty of light and air in motorhomes and caravans. The MPK rooflights from our VisionStar series are flat in design, easy to operate, infinitely adjustable, particularly noise-reducing and ultra-robust. LED Light included.

- Interior frame with pleated blind and net
- Variable opening up to 55°
- Very flat glazing dome 105 mm
- Insulated frame for enhanced insulation
- Permanent ventilation even when blind is closed
- Strong UV-filter because of tinted glazing dome
- Robust domes from Polycarbonate
- 700mm x 500mm

Code: F321



MPK Clear Rooflight Fixing Kit

For use with most MPK rooflights

Code: F332



There is nothing we can do better.



VisionStar M



VisionStar L

**Not a gimmick in sight - just ease of use
and quality you can trust.**

Just a rooflight that delivers what we promise: Installation, use, durability - hassle free, easy, reliable. For caravans, motorhomes and everything that travels.

mpk

mpk



Spare Roller Blind For 420 Rooflight

For the MPK 420 rooflight.

Code	Description
F410	Beige
F415	Ivory

mpk



Spare Dome for MPK Rooflight

Spare opaque, double-skin dome for the MPK range of rooflights.

Code	Description
F423	280 x 280mm Beige
N423	280 x 280mm White
F425	360 x 320mm Beige
N425	360 x 320mm White
F427	400 x 400mm Beige
N427	400 x 400mm White

mpk



Flyscreen For MPK Rooflight

Spare woven fabric flyscreen for the MPK range of rooflights.

Code	Description
F350	280 x 280mm Beige
N350	280 x 280mm White
F360	360 x 320mm Beige
N360	360 x 320mm White
F370	400 x 400mm Beige
N370	400 x 400mm White

mpk



Spare Flynet MPK Rooflight

Designed to fit the 280x280 clear dome MPK rooflight.

Code	Description
N335	Flynet & Blind 280 Beige
N336	Flynet & Blind 280 Ivory
F400	Flynet 420 Beige
F405	Flynet 420 Ivory



MPK 280 Special Flyscreen

Spare woven fabric.

Code	Description
F380	Beige
N380	Ivory

mpk



Flynet for 420 Rooflight Comes With Integrated Blind

Code	Description
F402	Beige
F403	Ivory



Mosquito Netting

Code	Description
F397	1m x 1m With Fixing Pads
F398	1m x 1.5m With Fixing Pads
F399	1m x 2m With Fixing Pads
F401	1m x 30m Bulk Roll



NRF Blind and Flyscreen

Discover an affordable and versatile solution with our NRF Grey Combination Blind and Fly-Screens. This dual-function accessory offers the flexibility to either completely block out light in your vehicle or allow partial light exposure while ensuring total protection against insects. Widely adopted by numerous European motorhome manufacturers as a standard feature, these blinds can be easily customized to suit your preferences by trimming the height.

Note that end caps are not included with this blind.

Upgrade your motorhome experience with this adaptable and cost-effective blind and fly-screen combination.

Code	Size
N1000	500 x 650
N1001	600 x 650
N1002	700 x 650
N1003	800 x 650
N1004	900 x 650

Code	Size
N1005	1000 x 650
N1006	1100 x 650
N1007	1200 x 650
N1008	1250 x 650
N1009	1300 x 650

Code	Size
N1010	1400 x 650
N1011	1450 x 650
N1012	1500 x 650
N1013	1600 x 650
N1014	1700 x 650



NRF Spare Blind Catches

Spare fixing kits catches for NRF blinds.

Code: N1020



Black Toggle Window Catch Plate

Black toggle window catch plate.

Code: F546/U



Visa End Stops

Visa End Stops, to fit Visa curtain tracks. Pack of 2.

Code: F150



Visa Curtain Track 2.13m

For face fixing.

Code: F120



Visa Plus Curtain Track 2.5m

For right angle fixing on pelmets, ledges and ceilings.

Code: F130



Swish Nylonglyde 2.5m Track & Fittings Complete

Swish Nylonglyde 2.5m track & fittings complete

Code: F170



Swish Nylonglyde Gliders

Pack of 20.

Code: F190

Bulk Pack [x500]: F190B



Swish Nylonglyde Fixing Brackets

A pack of 5 Showerglide brackets.

Code: F195



Swish Nylonglyde End Stops

A pack of 2 Showerglide end stops.

Code: F197



Swish Nylonglyde 3m Track

A Showerglide 3 metre track.

Code: F198



Swish Button Hooks

For Furniglyde track. Pack of 20.

Code: F200

Bulk Pack [x500]: F200B



Swish Nylon Curtain Hooks

Pack of 20.

Code: F210

Bulk Pack [x500]: F210B



Sprint Glide Curtain Track 3m

Sprint glide curtain track.

Code: F201



Sprint Curtain Track Gliders

Pack of 20.

Code: F202

Bulk Pack [x100]: F202B



Sprint Curtain Track End Stops

Pack of 2.

Code: F203

Bulk Pack [x100]: F203B



Visa Curtain Tape

Consists of a row of nylon pop studs, fixed in a plastic backing tape, which can be sewn onto the curtain edges.

Code	Description
F140	25m Roll
F142	50m Roll
F141	200m Box



HDK Mushroom Roof Vent

Provides economical and effective ventilation for apertures from 110mm to 150mm in diameter.

Code: F526



Rectangular Honeycombed Vent

Tan honeycomb vent. 163 x 85mm.

Code: F516



Rectangular Short Tail

Tan vent. 160 x 80mm.

Code: F520



Rectangular Louvred Vent White

White louvred vent. 170 x 90mm.

Code: F521



Rectangular Louvred Vent Tan

Tan louvred vent. 170 x 90mm

Code: F522



Round Tail Vents

- Extra Long Tail: 75 x 75mm
- Long Tail: 75 x 35mm
- Short Tail: 75 x 10mm



1 1/2" Star Push In Vents

A packet of 2 1 1/2" push-in star vents with a 38mm diameter.

Code: F511



1 1/2" Push In Vents

A packet of 2 1 1/2" push-in vents with a 38mm diameter.

Code: F512

Code	Description
F508	Cream - Short Tail
F509	Cream - Long Tail
F518	Tan - Short Tail
F519	Tan - Long Tail
F588B	Black - Short Tail
F589B	Black - Long Tail
F586B	Black - Extra Long Tail
F588W	White - Short Tail
F589W	White - Long Tail
F586W	White - Extra Long Tail



Finger-Pull Push In Vents

A pack of 2 finger pull push-in vents with a 40mm diameter.

Code: F513



3" Hexagon Vent

A pack of 2 3" hexagon vents with a 76mm diameter.

Code: F514



Round Louvred Vent

Code	Description
F524	80mm Diameter
F525	100mm Diameter



Louvred Vents

Code	Description
F528	229 x 76 mm Fixed
F529	229 x 152 mm Fixed
F540	229 x 76 mm Fixed Flyscreen Included
F541	229 x 152 mm Fixed Flyscreen Included
F542	229 x 76 mm Open & Close Flyscreen Included
F543	229 x 152 mm Open & Close Flyscreen Included





Image taken by @markpemberton_photos



ELECTRICAL ACCESSORIES



IN THIS SECTION

» Mains Equipment	204
» Solar	208
» Battery Charging	212
» Sargent Accessories	214
» Berker Frames, Sockets & Switches	215
» Electrical Outlets	219
» Plugs, Sockets & Relays	220
» Mains Consumer Units & Breakers	223
» Battery Terminals	224
» Battery Accessories	226
» TV & Aerial Accessories	228
» Cable Management	230
» Fuses & Holders	232
» Terminals & Connectors	236
» Heat Shrink	240
» Convoluted Tubing & Tape	241
» Batteries	242

ELECTRIC HOOK UP



Heavy Duty Caravan Mains Hook Up Lead

Our mains hook up lead is perfect for connecting site power to your caravan or motorhome when you need a safe electricity supply.

This site Connection Lead is fitted with a 16 Amp mains plug for connection to the site power supply and a 16 Amp Mains coupler to provide you with a convenient power supply link.



Code	Description
J248	10m Mains Lead 1.5mm
J245	10m Mains Lead 2.5mm
J252	15m Mains Lead 2.5mm
J255	20m Mains Lead 2.5mm
J249	25m Mains Lead 1.5mm
J250	25m Mains Lead 2.5mm



Key Features:

- Suitable for your caravan, camper or motorhome
- 240v 16A plug and coupler connectors
- High visibility orange colour as approved by Caravan Sites.
- 100% Copper 3 Core Cable
- Strong, Robust and Durable
- Water Resistant Rating : IP44
- Conforms to BS 7671 and EN 60309
- CE approved



Crusader Mobile Mains Lead

15m orange 3183Y/HO5VVVF cable with IP44 rating, 25A RCD rating, BSEN60309.

Code: V762



Crusader Deluxe Mobile Mains Lead

15m IP44 water resistant, 3 UK sockets & 2 USB sockets.

Code: J196



Mains Hook Up Lead & Cable Reel

15m BS4343 and BS6500 Orange 2.5mm cable 8-50015.

Code: J252/DELUXE



Royal Leisure 10m Mains Lead

Perfect for connecting site power to your caravan or motorhome when you need a safe electricity supply. 10m length, 2.5mm, 100% copper cable.

Code: R926



Royal Leisure 25m Mains Lead

Perfect for connecting site power to your caravan or motorhome when you need a safe electricity supply. 25m length, 2.5mm, 100% copper cable.

Code: R925



Royal Mobile Mains Lead

Built in RCD protection and polarity warning indicator. 3 UK sockets, includes hanging hook and tent pole clips. 15m Orange 3183Y/HO5VVf cable with IP44 rating and BS EN 60309 standard.

Code: R927



Royal Deluxe Mobile Mains Lead

Built in RCD protection and polarity warning indicator. 3 UK sockets, 2 USB ports, includes hanging hook and tent pole clips. 15m Orange 3183Y/HO5VVf cable with IP44 rating and BS EN 60309 standard.


Code: R928



Crusader Products Powerpro Multi-Use Mains Extension Lead

3 x 13A mains sockets with RCD. 3 x USB ports. Detachable LED torch.


Code: V893



Crusader Products Mains Lead

2m mains lead with 3 x 16A connectors. Y piece.

Code: J191



Crusader Products Mains Lead

2m mains lead with 2 x 13A & 1 x 16A connectors. T piece.

Code: J192



Semloh Site Lead

14m, 1.5mm, 110V, CE Approved, IP44 rated.

Code: V570



Semloh Site Lead

14m, 2.5mm, 110V, CE Approved, IP44 rated.

Code: V571



Cable Wheel

Plastic 25m cable wheel.

Code: V869



Royal Leisure UK Mains Conversion Lead

Domestic mains 13A plug to an outdoor 16A 200/250V 3 pin socket.

Code: R922



Crusader UK Mains Conversion Lead

Domestic mains 13A plug to an outdoor 16A 200/250V 3 pin socket.


Code: J220



Royal Leisure Domestic Conversion Lead

200/250V 16A IP44 3-pin blue socket to connect to Domestic sockets.

Code: R924



Crusader Conversion Lead
13A domestic plug to a standard mains lead coupler.

Code: J240



Royal Leisure Continental Conversion Lead
200/250V 16A IP44 3-pin blue socket to connect to European sockets.

Code: R923



Continental Conversion Lead
230V Euro site electric hook-up lead. Euro 2-pin plug.

Code: J230



Crusader Products UK Mains Adapter & Trailing Socket
UK Mains Adapter with Schuko waterproof trailing socket.

Code: J242



Crusader Products Mains 2-Way Adaptor
16A 230/250V connectors. Heavy duty One plug two sockets. CE ROHS Certified.

Code: J158



Crusader Products Mains 3-Way Adaptor
16A 230/250V connectors. Heavy duty One plug to three sockets. CE ROHS Certified.

Code: J159



Royal Leisure 3-Way Adaptor
16A 230/250 volt blue connectors. One plug to three sockets. Heavy duty. CE ROHS Certified.

Code: R929



Crusader Products Site Plug
240V 16A Triple round pin Plug for connecting to UK caravan site mains outlets.

Code: J140



Crusader Products Coupler
16A Coupler for connecting mains into a caravan inlet.

Code: J150



Royal Leisure Site Plug
Standard 16A 200-250V IP44 site plug.

Code: R920



Royal Leisure Coupler
Standard 16A 200-250V IP44 lead coupler.

Code: R921



Semloh Site Plug
Semloh Electrics 110V 16A Yellow site lead plug.

Code: J1400



Semloh Coupler
Semloh Electrics 110V 16A Yellow site lead coupler. IP44 rated.

Code: J1500



Crusader Products Site Plug UK Socket Adaptor
Site plug to 13A UK socket adaptor.

Code: J149



Crusader Products Garage Outlet Socket
A wall mounted 16A outlet, for allowing standard mains lead connection, from garage to caravan.

Code: J200



Crusader Products Right Angled Coupler
Right angled 16A coupler for mains to caravan inlet.

Code: J161



Crusader Products Caravan Inlet Surface Mounted
16A surface IP44 with cap inlet socket to allow mains connection.

Code: J120



Royal Leisure Connection Protector Box
IP44 Folding waterproof protection for safe 240V site connection outdoors.

Code: V890



Digital Multi Meter
7 functions, for measuring DC & AC voltage, DC current, and resistance. Also checks continuity, & transistors.

Code: V560



Mains Tester
The easy way to ensure that electrical circuits are correctly wired, and to check for reversed polarity.

Code: J460




Universal Mains Testing Kit
Test the site supply at source, both in the UK and Europe. Especially useful for testing for reverse polarity.

Code: N563

SOLAR PANEL KITS

Kit Includes:
 Photovoltaic Module
 Solar Charge Regulator
 Panel Fixing Kit
 Roof Gland with 5m Cable



Code	Power	Dimensions
S562	110W	1062 x 530 x 30 mm - 6.2kg
S563	175W	1320 x 670 x 30 mm - 9.5kg



36 PERC UK
 CELLS TECHNOLOGY STOCK



PACKED FOR RETAIL SALE



80W 12V Solar Panel Kit With Single Controller

- 80W Monocrystalline panel
- 10A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- White corner mounts
- Panel size 665 x 760 x 35mm

Code: S512



80W 12V Solar Panel Kit With Dual Controller

- 80W Monocrystalline panel
- 10A Dual charge controller
- 6m Cable & connectors
- Cable entry cover
- White corner mounts
- Panel size 665 x 760 x 35mm

Code: S502



100W 12V Flexible Solar Panel Kit With Single Charge Controller

- 100W Monocrystalline panel
- 12v/24v 10A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- Panel size 1070 x 530 x 4mm

Code: S500



110W 12V Solar Panel Kit With Single Charge Controller

- 110W Monocrystalline panel
- 10A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- White corner mounts
- Panel size 664 x 1006 x 30mm

Code: S510



110W 12V Solar Panel Kit With Dual Charge Controller

- 110W Monocrystalline panel
- 10A Dual charge controller
- 6m Cable & connectors
- Cable entry cover
- White corner mounts
- Panel size 665 x 1006 x 30mm

Code: S511



110W 12V Solar Panel Kit With Dual Charge Controller

- 110W Monocrystalline panel
- 20A Dual charge controller
- 6m Cable & connectors
- Cable entry cover
- White corner mounts
- Panel size 664 x 1006 x 30mm

Code: S513



120W 12V Solar Panel

- 120W Monocrystalline panel only
- High performance
- Panel size 580 x 1070 x 30mm

Code: S532



120W 12V Flexible Solar Panel Kit With Single Controller

- 120w Monocrystaline panel
- 10A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- Panel size 1240 x 530 x 4mm

Code: S504



140W 12V Solar Panel Kit With Single Charge Controller

- 140W Monocrystalline panel
- 10A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- Black corner mounts
- Panel size 664 x 1179 x 35mm

Code: S520



140W 12V Solar Panel Kit With Dual Charge Controller

- 140W Monocrystalline panel
- 10A Dual charge controller
- 6m Cable & Connectors
- Cable entry cover
- Black corner mounts
- Panel size 664 x 1179 x 35mm

Code: S521



150W 12V Flexible Slimline Solar Panel Kit With Single Charge Controller

- 150w Monocrystaline panel
- 20A Single charge controller
- 6m Cable & connectors
- Cable entry cover
- Panel size 1460 x 540 x 4mm

Code: S505



160W 12V Solar Panel Kit With Dual Charge Controller

- 160W Monocrystalline panel
- 20A Dual charge controller
- 6m Cable & connectors
- Cable entry cover
- Black corner mounts
- Panel size 1470 x 669 x 35mm

Code: S530



160W 12V Solar Panel Kit With Dual Charge Controller

- 160W Monocrystalline panel
- 20A Dual charge controller
- 6m Cable & connectors
- Cable entry cover
- Black corner mounts
- Panel size 1470 x 669 x 35mm

Code: S531



Victron 115W Solar Panel

- 4B Monocrystal
- 115W/12V
- 1485mm x 668mm
- Sealed, waterproof, multi-functional junction box gives high level of safety.
- 1030mmx668mm

Code: S610



Victron 175W Solar Panel

- 4A Monocrystal
- 175w/12V
- 1485mm x 668mm
- High performance bypass diodes minimise the power drop caused by shade.

Code: S611



Victron BlueSolar 20A Charge Controller

- Low voltage-temperature coefficient enhances high-temperature operation.
- Exceptional low-light performance
- High performance bypass diodes minimize power drop from shade.

Code: S600



Victron BlueSolar 10A Charge Controller

- Three stage battery charging
- Load output protected against over load and short circuit.
- Protected against reverse polarity connection of the solar array and/or battery.

Code: S601



Victron BlueSolar Charge Controller

DUO-LCD & USB 12/24V 20A. Two 5 Volt USB outputs.


Code: S603



Victron SmartSolar MPPT 75/10

MPPT technology ensures that all available power is rinsed and harvested for storage.

Code: S606



Victron SmartSolar MPPT 100/30

Can operate with a battery voltage as low as 0 Volts.

Code: S607



Victron BlueSolar Charge Controller

DUO-LCD & USB 12/24V 20A. Two 5 Volt USB outputs.

Code: S603



CBE PR300 12V 300W Solar Charge Regulator

Manufactured in order to obtain the best possible performance of 12V photovoltaic modules up to 300W.

Code: S557



CBE PRM350 12V 300W Solar Charge Regulator

Manufactured in order to obtain the best possible performance of 12V photovoltaic modules up to 350W.

Code: S558



Dual 10A Solar Regulator

Charge and protects 2 batteries independently with required charging priority. 80%/20% split of charge to two batteries.

Code: T683



20A Dual Charge Battery Controller

Maximum Solar Input Power: 240 Watts at 12V - 480 Watts at 24 Volts.

Code: S509



SX150-12 150w 10Amp Solar Regulator

Designed to assist with the efficient charge of your battery/batteries. Features include two stage charging, status LED indicates battery charging and reverse leakage protection circuit.

Code: T682



Sargent Solar Regulator

SSR 3A 40W Solar regulator and charge controller designed to assist the efficient charge of your leisure battery.

Code: T680



Sargent SX150-12150w 10Amp Solar Regulator

- Up to 25% more energy
- Compatible with most lead acid leisure batteries
- IP67 weatherproof rating
- Overload, short circuit & over temperature protection

Code: T681





Solar Panel Waterproof Cable Entry Gland

Ensure the integrity and protection of your electrical installations with our IP68-rated ABS cable entry cover. This robust cover provides exceptional defense against dust, water, and other environmental contaminants.

Code	Description	Colour
S540	Single Gland 4-9mm	White
S541	Double Gland 4-9mm	White
S542	Single Gland 6-12mm	White
S543	Double Gland 6-12mm	White
S540B	Single Gland 4-9mm	Black
S541B	Double Gland 4-9mm	Black



Victron Solar Cable Kit
5M with MC4 connectors.

Code: S605



CBE 5m Solar Cable Connection Kit
4mm cross-section cable for very low volt drop. KT6 series exits roof ducts with PG16 cable entry.

Code: S556



CBE Quick Connectors
Use to connect CBE Photovoltaic modules.

Code: S555



MC4 DC Solar Cable Connectors
For cables 2.5mm² to 6.0mm², 30A max current, max voltage 1000V. IP68.

Code: S538



Solar Panel Bracket / Corner Mounts

Code	Description	Qty
S508	Mounting Bracket	1
S507	Corner Mounts	4
S506	Corner Mounts	6



Sterling Pro Battery to Battery Charger

This device fast charges your batteries without the need for complex wiring or tampering. Provides onboard batteries with a fast 4 stage charging profile. 30A Output. 1.2Kg Weight.

Code: S1230



Nordeltronica CBE NE325 DC-DC Charger

- High power: Handles 40A continuous current and efficient charging.
- Safety: Several protection functions such as short-circuit, overload, and overvoltage protection.
- Adaptable: Supports multiple battery types AGM, Gel, Pb, LiFePO4.
- Efficiency: 90% efficiency for optimized energy use.

Code: S590



Sargent PX310 300W Charger

- 3-Stage charging profile.
- Up to 20A for charging batteries from 70 to 220A.
- Integrated LCD display.
- PSU mode.
- Quiet operation.
- Lithium wakeup mode.
- Overload, short circuit & over temperature protection.

Code: T689



Sargent DC-DC 30A 3 Stage Battery Charger

- Charging is automatically reduced to avoid over-discharge
- Optimised for Gel, Lead Acid, AGM, LiFePO4 & Lithium Ion
- Temperature compensation optional
- Overload, short circuit & over temperature protection

Code: T700



Sargent DC-DC Charger

Can provide up to 20A to the leisure battery and uses a 3-Stage profile to ensure fast, efficient charging during driving.

Code: T701



Sargent Battery Charger & Power Supply

2-stage battery charger/power converter providing 13.8V DC and 13.9A 192W.

Code: T688



Sargent EC601 PSU

Provides power and protection for electrical equipment 230V & 12V within a leisure vehicle.

Code: T710



Sargent 2005 PSU

The unit provides protection for the 240V mains and 12V equipment, supplies 12V power and charges the internal leisure battery.

Code: T711



Sargent VLM5

Vehicle light management board for Swift, Lunar, Auto-Sleeper and AutoTrail motorhomes.

Code: T771



Sargent VLM6

LED road light electronic control unit that can be fitted to Swift Group caravans to fix road lighting incompatibility issues.

Code: T669



Sargent EM50 Type A

Intelligent interface adapter use with Omni step.

Code: T675



Sargent EC800 Control Panel

Swift replacement part only - control panel for EC800 series PSU 2019+.

Code: T676

SARGENT



Sargent EC462 Control Panel

Control panel used on many models including Swift Escape, Edge, Kontiki, Bessacarr, Rio.

Code: T702


SARGENT



Sargent 13 Pin Harness

Lead for connection from car to C44 fuse board. This part for Swift caravans 2008 onwards.

Code: T670



SARGENT



Sargent EC800 Replacement Trim

Trim for the EC800 control panel.

Code: T674

SARGENT



Sargent EM5.6

Twin camera interface module to interconnect RV207 Twin camera and RVM720/730 monitor.

Code: T677

SARGENT



Sargent EM3.5

Reverse camera adaptor for single reversing camera.

Code: T678

SARGENT



Sargent EC800 Radio Module

Replacement radio module dab & fm.

Code: T684

SARGENT



Sargent Water Tank Dump Valve

This is a replacement part only.

Code: T685

SARGENT



Sargent Water Studs & Screws

These studs and screws work with the EC155 system, to monitor the fresh water levels.

Code: T686

WHY CHOOSE CRUSADER PRODUCTS?

Crusader Products is a family run business, committed to providing our customers with the highest standard of service.

We supply the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price. We have been supplying quality caravan and motorhome accessories to the Outdoor Leisure Industry for over 25 years.

Based at Long Eaton, Nottingham in the heart of the Midlands, our aim is to provide our customers with consistent quality, greater variety, better value and excellent service. By providing accurate technical data and knowledgeable specialist support, we ensure that you get exactly the product you need, when you need it.



- ✓ Over 8,000 lines in stock
- ✓ Exclusive trade pricing
- ✓ Credit accounts available
- ✓ Key brands
- ✓ Same day dispatch
- ✓ Trade only
- ✓ Online ordering
- ✓ Dedicated customer service



Berker 1 Gang Anthracite Hinged Frame

Single hinged frame with cover for all Berker sockets.

Code: N720



Berker 1 Gang White Hinged Frame

Single hinged frame with cover for all Berker sockets.

Code: N721



Berker 1 Gang Chrome Hinged Frame

Single hinged frame with cover for all Berker sockets.

Code: V620



Berker 1 Gang Matt Chrome Hinged Frame

Single hinged frame with cover for all Berker sockets.

Code: V622



Berker 1 Gang Anthracite Hinged Frame

Splash proof to IP44 when fitted with seal and Schuko socket, both not included. Seal V621, Socket V609.

Code: V624



Berker 1 Gang White Hinged Frame

Splash proof to IP44 when fitted with seal and Schuko socket, both not included. Seal V621, Socket V609.

Code: V625



Berker Flow Anthracite 1 Gang Frame

Single modular frame to fit all Berker sockets.

Code: B400



Berker Flow Glossy White 1 Gang Frame

Single modular frame to fit all Berker sockets.

Code: V617



Berker Flow Matt Chrome 1 Gang Frame

Single modular frame to fit all Berker sockets.

Code: N546



Berker Flow Chrome 1 Gang Frame

Single modular frame to fit all Berker sockets.


Code: N634



Berker Flow Champagne 1 Gang Frame

Single modular frame to fit all Berker sockets.

Code: N547



Berker Pure Gloss Black 1 Gang Frame

Single modular frame to fit all Berker sockets.


Code: V984



Berker Pure Matt Stainless Steel 1 Gang Frame

Single modular frame to fit all Berker sockets.


Code: N643



Berker Chrome Pure 1 Gang Frame

Single modular frame to fit all Berker sockets.

Code: N637



Berker IP44 Seal

For Berker 1 gang hinged frames.

Code: V621



Berker Flow Anthracite 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N648



Berker Flow Glossy White 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N649



Berker Flow Matt Chrome 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N548



Berker Flow Bright Chrome 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N635



Berker Pure Glossy Black 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: V974



Berker Pure Matt Stainless Steel 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N644



Berker Pure Bright Chrome 2 Gang Frame

Double modular frame to fit all Berker sockets.

Code: N638



Berker Flow Anthracite 3 Gang Frame

Triple modular frame to fit all Berker sockets.

Code: N640



Berker Flow Matt Chrome 3 Gang Frame

Triple modular frame to fit all Berker sockets.

Code: N642



Berker Flow Chrome 3 Gang Frame

Triple modular frame to fit all Berker sockets.

Code: N636



Berker Pure Bright Chrome 3 Gang Frame

Triple modular frame to fit all Berker sockets.

Code: N639



Berker Pure Stainless Steel 3 Gang Frame

Triple modular frame to fit all Berker sockets.

Code: N645



Berker Anthracite 13A Socket
230V 13A socket.

Code: B402



Berker White 13A Socket
British Standard socket BS1363.
Rating 13A, 250V. IP44.

Code: V616



Berker Anthracite Schuko Socket
Continental socket outlet. 16A,
250VAC. 2 Pin.

Code: V609



Berker Anthracite 12V USB Charging Socket
5V at 3A USB socket. Charging only.

Code: V985



Berker Anthracite 12V Twin USB Charging Socket
5V at 3A per USB socket. Charging only.

Code: V986



Berker Anthracite 12V USB A+C 2 Gang Charging Socket
Berker 12V USB A+C / PD+QC socket.

Code: N722



Berker Anthracite USB A+C 2 Gang Charging Socket
USB A+C 2 gang charging socket.

Code: N723



Berker Anthracite 12V Single Pole Socket
Rating 6-24V, 16A. 55mm x 55mm.
Anthracite. 230V 3A. Input Voltage:
8-34V. Output Voltage: 5V.

Code: N543



Berker Anthracite 12V Cigar Socket Outlet
20A, 12V cigar power socket.

Code: V982



Berker Anthracite 12V Accessory & Aerial Socket

12V Cigar socket 10A Max. SAT with double F-socket.

Code: V981



Berker Anthracite 12V Cigar Socket & Satellite Point

Ideal to power your TV with both 12V and a Satellite signal.

Code: V983



Berker Anthracite Single Satellite Point

Single 'F' connector satellite point.

Code: V618



Berker Anthracite Coaxial & Satellite Socket

IEC and F-socket, with connection in F system.

Code: B403



Berker Anthracite Single TV Point

Accepts standard 75 Ohm male coaxial plug.


Code: B404



Berker Anthracite HDMI Socket Outlet

Supports V1.3. Gold plated contacts. Max resolution: 1080p.

Code: V626



Berker Anthracite Single Rocker Switch

Rating is 16A, 250V. Main light switch in many caravans.

Code: B401



Berker Anthracite Single Push Button Momentary Switch

Rating 16A, 250V. Main light switch in many caravans.

Code: V629



Berker Chrome Single Rocker Switch

Rating is 16A, 250V. Main light switch in many caravans.

Code: V987



Berker Anthracite Twin Rocker Switch

Rating is 16A, 240V. Common input terminal.

Code: B406



Berker Chrome Twin Rocker Switch

Rating is 16A, 240V. Common input terminal.

Code: V988



Berker Anthracite Push Button

5 contact push button for caravan step. 12V - 24V.

Code: N542



Berker Anthracite Blank Plate
1 Gang blanking plate.

Code: N646



Berker White Blank Plate
1 Gang blanking plate.

Code: N647



Berker White 1 Gang Hinged Cover With 13A Socket
Can be used as a power point with increased splash protection.

Code: N550



Berker Anthracite 1 Gang Hinged Cover With 13A Socket
Can be used as a power point with increased splash protection.

Code: V615



Berker Surface Mounting Box
Surface Mounting Box to hold a single unit. 59mm x 59mm x 41 mm. Glossy Anthracite.

Code: B405



Berker Single Backing Box
For covering the rear electrics of Berker sockets. Complete with cable clasp. 49mm Diameter. 2 line entries on rear and 1 knockout opening.

Code: N545



Bullfinch Electrical Outlet Point
Provides IP55 protection against water & dirt ingress even when the plug is fitted.

Code: N128G



Bullfinch Electrical Outlet Point
Provides IP55 protection against water & dirt ingress even when the plug is fitted.

Code: N128



Caravan Flush Inlet Square
IP44, Black 16A to allow mains connection.

Code: J189



Caravan Flush Inlet Square
IP44, White 16A to allow mains connection.

Code: J190



Caravan Inlet Flush Mounting
Rectangular Grey 16A. Allows mains connection.

Code: J170S



Caravan Inlet Flush Mounting
Rectangular White 16A. Allows mains connection.

Code: J170W



Caravan Deluxe Waterproof Outlet

13A waterproof outlet socket, allowing exterior mains connection.

Code: J215W



Flush Fit White Outlet Socket Rectangular

Standard White rectangular box with a 13 amp rubber domestic outlet socket.

Code: J210W



Flush Fit Housing Box

Code	Description
J450S	Grey
J450W	White



Rectangular White Lid For Inlet Box

Spare lid and pins for white rectangular flush inlet.

Code: J180W



Pins For Inlet Box

Two small pins for the hinge of J180W rectangular lid.

Code: J180W/PIN



Adapt It Cigar Socket to Senate Plug

12V adaptor lead that converts Senate 2 pin 10A plug to cigar socket.

Code: B220



Adapt It 4 Cigar Socket to Crocodile Clips

Converts pair of insulated crocodile clips to cigar socket. 12V. 1m lead.

Code: B245



Adapt It 5 Cigar Socket to Single Plug

Converts single pole Geru/Hella plug to a cigar socket. 12V.

Code: B246



Adapt It 3 Cigar Socket to Clipsal Plug

12V adaptor lead that converts Clipsal 2 pin 10A plug to cigar socket.

Code: B240



Cigar Plug & Socket

Code	Description
B270	2m
B269	5m



12V Cigar Plug & Cable

Also adapts to a Geru/Hella single pole plug connection. Coiled extension lead.

Code: V614



Recessed Cigar Socket

12V Cigar lighter socket fitting.

Code: B260



Surface Mount Cigar Socket
12V lighter socket with 20A capacity.

Code: B261



Cigar Socket 12v Surface Mounted With Rubber Cap
12v Surface mounted with rubber cap.

Code: B258



Recessed Cigar Socket Oblong Flange 12V
12v cigar socket adaptor.

Code: B259



Single Pole Flush Socket Recessed Socket & Cap
Single pole flush socket recessed socket & cap.

Code: B265



Hella Single Pole Plug
Single Pole 12V 10A marine quality plug, available with rubber cap.

Code: B262



Cigar Plug
12 volt cigar lighter socket fitting. ideal for a range of car and caravan accessories.

Code: B290



Cigar Plug with Fuse
Pro-design 12V cigar plug for easy connection.

Code: V764



Cigar Socket 2 Way Adaptor
Splits a single 12 volt cigar plug feed into two sockets.

Code: B280



Watertight Socket Outlet
IP65, 240V 13A waterproof socket.

Code: J205



Trailing Socket
Gang rubber trailing socket, 13A 250V.

Code: J437



2 Pin Polarized Plug
Desert sand 12v 10a 2 pin polarized plug.

Code: P110DS



13A Plug
Fits standard UK electrical outlets. Black.

Code: J431



**Standard Changeover
Mini ISO Relay**

Code	Description
V337	12v 4 Pin 30A
V338	12v 5 Pin 30A
V339	12v 5 Pin 40A
V340	12v 5 Pin 40A
V341	12v 5 Pin 40A
V342	24v 5 Pin 20/30A



5 Pin Change Over Relay

12V 40A with fixed bracket.

Code: V823



**SuperSeal Connector Male
with Crimps & Seals**

IP67 waterproof, male superseal connectors, for securely joining cables with cross sections.

Code	Description
V352	1 Way
V354	2 Way
V356	3 Way
V358	4 Way



Relay Holder

With moulded mounting bracket.

Code: V343



**SuperSeal Connector Female
with Crimps & Seals**

IP67 waterproof, female superseal connectors, for securely joining cables with cross sections.

Code	Description
V353	1 Way
V355	2 Way
V357	3 Way
V359	4 Way



**3P Pole Panel Mount Isolator
Switch**

32A maximum current, 11.5kW power rating, IP65.

Code: V806



2 Way Power Jointing Box

Rated at 300A, max rating of 120A when used at 90°C. For joining together several cables that are fitted with ring terminals.

Code: V799



3 Way Junction Box

This 30A round connector allows secure 3 way electrical connection.

Code: J440



Mains Installation Kit

The kit includes a fully insulated consumer unit with 25 amp RCD, one 10 amp and one 6 amp MCB, surface mains inlet, installation cable with clips, and two 13 amp, white, single gang switched sockets.

Code: J110



Consumer Unit

For 240V system. Overload circuit breakers. 10A double pole. Fast acting 25A RCD.

Code: J129



Consumer Unit RCD

Fully insulated CU with 25A RCD protection and two miniature circuit breakers 1x 10 Amp and 1x 6 Amp.

Code: J131



Consumer Unit RCD

2 X 10A MCB.

Code: J131/10A



Miniature Circuit Breakers

For secure electrical protection from overload or short circuit.

Code	Description
J132	6A - Single Pole
J133	10A - Single Pole
J137	16A - Single Pole
J138	6A - Single Pole & Neutral
J139	10A - Single Pole & Neutral

Code	Description
J142	16A - Single Pole & Neutral
J146	6A - Double Pole
J147	10A - Double Pole
J148	16A - Double Pole



Residual Current Device

Code	Description
J134	Spare 25A Residual Circuit Device
J136	Spare 40A Residual Circuit Device

Battery Terminals

A collection of tin plated, brass battery terminals to fit standard size tapered battery posts, and a broad range of cable sizes from 10mm² to 109mm². The terminals are available with a wide variety of connection methods to ensure excellent electrical contact. Other types and sizes of terminal are available on request.

Machined Type Brass Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm ²)	Cable Entry Diameter (mm)	Pack Quantity
V271	One Negative - and One Positive +	10mm ² to 16mm ²	7.5	One Pair of Terminals
V272	One Negative - and One Positive +	16mm ² to 25mm ²	8.3	One Pair of Terminals
B297	One Negative - and One Positive +	25mm ² to 40mm ²	9.5	One Pair of Terminals

Screw Type Tinned Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm ²)	Cable Entry Diameter (mm)	Pack Quantity
V273	One Negative - and One Positive +	16mm ² to 25mm ²	8.7	One Pair of Terminals
V274	One Negative - and One Positive +	25mm ² to 40mm ²	9.5	One Pair of Terminals
B298	One Negative - and One Positive +	40mm ² to 60mm ²	11.1	One Pair of Terminals
B299	One Negative - and One Positive +	60mm ² to 70mm ²	14.3	One Pair of Terminals

Hexagonal Nut Type Tinned Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm ²)	Cable Entry Diameter (mm)	Pack Quantity
V275	One Negative - and One Positive +	16mm ² to 25mm ²	8.3	One Pair of Terminals
V276	One Negative - and One Positive +	25mm ² to 40mm ²	9.2	One Pair of Terminals
V277	One Negative - and One Positive +	40mm ² to 60mm ²	10.9	One Pair of Terminals
V278	One Negative - and One Positive +	60mm ² to 70mm ²	14.1	One Pair of Terminals

Solder Type Tinned Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm ²)	Cable Entry Diameter (mm)	Pack Quantity
V279	One Negative - and One Positive +	25mm ² to 40mm ²	9.5	One Pair of Terminals
V280	One Negative - and One Positive +	40mm ² to 60mm ²	11.1	One Pair of Terminals
V281	One Negative - and One Positive +	60mm ² to 70mm ²	12.7	One Pair of Terminals
V282	One Negative - and One Positive +	70mm ² to 109mm ²	15.9	One Pair of Terminals

Universal Crimp Type Tinned Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
V301	Universal	16mm ² to 25mm ²	7.0	10
V302	Universal	35mm ² to 50mm ²	11.0	10

Stud & Wing Nut Type Tinned Battery Terminals



Code	Post Size & Polarity	Type of Terminal	Stud Size	Pack Quantity
V283	One Negative - and One Positive +	Stud & Wing Nut	10mm	One Pair of Terminals
V284	One Negative - and One Positive +	Stud & Nut	8mm	One Pair of Terminals
V285	One Negative - and One Positive +	Stud & Nut	10mm	One Pair of Terminals

Stud & Wing Nut Type Tinned Battery Terminals



Code	Post Size & Polarity	Type of Terminal	Stud Size	Pack Quantity
V303	One Negative -	Stud & Wing Nut	10mm	10
V304	One Positive +	Stud & Wing Nut	10mm	10
V305	One Negative -	Stud & Nut	8mm	10
V306	One Positive +	Stud & Nut	8mm	10
V307	One Negative -	Stud & Nut	10mm	10
V308	One Positive +	Stud & Nut	10mm	10

Quick Release Type Insulated Battery Terminals



Code	Post Size & Polarity	Cable Cross Section (mm)	Cable Entry Diameter (mm)	Pack Quantity
E210	One Blue Negative - and One Red Positive +	16mm ² to 50mm ²	10.5	One Pair of Terminals
V309	One Blue Negative -	16mm ² to 50mm ²	10.5	One Terminal
V310	One Red Positive +	16mm ² to 50mm ²	10.5	One Terminal



PVC Insulator Boot

Fits a wide range of copper tube terminals. The cable entry barrel diameter is approximately 12mm.

Code	Size
V311B	Black
V311R	Red



PVC Insulator Boot with Tab

Code	Size
W001	Black. 4-6mm.
W002	Red. 4-6mm.
W003	Black. 8-12mm.
W004	Red. 8-12mm.



Neoprene Insulator Boot

Fits a wide range of copper tube terminals. 12mm.

Code	Size
V312B	Black
V312R	Red



PVC Rear Entry Battery Terminal Cover

Offers insulation. The cable entry barrel diameter is 16mm.

Code	Size
V314B	Black Negative
V314R	Red Positive



Battery Isolator Switch

Single pole, mechanically operated, 100A. 1 key & weatherproof cap.

Code: B281



Battery Isolator Key

Key only for use with B281.

Code: B281-KEY



Battery Strap Retaining Brackets

Pair of Brown battery strap retaining brackets.

Code: B288



Small Battery Box

Red battery box fits most 75/85AH batteries with strap 270 x 180 x 200mm.

Code: N110



Medium Battery Box

Blue battery box fits most 75/85AH batteries. 200 x 200 x 340mm.

Code: N110U



Large Battery Box

Black battery box fits most 75/85AH batteries. 200 x 200 x 410mm.

Code: N111



Crocodile Clip

Code	Amp	Qty
V315	5A	10
V316	25A	10
V317	50A	10



Smooth Black Tube Handle

Use with 150/175/200A clips.

Code: V318-BLK



Smooth Red Tube Handle

Use with 150/175/200A clips.


Code: V318-RED



Tube Insulated Steel Crocodile Clips

Accepts up to a 25mm² cable. Pair.

Code	Amp
V318	150A
V319	175A



Fully Insulated Steel Crocodile Clips

Accepts up to a 25mm² cable. Pair.

Code	Amp
V321	150A
V322	175A
V323	200A



Fully Insulated Angled Jaw Brass Crocodile Clips

Accepts up to a 50mm² cable. Pair.

Code: V324



Standard Jump Leads 3m

25mm strongly sprung, passivated steel crocodile clips.

Code: V331



Standard Jump Leads 5m

25mm strongly sprung, passivated steel crocodile clips.

Code: V332



Fully Insulated Jump Leads

Code	Description
JL16/2.5/BR	16mm Jump Leads - 2.5m
V333/S	35mm Jump Leads - 3m
V334/S	35mm Jump Leads - 5m
V335/S	50mm Jump Leads - 3m
V336/S	50mm Jump Leads - 5m



Angled Jaw Jump Leads 5m

50mm fully insulated, heavy duty, strongly sprung, brass angled jaw crocodile clips.

Code: V336



2-Way Satellite Splitter Box
F-Type connectors, frequency range 5-863mhz, power pass one port.

Code: A112



Coaxial Y Splitter
This splitter is used to separate one coaxial feed into two matched feeds. 2x Male into 1 x Female.

Code: B175



Coaxial Surface Socket
Surface mounting 75 Ohm coaxial Socket.

Code: B140



Surface Satellite Point
A surface mounting satellite point for F Type Connectors and satellite cable.

Code: N258



Coaxial Plug 75 Ohm

Code	Qty
B160	Male
B170	Female



F Type Flat Connector
Flat cable to run through windows or doors, ideal for use in motorhomes or caravans. F-Type connections.

Code: A122



F Plug Coaxial Fly Lead
Standard lead with F plugs. Ideal for connecting from wall plate to satellite receiver. 1.5m.

Code: B182



Coaxial Fly Lead White
White 2 metre Male to Male 75 Ohm coaxial Fly-Lead.

Code: B180



Coaxial External Socket
Waterproof, pre-wired socket for exterior fitting to vehicles. 5m cable.

Code: B150



Satellite Lead 2m F Plug - F Plug
Satellite Lead 2m F Plug - F Plug.

Code: N259



Satellite F 25m Flylead
Satellite F 25m Flylead.

Code: B529



Universal TV

DC Lead with 4 interchangeable plugs & Reversible socket. 1.3mm, 2.1mm, 2.5mm, 3.5mm.

Code: B250



Radio Aerial

Radio aerial compact leisure radio aerial with built in amplifier.

Code: A150



Dml - 22 Element Leisure Aerial Log- Priodic Aerial

10 Element TV aerial with fixing clamp only.

Code: A111



Aerial Mast Jockey Wheel Deluxe Aluminium Clamp

Code: A130



Aerial Fixing Clamp

Code: A140



Aerial Mast 3 Pole Set Including Jockey Wheel Clamp

Code: A120



In Line Satellite Finder

Locates a strong digital satellite signal with all satellite systems. Freq: 950-2150MHz. Visual LED display.

Code: A108



Bullfinch Satellite & TV 12V Outlet Point

Provides IP55 protection against water and dirt ingress, even when the plug is fitted.

Code: N129



Rubber Lined Steel P Clip

Code	Size	Qty
V124	6mm	50
V125	8mm	50
V126	10mm	50
V127	13mm	50
V128	16mm	50

Code	Size	Qty
V129	21mm	50
V130	25mm	50
V131	29mm	50
V132	35mm	50



Black Nylon P Clip

Code	Size	Qty
V117	4.8mm	100
V117B	4.8mm	1000
V118	6mm	100
V118B	6mm	1000
V119	9mm	100
V119B	9mm	1000

Code	Size	Qty
V120	12mm	100
V120B	12mm	1000
V121	19mm	100
V121B	19mm	1000
V122	25.4mm	100
V122B	25.4mm	1000



White Nylon P Clip

Code	Size	Qty
F644	1/4"	5
F647	3/8"	5
F648	5/8"	5
F637	3/4"	5
F638	1"	5
F643	1 1/4"	5
F639	1 3/8"	5



Nail in Cable Clips x100

Code	Size
V144	10mm Round
V146	2.5mm Flat T&E



Round Cable Clip

Code	Size
F851	6mm Pack of 10
F853	10mm Pack of 10



4.5mm Parallel Cable Clips

Suitable for use with 1-10.0mm² twin & earth cable. Pack of 10.

Code: F850



Non-Release Black Cable Tie

Code	Size	Qty
CT37048B100	370x4.8mm	100
CT7809B100	780x9mm	100



Black Cable Tie x100

Code	Size
F890	100x2.5mm
F891	140x3.6mm
F879	160x4.8mm
F881	200x2.5mm
F883	200x3.6mm
F892	200x4.8mm
F885	250x4.8mm

Code	Size
F895	300x4.8mm
F894	300x7.6mm
F896	370x7.6mm
F897	430x4.8mm
F898	530x9.0mm
F899	580x12.8mm



Silver Cable Tie x100

Code	Size
F887	300x4.8mm
F889	370x4.8mm



Cable Tie Base

Code	Size
V100	19x19mm up to 3.6mm ties
V101	28x28mm up to 4.8mm ties



Cable Tie Base

These white cable tie adhesive bases are designed to support light weight wire bundles. UL approved Nylon 66, 94V-2.

Code: F849



Nylon Self Adhesive Clip x100

Code	Size
V110	5mm
V111	8mm
V112	14mm



Coated Steel Self Adhesive Clip x100

Code	Size
V113	20 x 30mm for 6mm
V114	25 x 36mm for 8mm
V115	31 x 44mm for 12mm
V116	38 x 54mm for 14mm



Steel Chassis Clips x25

Code	Size
V133	For Thin Steel & 6-7mm Cable
V134	For Thin Steel & 7-9mm Cable
V138	For Thick Steel & 7-9mm Cable
V139	For Thick Steel & 10-11mm Cable
V140	For Thick Steel & 12-14mm Cable



Cradle Base Black x100

A black, screw on, strong nylon cable tie base, for the secure fixing of cable ties.



Aluminium Self Adhesive Clip

Code	Size	Qty
V108	Up to 6mm	100
V108B	Up to 6mm	250
V109	Up to 9mm	100
V109B	9.5mm	250

Code	Size
V102	Small Up to 4.8mm
V103	Large Up to 9mm

Micro Fuses



Fuse Rating & Colour	5 Amp Tan	7.5 Amp Brown	10 Amp Red	15 Amp Blue	20 Amp Yellow
Retail Pack of 5 (Min order = 10 packs)	F662	F665		F671	F675
Bulk pack of 100	F664		F670	F673	F676

Micro Blade Fuses



Fuse Rating & Colour	5 Amp Tan	7.5 Amp Brown	15 Amp Blue	20 Amp Yellow
Bulk pack of 50			F657	F660
Bulk pack of 100	F649	F659	F658	F661

Mini Blade Fuses



Fuse Rating & Colour	2 Amp Grey	3 Amp Violet	4 Amp Pink	5 Amp Tan	7.5 Amp Brown	10 Amp Red	15 Amp Blue	20 Amp Yellow	25 Amp Clear	30 Amp Green
Retail Pack of 5 (Min order = 10 packs)	F920	F922	F924	F926	F928	F930	F932	F934	F936	F938
Bulk pack of 50	F921	F923	F925	F927	F929	F931	F933	F935	F937	F939
Bulk pack of 1000	F921B	F923B	F925B	F927B	F929B	F930B	F932B	F935B	F937B	F939B

Standard Blade Fuses



Fuse Rating & Colour	1 Amp Black	2 Amp Grey	3 Amp Violet	4 Amp Pink	5 Amp Tan	7.5 Amp Brown	10 Amp Red	15 Amp Blue	20 Amp Yellow	25 Amp Clear	30 Amp Green	40 Amp Amber
Retail Pack of 5 (Min order = 10 packs)	F800	F801	F802	F824	F803	F804	F805	F806	F807	F808	F809	F810
Bulk pack of 50	F700	F701	F702	F724	F703	F704	F705	F706	F707	F708	F709	F710
Bulk pack of 1000	F700B	F701B	F702B	F724B	F703B	F704B	F705B	F706B	F707B	F708B	F709B	F710B

Maxi Blade Fuses



Fuse Rating & Colour	20 Amp Yellow	30 Amp Green	40 Amp Amber	50 Amp Red	60 Amp Blue	70 Amp Tan	80 Amp Clear	100 Amp Violet
Retail Pack of 5 (Min order = 10 packs)	F940	F942	F944	F946	F948	F950	F952	F954
Bulk pack of 50	F941	F943	F945	F947	F949	F951	F953	F955
Bulk pack of 1000	F940B	F942B	F944B	F946B	F948B	F950B	F952B	F954B

Continental Fuses



Fuse Rating & Colour	5 Amp Yellow	8 Amp White	16 Amp Red	25 Amp Blue
Retail Pack of 5 (Min order = 10 packs)	F814	F815	F816	F817
Bulk pack of 50	F714	F715	F716	
Bulk pack of 1000	F714B	F715B		F717

20mm Glass Fuses



Fuse Rating & Colour	1 Amp	2 Amp	3 Amp	5 Amp	10 Amp
Retail Pack of 5 (Min order = 10 packs)	F819	F820	F821	F822	F823
Bulk pack of 50	F719	F720	F721	F722	F723
Bulk pack of 1000	F719B	F720B		F722B	F723B

30mm Glass Fuses



Fuse Rating & Colour	1 Amp	1.5 Amp	2 Amp	5 Amp	10 Amp	15 Amp	20 Amp	25 Amp	35 Amp	50 Amp
Retail Pack of 5 (Min order = 10 packs)	F729	F725	F726	F831	F832	F833	F834	F835	F728	F736
Bulk pack of 50				F731	F732	F733	F734	F735		F737
Bulk pack of 1000	F729B	F725B	F726B	F731B	F732B	F733B	F734B	F735B	F728B	

Strip Fuses



Fuse Rating & Colour	30 Amp	40 Amp	50 Amp	60 Amp	80 Amp	100 Amp
Retail Pack of 5 (Min order = 10 packs)	F956	F958	F960	F962	F964	F966
Bulk pack of 50	F956B	F958B	F960B	F962B	F964B	F967
Bulk pack of 1000	F957	F959	F961	F963	F965	

Midi Fuses



Fuse Rating & Colour	40 Amp Green	50 Amp Red	60 Amp Yellow	70 Amp Brown	80 Amp White	100 Amp Blue
Retail Pack of 5 (Min order = 10 packs)	F968	F970	F972	F974	F976	F978
Bulk pack of 50	F969	F971	F973	F975	F977	F979

Mega Fuses



Fuse Rating & Colour	100 Amp Yellow	125 Amp Green	150 Amp Orange	175 Amp White	200 Amp Blue	225 Amp Tan	250 Amp Pink	300 Amp Grey	400 Amp Purple	500 Amp Brown
Single	F980	F982	F984	F986	F988	F990	F992	F994	F996	F998
Bulk pack of 10	F981	F983	F985	F987	F989	F991	F993	F995	F997	F999
Bulk pack of 100	F980B		F984B	F987B	F988B		F992B	F994B		F998B



Mixed Mini Blade Fuses (2 of 5/10/15/20A)

Mixed mini blade fuses (2 of 5/10/15/20A)

Code: F738



Mixed Blade Fuses 2 of 3/5/10/15/20A

Standard blade (Piggy back) fuse holder 2 of 3/5/10/15/20A

Code: F799



Mixed Continental Fuses (2 of 8/16/25A)

Mixed Continental fuses (2 of 8/16/25A)

Code: F740



Mixed Mains Fuses (2 of 3/5/13A)

Mixed mains fuses (2 of 3/5/13A)

Code: F739



13 Amp Fuses

Code: FUSE/13



Male Pal Fuse x 5

Code	Type
V377	80A 62mm Black
V377A	80A 48mm Red
V378	100A 62mm Blue
V369	50A Red
V371	80A Black
V372	100A Blue



Female Pal Fuse x 5

Code	Description
V360	20A Light Blue
V361	30A Pink
V362	40A Green
V363	50A Red



In Line Blade Fuse Holders x 10

In line blade fuse holders with splashproof weather covers.

Code	Description
V384	Mini
V385	Standard
V386	Maxi



Blade Fuse Extractor

Pack of 10. This simple tool makes blade fuse extraction much easier.

Code: V379



Blade Piggy Back Fuse Holder

Code	Qty
F798	Mini Blade
F797	Standard Blade



Blade Fuse Holder

Pack of 10. A single, side entry standard blade fuse holder with 6.3mm spade terminals.

Code: V380



Clip On Blade Fuse Holder

Pack of 10. 6.3mm spade terminals. Can be used with mounting bracket V382.

Code: V381



Clip On Blade Fuse Bracket

Pack of 10. For blade fuse holder V381.

Code: V382



Bottom Entry 4 Way Blade Fuse Box

Nylon 6.3mm male blade terminal, with cover and terminal securing bar.

Code: V387



Bottom Entry 6 Way Fuse Blade Box

Bottom entry Nylon 6.3mm male blade terminal, with cover and terminal securing bar.

Code: V388



Side Entry 4 Way Fuse Blade Box

Nylon, 6.3mm male blade terminal, with cover and sealing gasket.

Code: V389



Side Entry 4 Way LED Blade Fuse Box

6.3mm male blade terminals and red LED indicators for blown fuses.

Code: V389-LED



Side Entry 6 Way Blade Fuse Box

Nylon, 6.3mm male blade terminal, with cover and sealing gasket.

Code: V390



Side Entry 8 Way Blade Fuse Box

Nylon, 6.3mm male blade terminal, with cover and sealing gasket.

Code: V391



Continental Fuse Holder

A single continental fuse holder with screw down cable connections at both ends.

Code: V392



In-line Glass Fuse Holder

Unterminated single fuse holder rated at 10A for 30 & 32mm glass fuses.

Code: V396



Strip Midi Link Fuse Holder

Cable connection is via 5mm rings on the end studs. Maximum cable size is 16mm.

Code: V397



Mega Fuse Holder

Cable connection is via 8mm rings on the end studs. Designed for a cable range of 25 to 35mm.

Code: V399



Side Entry 10 Way LED Blade Fuse Box

6.3mm male blade terminals and red LED indicators for blown fuses.


Code: FBB10L



Self Stripping Blade Fuse Holder

Pack of 10. 20A max rating. Suitable for cable from 1mm to 2.5mm.

Code: V383



3M Scotchlok Fuse Holder

32 V, max. 0.75 - 1.5 mm.

Code: V793

Crimp Terminals

We stock a large range of tin-plated, copper crimp terminals. All terminals conform to BS4579 & BS46178. Available in retail packs of 5, or bulk packs of 50 terminals. Other types & sizes quoted on request.

Crimp Terminal Type			Red Terminals		Blue Terminals		Yellow Terminals	
MOQ 10 x Packs of 5			Pack of 5	Pack of 50	Pack of 5	Pack of 50	Pack of 5	Pack of 50
	Male Spade Terminals	6.3mm	K161	K162	K163	K164	K165	K166
	Female Spade Terminals	2.8mm	-	K160	← Red Female 2.8mm Spade Terminals Ideal for Tap Microswitch Connection		-	-
		6.3mm 9.5mm	K261	K262	K263	K264	K265	K266
	Female Spade Terminals Fully insulated	6.3mm	-	K362	K363	K364	-	K366
	Piggyback Spade Terminals	6.3mm	-	K462	K463	K464	K465	K466
	Male Bullet Terminals	4mm	K541	K542	K543	K544	-	-
		5mm	-	-	-	K554	-	K556
	Female Bullet Terminals	4mm	K641	K642	K643	K644	-	-
		5mm	-	-	K653	K654	-	K656
	Fork Terminals	3.2mm M3	-	K722	-	-	-	-
		3.7mm M3.5	-	K732	K733	K724	-	K736
		4.3mm M4	-	K742	K743	K744	-	K746
		5.3mm M5	-	-	-	-	-	K756
		6.4mm M6	-	K762	-	K764	-	K766
	Ring Terminals	3.2mm M3	-	K822	K823	K824	-	-
		3.7mm M3.5	-	K832	K833	K834	-	-
		4.3mm M4	K841	K842	K843	K844	K845	K846
		5.3mm M5	K851	K852	K853	K854	K855	K856
		6.4mm M6	-	K862	K863	K864	-	K866
		8.4mm M8	-	K882	K883	K884	K885	K886
		10.5mm M10	K891	K892	K893	K894	K895	K896
	Butt Connector Terminals	3.3mm - 5.5mm	K931 3.3x23mm	K932 3.3x23mm	K943 4x25mm	K944 4x25mm	-	K936 5.5x27mm



Pin Terminal

Code	Description	Qty
V457	Red 12mm	50
V460	Blue 12mm	50
V463	Yellow 14mm	50



Blade Terminal

Code	Description	Qty
V466	Red 18.4 x 2.3mm	50
V467	Red 18.4 x 2.3mm	1000
V469	Blue 18.4 x 2.3mm	50
V470	Blue 18.4 x 2.3mm	1000
V472	Yellow 10 x 2.8mm	50
V473	Yellow 10 x 2.8mm	1000



Self Stripping Connector

Code	Description	Qty
V484	Red	50
V485	Red	1000
V486	Blue	5
V487	Blue	50
V488	Blue	1000
V490	Yellow	50



Female Spade

Code	Description	Qty
V494	4.8mm	1000
V496	6.3mm	50
V497	6.3mm / 1.5mm	1000
V497-2.5	6.3mm / 2.5mm	1000



PVC Female Spade Cover x5

Clear cover for 6.3mm uninsulated female spade crimp terminals.

Code: V498

Bulk Pack [x1000]: V500



Copper Tube Terminal x 10

Code	Size	Code	Size	Code	Size	Code	Size
V230	6/6	V238	16/10	V246	35/10	V253	70/10
V231	6/8	V239	16/12	V247	35/12	V254	70/12
V232	10/6	V240	25/6	V248	50/6	V255	95/8
V233	10/8	V241	25/8	V249	50/8	V256	95/10
V234	10/10	V242	25/10	V250	50/10	V257	95/12
V235	10/12	V243	25/12	V251	50/12	V258	120/10
V236	16/6	V244	35/6	V252	70/8	V260	150/10
V237	16/8	V245	35/8	V252-6	70/6		



Copper Butt Splice Terminal x 10

Code	Size	Cable Entry	Butt Splice	Code	Size	Cable Entry	Butt Splice
V262	6mm	4.0mm	6.5mm	V266	35mm	8.6mm	12.0mm
V263	10mm	4.5mm	7.0mm	V267	50mm	9.6mm	14.0mm
V264	16mm	5.5mm	8.5mm	V268	70mm	12.0mm	16.5mm
V265	25mm	6.7mm	10.0mm	V269	95mm	13.5mm	18.0mm



Closed End Connector Insulated

Code	Description	Qty
V510	1.0 - 1.75mm	5
V513	1.0 - 2.5mm	5
V514	1.0 - 2.5mm	50
V516	2.0 - 5.5mm	5
V517	2.0 - 5.5mm	50



Nylon Connectors

Code	Description	Code	Description
V344	1 Way Male With Female Crimp	V347	2 Way Female
V345	1 Way Female With Male Crimp	V347-T	2 Way 'T' Female with 2 Male crimps
V346	2 Way Male	V348	3 Way Male
V346-T	2 Way 'T' Male with 2 Female crimps	V349	3 Way Female



3M Scotchlok Cable Connector

Code	Description
V790	Red x50
V790B	Red x1000
V791	Blue x50
V792	Yellow x50



Encore Cable Connector

Code	Description
V794	Red x50
V795	Blue x50



12 Way Strip Connector

Code	Description	Qty
V519	3 Amp	5
V520	3 Amp	50
V521	3 Amp	1000
V522	5 Amp	5
V523	5 Amp	50
V525	15 Amp	5

Code	Description	Qty
V526	15 Amp	50
V527	15 Amp	1000
V528	30 Amp	5
V529	30 Amp	50
V530	30 Amp	1000



Light Duty Crimping Tool

Crimps non-insulated terminals and strips wire from 0.75mm² to 6mm². Cuts bolts & has integral wire cutter.

Code: V534



Ratchet Crimping Tool

Has adjustable tensioner, replaceable jaws, indents on the jaws to identify which jaw has been used.

Code: V535



Non-Insulated Terminal Crimping Tool

Adjustable tensioner 0.5mm² to 6.0mm², replaceable jaws.

Code: V536



2:1 Heat Shrink Sleeving



Heat shrink sleeving for harness and wire protection. Pre shrink as supplied.
 B = Black, R = Red, C = Clear, U = Blue, Y = Yellow.
 Available in 5m, 30m, 50m, 75m or 150m lengths.

Code	Pre Shrink Internal Diameter As Supplied	Shrunk Internal Diameter After Heating	Wall Thickness After Heating
V179 B/C	2.4mm	1.2mm	0.5mm
V180 B/R	3.2mm	1.6mm	0.5mm
V181 B/R	4.8mm	2.4mm	0.5mm
V182 B/R	6.4mm	3.2mm	0.65mm
V183 B/R	9.5mm	4.8mm	0.65mm
V184 B/R/U/Y	12.7mm	6.4mm	0.65mm
V185 B/R/U/Y	19.0mm	9.5mm	0.75mm
V186 B/R	25.4mm	12.7mm	0.90mm
V187 B/R	38.0mm	19.0mm	1.00mm
V188 B/R	51.0mm	25.4mm	1.15mm

3:1 Adhesive Lined Heat Shrink Sleeving



The Black 3:1 Adhesive Heat Shrink Tubing Strip is used for electrical insulation, cable bundling and the provision of good physical protection to pipes and wires.
 Available in 1.22m lengths.

Code	Pre Shrink Internal Diameter As Supplied	Shrunk Internal Diameter After Heating	Wall Thickness After Heating
V189	3.0mm	1.0mm	1.0mm
V190	6.0mm	2.0mm	1.0mm
V191	9.0mm	3.0mm	1.40mm
V192	12.0mm	4.0mm	1.75mm
V193	19.0mm	6.0mm	2.25mm
V194	24.0mm	8.0mm	2.50mm
V195	40.0mm	13.0mm	2.50mm



Black Non-Adhesive PVC Tape Black x 10

Code: V224



Black Self Amalgamating Tape x 10
19mm x 10m

Code: V226

Nylon Convoluted Tube 50m



A range of flexible convoluted tubing conduits, manufactured from black, heat stabilised, nylon polyamide 6, which provides excellent resistance to abrasion, auto fluids and fuels, and has a wide working temperature range from -40°C to +140°C. The tubing is also UV steady, flame retardant, and halogen/cadmium free, and is supplied in standard coils as listed, with or without a continuous slit along its length, for ease of cable insertion. Other coil lengths available on request.

No Slit	With Slit	Int. Diameter	Ext. Diameter
V147	V155	6.8mm	9.9mm
V149	V157	9.9mm	13.0mm
V150	V158	12.7mm	15.8mm
V151	V159	17.0mm	21.0mm
V152	V160	21.3mm	25.4mm
V153	V161	23.2mm	28.3mm

Polypropylene Convoluted Tube 50m



A range of flexible convoluted tubing conduits, manufactured from black, modified polypropylene, possessing high thermostability, and excellent cold impact strength and chemical stability. The tubing is also UV steady, flame retardant, and cadmium free, and has a wide working temperature range from -40°C to +130°C. It is supplied in standard coils as listed, with or without a continuous slit along its length, for ease of cable insertion. Other coil lengths available on request.

No Slit	With Slit	Int. Diameter	Ext. Diameter
	V171	6.8mm	9.9mm
V164	V172	8.5mm	12.9mm
	V173	9.9mm	13.0mm
V166	V174	12.7mm	15.8mm
V167	V175	17.0mm	21.0mm
V169		23.2mm	28.3mm

PVC Insulating Tape 19mm x 20m Pack Of 10



Code	Description
V228B	Black
V228G	Green
V228N	Brown
V228R	Red
V228U	Blue
V228Y	Yellow

PVC Sleeving 100m



PVC sleeving for harness and wire protection. It is suitable for all variations of electrical insulation.

Code	Internal Diameter	Wall Thickness
V210	4.0mm	0.5mm
V212	6.0mm	0.5mm
V213	8.0mm	0.5mm
V214	10.0mm	0.5mm



PMA Tubing

PMA 20mm Polyamide 6 Black flexible conduit. 50m reel.

Code: V819



Wiring Grommet x100

Fits hole 9.5mm. For 1.6mm panel thickness, to protect wires and cable.

Code: V539



Wiring Grommet x100

Fits hole 12.3mm. For 1.6mm panel thickness, to protect wires and cable.

Code: V540



Phillips Industrial AAA Battery

1.5V LR6 Mignon Up To 136% More Power, ideal for use in every day devices. Pack of 10.

Code: N431



Duracell Battery AAA

Ideal power solution for a broad range of everyday devices such as cameras, TV remotes. Pack of 4.

Code: N453



GP Ultra Alkaline AAA Battery

Up to 80% more power for the most popular portable electronic devices. Pack of 4.

Code: N454



Philips Industrial AA Batteries

1.5V LR6 Mignon Up To 136% More Power Pack of 10.

Code: N452



Duracell AA Battery

Mainly used for remote controls, are ideal for your everyday devices. Pack of 4.

Code: N450



GP Ultra Alkaline AA Battery

Unleashes up to 200% more power, a great choice for all your high energy-consuming appliances. Pack of 4.

Code: N451



Phillips Industrial Pro Alkaline Battery

9V High quality performance for a range of applications.

Code: N449



Duracell Plus Battery

9V alkaline has 100% life guaranteed for powering all your devices.

Code: N459



GP Ultra Alkaline Battery

9V Ultra Alkaline is especially designed for the most popular portable electronic devices.

Code: N460



AGFA Alkaline Battery

9V Alkaline Battery ideally suited to general use around the home including cameras.

Code: N461



Duracell Plus D Battery

Plus Alkaline Batteries offer reliable, long lasting power for everyday leisure devices. Pack of 2.

Code: N457



GP Ultra Alkaline D Battery

Designed for the most popular portable electronic devices. Pack of 2.

Code: N458



Phillips Alkaline C Battery

Long lasting, reliable power and superb performance. Pack of 10.

Code: N442



Duracell Plus C Battery

Plus C batteries are alkaline batteries ideal for powering all your devices. Pack of 2.

Code: N455



GP Ultra Alkaline C Battery

1.5V for long lasting power. Pack of 2.

Code: N456



Phillips LR1 Battery

High performing 1.5V miniature Alkaline battery.

Code: N470



GP Lithium CR1220 Cell Battery

3V Energy-dense and can deliver 30% more power*.

Code: N464



GP Lithium CR1620 Cell Battery

3V Energy-dense and can deliver 30% more power*.

Code: N465



GP Lithium CR2016 Cell Battery

3V Energy-dense and can deliver 30% more power*.

Code: N466



GP Lithium CR2025 Cell Battery

3V Energy-dense and can deliver 30% more power*.

Code: N467



GP Lithium CR2032 Cell Battery

3V Energy-dense and can deliver 30% more power*.

Code: N468



GP LR1 1.5V Clock Battery

1.5 volt alkaline, popular uses for clocks and alarms. Pack of 2.

Code: N462/SINGLE



GP LR44 Cell Battery

1.5V output, GP A76 LR44 batteries ensure efficient and effective power. Pack of 10.

Code: N471



GP 12V 27A Alarm Battery

Providing a 12V output, GP 27A A27 MN27 batteries deliver strong and effective power. Pack of 5.

Code: N484



Semloh Electrics was first launched by George Holmes in 1991

The company has been passed down but kept within the family to this day.

The name "Semloh" comes from its founder, George Holmes. It is simply "Holmes" spelled backward.



CABLE



IN THIS SECTION

» Thin Wall Auto	
- Single	247
- Twin	248
- Multicore	249
» Standard PVC Auto	
- Single	250
- Twin	251
- Multicore	252
» Battery	254
» Battery & Welding	255
» Speaker, Coaxial & Alarm	256
» Tri Rated	257
» Heat Resisting Silicone	258
» Mains	259

SEMLOH CABLE



Semloh Electrics, now operating as Crusader Products, is a trusted supplier of auto, battery, power, and specialist cables, serving the automotive, marine, and leisure vehicle industries, as well as a wide range of electrical and industrial customers.

Built on a foundation of exceptional service, technical expertise, and high-quality products, we maintain a large cable inventory. This allows us to offer immediate delivery on most cable ranges.

With rigorous in-house testing and quality assurance at every stage, we ensure that each order meets exact customer specifications. If you require a specific type, color, or length of cable, our sales team is ready to provide a tailored solution.

RohS and WEEE

All of Semloh Electric's cable products manufactured and put on the market after 1st July 2006 are RoHS compliant, containing none, or less than the permitted levels of lead, mercury, cadmium and chromium. Alongside this, to help reduce the amount of waste going to landfill, we have implemented all aspects of the Waste Electrical and Electronic Equipment WEEE Directive 2002/96/EC.



Semloh Cable Colour Codes

- B = Black
- G = Green
- K = Pink
- L = Light Green
- N = Brown
- O = Orange
- P = Purple
- R = Red
- S = Slate Grey
- U = Blue
- W = White
- Y = Yellow



Semloh Packaging Options

For shorter wound lengths we supply cable on industry standard reels:

- Mini Reels
- Flanged Cardboard Reels
- Plastic Reels
- Wound Coils

We are strongly aware of our ecological responsibility and supply bulk cable via a range of returnable and reusable systems:

- Mini Plastic Tubs
- Large Plastic Tubs
- Collapsible Conipaks
- Collapsible Plastic Drums
- Wooden Drum Reels

Ordering Cable

Simply add the colour code and reel length required to the cable code.

Eg. if you want Black Thin Wall Auto single core 1.5mm² cable on a 100m reel.

You order: TWA/1.5/B/100

THIN WALL AUTO CABLE

Thin Wall Auto is a low voltage cable, ideal for use in automotive and marine applications where its reduced insulation thickness and higher current carrying capacity both help to greatly reduce weight and volume in use. This is particularly important in the increasingly large and complex wiring harnesses used in today's smaller cars, where space and weight are at a premium. The cable's lead free, PVC polymer, hard grade insulation also offers excellent resistance to petrol, chemicals and abrasion, and has a wide working temperature range to 105°C.

Thin Wall Auto Cable - Single Core



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
TWA/0.5	16/0.20	0.5	1.6	37.10	11.0.0	✓	✓	✓	✓	✓	✓
TWA/0.75	24/0.20	0.75	1.9	24.70	14.0	✓	✓	✓	✓	✓	✓
TWA/1.0	32/0.20	1.0	2.1	18.50	16.5	✓	✓	✓	✓	✓	✓
TWA/1.5	30/0.25	1.5	2.4	12.70	21.0	✓	✓	✓	✓	✓	✓
TWA/2.0	28/0.30	2.0	2.7	9.42	25.0	✓	✓	✓	✓	✓	✓
TWA/2.5	50/0.25	2.5	3.0	7.60	29.0	✓	✓	✓	✓	✓	✓
TWA/3.0	44/0.30	3.0	3.2	6.00	33.0	✓	✓	✓	✓	✓	✓
TWA/4.0	56/0.30	4.0	3.7	4.70	39.0	✓	✓	✓	✓	✓	✓
TWA/4.5	65/0.30	4.5	4.0	4.06	42.0	✓	✓	✓	✓	✓	✓
TWA/6.0	84/0.30	6.0	4.3	3.20	50.0	✓		✓	✓	✓	✓
TWA/8.5	120/0.30	8.5	5.4	2.20	63.0	✓			✓	✓	✓
TWA/10	80/0.40	10.0	6.0	1.82	70.0	✓			✓	✓	✓
TWA/16	126/0.40	16.0	7.9	1.16	110.0	✓			✓	✓	✓
TWA/25	196/0.40	25.0	9.4	0.75	170.0	✓			✓	✓	✓

- Individual conductors manufactured in compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature range -40°C to +105°C
- Maximum Voltage 60v - Suitable for most 12v and 24v Systems.
- Hard grade PVC Insulation gives excellent resistance to abrasion, moisture, petrol/diesel, oil and diluted acids.
- Plain copper stranded conductors - PVC sheathed.
- Available in a wide range of plain and striped outer PVC sheathed colours - Contact our sales team for more info.

Thin Wall Auto Cable – Two Core Flat Twin



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Reel Sizes Available m					
					Bulk	500	250	100	50	30
TWA205	2 x 16/0.20	2 x 0.5	5.5 x 3.5	11.0	✓	✓	✓	✓	✓	✓
TWA275	2 x 24/0.20	2 x 0.75	5.5 x 3.5	14.0	✓	✓	✓	✓	✓	✓
TWA210	2 x 32/0.20	2 x 1.0	5.5 x 3.5	16.5	✓	✓	✓	✓	✓	✓
TWA215	2 x 30/0.25	2 x 1.5	6.1 x 3.8	21.0	✓		✓	✓	✓	✓
TWA220	2 x 28/0.30	2 x 2.0	6.6 x 3.8	25.0	✓		✓	✓	✓	✓
TWA225	2 x 50/0.25	2 x 2.5	7.5 x 4.5	29.0	✓			✓	✓	✓
TWA230	2 x 44/0.30	2 x 3.0	7.5 x 4.5	33.0	✓			✓	✓	✓
TWA245	2 x 65/0.30	2 x 4.5	9.5 x 5.7	42.0	✓			✓	✓	✓

- Individual Conductors Manufactured in Compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature range -15°C to +70°C
- Plain copper stranded conductors - PVC sheathed
- PVC insulation resistant to abrasion, moisture, petrol/diesel, oil and diluted acids
- Outer PVC Sheath Colour : Black
- Core PVC Insulation Colours : Red, Black

Thin Wall Auto Cable – Two Core Round Twin



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Reel Sizes Available m					
					Bulk	500	250	100	50	30
TWA205R	2 x 16/0.20	2 x 0.5	5.0	11.0	✓	✓	✓	✓	✓	✓
TWA275R	2 x 24/0.20	2 x 0.75	5.5	14.0	✓	✓	✓	✓	✓	✓
TWA210R	2 x 32/0.20	2 x 1.0	5.7	16.5	✓	✓	✓	✓	✓	✓
TWA215R	2 x 30/0.25	2 x 1.5	6.5	21.0	✓		✓	✓	✓	✓
TWA220R	2 x 28/0.30	2 x 2.0	6.7	25.0	✓		✓	✓	✓	✓
TWA225R	2 x 50/0.25	2 x 2.5	8.3	29.0	✓			✓	✓	✓

- Individual Conductors Manufactured in Compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Plain Copper conductors - PVC Sheathed 70°C
- Working temperature range -40°C to +90°C
- PVC insulation resistant to abrasion, moisture, petrol/diesel, oil and diluted acids
- Outer PVC Sheath Colour : Black
- Core PVC Insulation Colours : Black, Red

Thin Wall Auto Cable - Multicore



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Nominal Current Rating Amps	Outer Sheath Colour	Inner Core Colour	Reel Sizes Available m					
							Bulk	500	250	100	50	30
TWA375	3 x 24/0.20	3 × 0.75	5.6	14.0	Black		☑			☑	☑	☑
TWA310	3 x 32/0.20	3 × 1.0	5.6	16.5	Black	Black Green Red	☑			☑	☑	☑
TWA315	3 x 30/0.25	3 × 1.5	6.8	21.0	Black		☑			☑	☑	☑
TWA320	3 x 28/0.30	3 × 2.0	7.3	25.0	Black		☑			☑	☑	☑
TWA475	4 x 24/0.20	4 × 0.75	6.2	14.0	Black			☑			☑	☑
TWA410	4 x 32/0.20	4 × 1.0	6.2	16.5	Black	Brown Green Red White	☑			☑	☑	☑
TWA415	4 x 30/0.25	4 × 1.5	7.6	21.0	Black		☑			☑	☑	☑
TWA575	5 x 24/0.20	5 × 0.75	6.4	14.0	Black			☑			☑	☑
TWA510	5 x 32/0.20	5 × 1.0	6.4	16.5	Black	Brown Green Red White and Yellow	☑			☑	☑	☑
TWA501N	4 x 32/0.2 & 1 x 28/0.30	4 × 1.0 & 1 × 2.0	7.8	16.5 & 25.0	Black		☑			☑	☑	☑
TWA705	7 x 16/0.20	7 × 0.50	7.0	11.0	Black			☑			☑	☑
TWA775	7 x 24/0.20	7 × 0.75	7.0	14.0	Black	Black Red Green Yellow Brown Blue and White	☑			☑	☑	☑
TWA710	7 x 32/0.20	7 × 1.0	7.4	16.5	Black		☑			☑	☑	☑
TWA701N	6 x 32/0.2 & 1 x 28/0.30	6 × 1.0 & 1 × 2.0	7.9	16.5 & 25.0	Black		☑			☑	☑	☑
TWA702S	6 x 30/0.5 & 1 x 50/0.25	6 × 1.5 & 1 × 2.5	10.2	21.0 & 29.0	Slate Grey		☑			☑	☑	☑
TWA801	7 x 32/0.2 & 1 x 28/0.30	7 × 1.0 & 1 × 2.0	8.7	16.5 & 25.0	Black	B,R,G,Y, N,P,U,W	☑			☑	☑	☑
TWA100	9 x 32/0.2 & 1 x 28/0.30	9 × 1.0 & 1 × 2.0	9.8	16.5 & 25.0	Black	B,O,U,N, S,G,P,R, Y,W	☑			☑	☑	☑
TWA1300	8 x 30/0.25 & 5 x 50/0.25	8 × 1.5 & 5 × 2.5	13.4	21.0 & 29.0	Black	R,K,N,U, G,B,Y,O, S, W, W/U, W/R, W/B	☑				☑	☑

- Individual Conductors Manufactured in Compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature range -15°C to +70°C
- Plain Copper Stranded Conductors - PVC Sheathed
- PVC insulation resistant to abrasion, moisture, petrol/diesel, oil and diluted acids
- Outer PVC Sheath Colour : Black or Slate Grey
- Core PVC Insulation Colours : As Table Above

STANDARD PVC AUTO CABLE

Standard PVC Auto Cable is a general purpose, low voltage cable, made up of flexible conductors of stranded copper wire which are PVC insulated. It is suitable for a variety of automotive and marine applications in working temperatures up to 70°C, and multi-core versions are commonly used in most British and European towing and trailer applications. Cable descriptions state the number and size of cable strands rather than the total cross-sectional area of the conductor. Typical uses might include: side/tail lamps, indicators, fog lamps, car alarms & stereos 9/0.30 and 14/0.30, head lamps, wipers, cigar lighters, screen heaters, fuel pumps 21/0.30 and 28/0.30, charging circuits, battery feeds 35/0.30 and 44/0.30, heavy duty charging circuits and alternator feeds 65/0.30 to 120/0.30.

Standard PVC – Single Core



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
SE109	9/0.30	0.65	2.5	29.40	5.75	✓	✓	✓	✓	✓	✓
SE114	14/0.30	1.0	2.7	18.90	8.75	✓	✓	✓	✓	✓	✓
SE121	21/0.30	1.5	3.1	12.50	12.75	✓	✓	✓	✓	✓	✓
SE128	28/0.30	2.0	3.4	9.40	17.50	✓	✓	✓	✓	✓	✓
SE135	35/0.30	2.5	3.8	7.50	21.75	✓	✓	✓	✓	✓	✓
SE144	44/0.30	3.0	4.2	6.00	27.50	✓	✓	✓	✓	✓	✓
SE156	56/0.30	4.0	4.5	4.70	32.00	✓	✓	✓	✓	✓	✓
SE165	65/0.30	4.5	5.1	4.10	35.00	✓	✓	✓	✓	✓	✓
SE184	84/0.30	6.0	5.9	3.10	42.00	✓		✓	✓	✓	✓
SE197	97/0.30	7.0	6.2	2.70	50.00	✓			✓	✓	✓
SE1120	120/0.30	8.5	7.0	2.20	60.00	✓			✓	✓	✓
SE180	80/0.40	10	7.5	1.80	70.00	✓			✓	✓	✓

- Individual conductors manufactured in compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature -15°C to +70°C
- Maximum Voltage 60v - Suitable for most 12v and 24v Systems
- PVC Insulation resistant to petrol/diesel, oil and diluted acids
- Plain copper stranded conductors - PVC sheathed
- Available in a wide range of plain and striped outer PVC sheathed colours - Contact our sales team for more info.

Standard PVC – Two Core Flat



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
SE209	2 x 0.65	2 x 9/0.30	6.1 x 3.8	29.4	5.75	✓	✓	✓	✓	✓	✓
SE214	2 x 1.0	2 x 14/0.30	6.5 x 4.0	18.9	8.75	✓	✓	✓	✓	✓	✓
SE221	2 x 1.5	2 x 21/0.30	7.3 x 4.5	12.6	12.75	✓	✓	✓	✓	✓	✓
SE228	2 x 2.0	2 x 28/0.30	7.9 x 4.8	9.4	17.5	✓		✓	✓	✓	✓
SE235	2 x 2.5	2 x 35/0.30	9.1 x 5.6	7.5	21.75	✓		✓	✓	✓	✓
SE244	2 x 3.0	2 x 44/0.30	9.5 x 5.8	6.0	27.5	✓		✓	✓	✓	✓
SE256	2 x 4.0	2 x 56/0.30	10.4 x 6.3	4.7	32.0	✓			✓	✓	✓
SE265	2 x 4.5	2 x 65/0.30	11.5 x 7.3	4.1	35.0	✓			✓	✓	✓

- Individual Conductors Manufactured in Compliance with BS EN60228:2005 and ISO 6722:2006 Class B
- Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Plain Copper conductors – PVC Sheathed 70°C
- Working temperature range -40°C to +90°C
- PVC insulation resistant to abrasion, moisture, petrol/diesel, oil and diluted acids
- Outer PVC Sheath Colour : Black
- Core PVC Insulation Colours : Black, Red

Standard Colours Available

Code	OUTER – Sheath Colour		INNER TWIN CORE – Colours Available					
SE209		Black						
SE214		Black						
		Green						
		Red						
		White						
SE221		Black						
SE228		Black						
		Green						
		White						
SE235		Black						
SE244		Black						
		White						
SE256		Black						
SE265		Black						

• Other Sheath and core colour combinations may be available – Contact our sales team for more info.

Standard PVC - Multicore



Code	Conductor Stranding Wire qty / Diameter mm	Nominal Conductor Area mm²	Max Overall Cable Diameter mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Outer Sheath Colour	Inner Core Colour	Reel Sizes Available m					
								Bulk	500	250	100	50	30
SE209R	2 x 9/0.3	2 x 0.65	6.5	29.4	5.75	Black		✓	✓	✓	✓	✓	✓
SE214R	2 x 14/0.3	2 x 1.0	7.1	18.9	8.75	Black	Black Red	✓	✓	✓	✓	✓	✓
SE228R	3 x 28/0.3	2 x 2.0	8.3	9.4	17.5	Black		✓		✓	✓	✓	✓
SE309	3 x 9/0.3	3 x 0.65	7.0	29.4	5.75	Black		✓		✓	✓	✓	✓
SE314	3 x 14/0.3	3 x 1.0	7.5	18.9	8.75	Black	Black Green Red	✓		✓	✓	✓	✓
SE328	3 x 28/0.3	3 x 2.0	8.7	9.4	17.5	Black		✓			✓	✓	✓
SE409	4 x 9/0.3	4 x 0.65	7.9	29.4	5.75	Black	Brown Green Red	✓		✓	✓	✓	✓
SE414	4 x 14/0.3	4 x 1.0	8.9	18.9	8.75	Black	White	✓			✓	✓	✓
SE509	5 x 9/0.3	5 x 0.65	9.0	29.4	5.75	Black		✓			✓	✓	✓
SE514	5 x 14/0.3	5 x 1.0	10.0	18.9	8.75	Black	Brown Green Red	✓			✓	✓	✓
SE521	5 x 21/0.3	5 x 1.5	10.7	12.5	12.75	Black	White Yellow	✓			✓	✓	✓
SE502S	4 x 35/0.3 & 1 x 21/0.3	4 x 2.5 & 1 x 1.5	12.2	7.5 & 12.5	21.75 & 12.75	Slate Grey		✓			✓	✓	✓
SE716	7 x 16/0.2	7 x 0.5	8.5	36.9	4.25	Black		✓			✓	✓	✓
SE709	7 x 9/0.3	7 x 0.65	9	29.4	5.75	Black		✓			✓	✓	✓
SE714	7 x 14/0.3	7 x 1.0	10.7	18.9	8.75	Black		✓			✓	✓	✓
SE700	6 x 9/0.3 & 1 x 14/0.3	6 x 0.65 & 1 x 1.0	9.2	29.4 & 18.9	5.75 & 8.75	Black	Black Red Green Yellow	✓			✓	✓	✓
SE703	6 x 9/0.3 & 1 x 28/0.3	6 x 0.65 & 1 x 2.0	9.9	29.4 & 9.4	5.75 & 17.5	Black	Brown Blue White	✓			✓	✓	✓
SE701N	6 x 14/0.3 & 1 x 28/0.3	6 x 1.0 & 1 x 2.0	10.6	18.9 & 9.4	8.75 & 17.5	Black		✓			✓	✓	✓
SE702N	6 x 21/0.3 & 1 x 35/0.3	6 x 1.5 & 1 x 2.5	11.8	12.5 & 7.5	12.75 & 21.75	Black		✓			✓	✓	✓
SE702S	6 x 21/0.3 & 1 x 35/0.3	6 x 1.5 & 1 x 2.5	11.8	12.5 & 7.5	12.75 & 21.75	Slate Grey		✓			✓	✓	✓
SE802	7 x 9/0.3 & 1 x 28/0.3	7 x 0.65 & 1 x 2.0	10.4	29.4 & 9.4	5.75 & 17.5	Black	B,R,G,Y, N,P,U,W	✓			✓	✓	✓
SE801	7 x 14/0.3 & 1 x 28/0.3	7 x 1.0 & 1 x 2.0	10.8	18.9 & 9.4	8.75 & 17.5	Black		✓			✓	✓	✓
SE100	9 x 14/0.3 & 1 x 28/0.3	9 x 1.0 & 1 x 2.0	13.3	18.9 & 9.4	8.75 & 17.5	Black	B,O,U,N, S,G,P,R, Y,W	✓			✓	✓	✓
SE1300	8 x 21/0.3 & 5 x 35/0.3	8 x 1.5 & 5 x 2.5	15.9	12.5 & 7.5	12.75 & 21.75	Black	R,K,N,U, G,B,Y,O, S, W, W/U, W/R, W/B	✓				✓	✓

• Individual Conductors Manufactured in Compliance with BS EN60228:2005 and ISO 6722:2006 Class B
 • Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable • Working temperature -15°C to +70°C
 • Maximum Voltage 60v - Suitable for most 12v and 24v Systems • Plain copper stranded conductors - PVC sheathed • Outer PVC sheath colour: Black or Slate Grey • PVC Insulation resistant to petrol/diesel, oil and diluted acids • Core PVC Insulation Colours : As Table Above

Standard PVC – Two Core Flat & Multicore Typical Uses

	Code	Cable Type	Nominal Wire X Section	Continuous Current Rating	Typical Uses
	SE214	2 times 14/0.3	1mm ²	8.75 amps	Lighter Duty low voltage use, such as Interior Lights, Tail/Side/No. Plate Lights. Alarms & Radio Cassette players.
	SE228	2 times 28/0.3	2mm ²	17.5 amps	Medium Duty low voltage use, such as rear screen heaters, wiper motors. cigar lighter sockets and some water pumps.
	SE235	2 times 35/0.3	2.5mm ²	21.75 amps	Heavy Duty low voltage use, such as charging cables for ammeter and battery feed circuits, and some marine use. Check the current rating required.
	SE244	2 times 44/0.3	3mm ²	27.5 amps	Heavy Duty low voltage use, such as charging cables for ammeter and battery feed circuits, and some marine use. Check the current rating required.
	SE502S	12S 5 Core 4 x 35/0.3 1 x 21/0.3	4 x 2.5mm ² 1 x 1.5mm ²	4 x 21.75 amps 1 x 12.75 amps	The new heavy duty industry standard for 12S external connections for caravans and heavier electrical needs.
	SE709	7 Core 7 x 9/0.3	7 x 0.65mm ²	5.75 amps	For light duty 12N Black exterior connection, for small trailers, standard lighting boards and some caravans.
	SE701N	12N 7 Core 6 x 14/0.3 1 x 28/0.3	6 x 1mm ² 1 x 2mm ²	6 x 8.75 amps 1 x 17.5 amps	For 12N Black exterior connection between car and caravan, to power the front and rear external running lights.
	SE702S	12S 7 Core 6 x 21/0.3 1 x 35/0.3	6 x 1.5mm ² 1 x 2.5mm ²	6 x 12.75 amps 1 x 21.75 amps	For 12S Grey external supplementary connection between car and caravan, to provide internal 12V power.
	SE1300	13 Core 8 x 21/0.3 5 x 35/0.3	8 x 1.5mm ² 5 x 2.5mm ²	8 x 12.75 amps 5 x 21.75 amps	The continental European standard 12N/12S single connection between car and caravan.

12N Nominal Black 7 Pin Socket Connections Viewed from rear of socket



Application	Socket Pin No.	Cable Core Colour
L.H. Indicator	1	Yellow
Rear Fog Lamp	2	Blue
Earth	3	White
R.H. Indicator	4	Green
Right Tail/Side & No. Plate	5	Brown
Stop Lights	6	Red
Left Tail/Side & No. Plate	7	Black

12S Supplementary Grey 7 Pin Socket Connections Viewed from rear of socket



Application May be used for	Socket Pin No.	Cable Core Colour
Reversing Lights &/or Reversing Catch on Inertia Brakes	1	Yellow
NO ALLOCATION Aux battery charging	2	Blue
Earth Common Return	3	White
Power Supply	4	Green
Sensing Device with common return	5	Brown
Power Supply for Refrigerator	6	Red
NO ALLOCATION Spare earth for Refrigerator	7	Black

Black 13 Pin Euro Socket Connections Viewed from rear of socket



Application	Socket Pin No.	Core Cross Section	Cable Core Colour
L.H. Indicator	1	1.5mm ²	Yellow
Rear Fog Lamp	2	1.5mm ²	Blue
Earth for Contacts 1 to 8	3	2.5mm ²	White
R.H. Indicator	4	1.5mm ²	Green
Right Tail/Side & No. Plate	5	1.5mm ²	Brown
Stop Lights	6	1.5mm ²	Red
Left Tail/Side & No. Plate	7	1.5mm ²	Black
Reversing Lights	8	1.5mm ²	Pink
+ve Direct from battery	9	2.5mm ²	Orange
+ve Ignition Key On	10	2.5mm ²	Slate Grey
Earth Return for Contact 10	11	1.5mm ²	White / Black
Signalling Connection to Trailer	12	2.5mm ²	White / Blue
Earth Return for Contact 9	13	2.5mm ²	White / Red

Semi Rigid – Battery Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m						
					Bulk	500	250	100	50	30	10
BATR/15	37/0.71	15	8.0	105	✓			✓	✓	✓	✓
BATR/25	37/0.9	25	9.7	170	✓			✓	✓	✓	✓
BATR/40	61/0.9	40	11.8	300	✓			✓	✓	✓	✓
BATR/60	61/1.13	60	13.8	415	✓			✓	✓	✓	✓

A range of semi rigid battery cables, with denser, less flexible plain copper conductor stranding, and a PVC outer sheath, which is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids. The working temperature range is -15°C to +70°C and the cable is available with either Black or Red outer PVC sheath.

Flexible PVC – Battery Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m						
					Bulk	500	250	100	50	30	10
BAT/25	196/0.40	25	9.8	170	✓			✓	✓	✓	✓
BAT/40	315/0.40	40	12.2	300	✓			✓	✓	✓	✓
BAT/50	396/0.40	50	13.3	345	✓			✓	✓	✓	✓
BAT/60	475/0.40	60	14.6	415	✓			✓	✓	✓	✓

A range of flexible battery cables, with plain copper conductors and a PVC outer sheath, which is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids. The working temperature range is -15°C to +70°C and the cable is available with either Black or Red outer PVC sheath.

Extra Flexible – Battery Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m						
					Bulk	500	250	100	50	30	10
BATF/10	138/0.30	10	7.3	70	✓			✓	✓	✓	✓
BATF/156	206/0.30	16	8.7	110	✓			✓	✓	✓	✓
BATF/20	266/0.30	20	9.2	135	✓			✓	✓	✓	✓
BATF/25	322/0.30	25	10.5	170	✓			✓	✓	✓	✓
BATF/35	451/0.30	35	12.0	240	✓			✓	✓	✓	✓
BATF/40	539/0.30	40	12.6	300	✓			✓	✓	✓	✓
BATF/50	640/0.30	50	13.8	345	✓			✓	✓	✓	✓
BATF/60	805/0.30	60	14.8	415	✓			✓	✓	✓	✓
BATF/70	905/0.30	70	15.9	485	✓			✓	✓	✓	✓
BATF/95	1285/0.30	95	18.2	500	✓			✓	✓	✓	✓
BATF/120	1695/0.30	120	20.1	600	✓			✓	✓	✓	✓

A range of hi flex, extra flexible battery cables, using fine stranded copper conductors with a PVC outer sheath to achieve a product which is ideal for battery or welding cable use, and is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids. The working temperature range is -15°C to +70°C and the cable is available with either Black or Red outer PVC sheath.

Twin High Flex - Battery Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m							
					Bulk	500	250	100	50	30	10	
BATF2/16	494/0.20	2 x 16	15.2 x 6.7	106	☑			☑	☑	☑	☑	☑
BATF2/25	779/0.20	2 x 25	18.0 x 8.1	140	☑			☑	☑	☑	☑	☑
BATF2/35	1083/0.20	2 x 35	20.0 x 9.1	171	☑			☑	☑	☑	☑	☑
BATF2/50	1554/0.20	2 x 50	30.6 x 14.6	215	☑			☑	☑	☑	☑	☑

A range of figure 8 configuration, twin hi flex battery cables, which use extra flexible plain copper conductors, insulated by a red and black thermoplastic elastomer, and then sheathed in a transparent PVC sheath, which can be divided to separate the two cores for connection. The working temperature range is -25°C to +70°C, and the cable is particularly resistant to abrasion moisture, petrol/diesel, oil and diluted acids, making it ideal for a variety of flexible indoor and outdoor uses.

Orange Double Insulated - Welding Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m							
					Bulk	500	250	100	50	30	10	
WC/25	322/0.30	25	9.8	170	☑			☑	☑	☑	☑	☑
WC/40	539/0.30	40	12.2	300	☑			☑	☑	☑	☑	☑
WC/50	665/0.30	50	13.3	345	☑			☑	☑	☑	☑	☑
WC/60	805/0.30	60	14.6	415	☑			☑	☑	☑	☑	☑

A range of flexible, double insulated, orange welding cables, with extra flexible, tinned copper conductors of BS6360 which have a working temperature range of -40°C to +85°. The conductors are enclosed with a high temperature PETP separator which is insulated by butyl rubber and then sheathed in an orange HOFR sheath, which is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids, and forms an extremely durable cable for the transmission of high currents from the welding machine to the tool piece under rough conditions.

PVC High Tension - Ignition Cable



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m							
					Bulk	500	250	100	50	30	10	
IGN/16	16/0.30	1.15	7.0	20	☑			☑	☑	☑	☑	☑
IGN/19	19/0.30	2.35	7.0	30	☑			☑	☑	☑	☑	☑

A range of black PVC double insulated high tension ignition cables, which are ideal for the manufacture of high voltage distribution leads. The cable is made up of plain copper conductors, double sheathed with PVC to BS6862, and has a working temperature range of -15 ° to +70c. The 30kv cable is also available in Red.

Earthing Braid



Code	Conductor Stranding No. of wires/ Diameter mm	Nominal Conductor Area mm ²	Maximum Overall Cable Dimensions mm	Conductor Nominal Current Rating Amps	Reel Sizes Available m							
					Bulk	500	250	100	50	30	10	
EB/16-16	16 X 16/0.30	19	7.2	130	☑			☑	☑	☑	☑	☑
EB/16-32	16 X 32/0.30	37	11.1	260	☑			☑	☑	☑	☑	☑

A range of high grade, tinned copper conductor, circular woven earthing braids, available with a 16/16 weave ratio, or 16/32 ratio for a higher current rating. Tinned braid is particularly suitable for earthing where conditions of vibration or movement are likely or there is a need for flexible connection. Ready made, terminated earth braid leads are also available.

Speaker Cable - Twin



Code	Conductor Stranding No. of wires/ Diameter mm	Conductor Nominal Rating Amps	Maximum Overall Cable Dimensions mm	Nominal Conductor Resistance Ω/mm	Reel Sizes Available m					
					Bulk	500	250	100	50	30
SP12/2A	2 X 12/0.2	2	3.65 X 1.7	52.0	✓	✓	✓	✓	✓	✓
SP16/3A	2 X 16/0.2	3	3.92 X 1.9	39.0	✓	✓	✓	✓	✓	✓
SP24/6A	2 X 24/0.2	6	4.93 X 2.3	26.0	✓	✓	✓	✓	✓	✓
SP32/10A	2 X 32/0.2	10	6.00 X 2.8	18.1	✓		✓	✓	✓	✓
SP50/20A	2 X 50/0.2	20	6.72 X 3.0	7.4	✓			✓	✓	✓

A range of flexible, two core, figure of 8 standard speaker cables, with polarity line indicator along one core to indicate the "positive" tracer, ideal for auto/home loudspeaker connection and available in a number of current ratings. Cables may be available in the following colour schemes: Black-Black/White, Black-Black/Blue, Black-Black/Red, White-White/Black, Slate-Slate/Black, and transparent sheathing with coloured tracerline. Please speak to our sales department for more information, or other cable colours or ratings.

RG Coaxial & Satellite Cable



Code	Surge Impedance Ω	Cable Type & Core Diameter mm	Outer PVC Sheath Colours Available	Maximum Overall Cable Diameter mm	Reel Sizes Available m					
					Bulk	500	250	100	50	30
COAX/RG6	75 Ω	RG6 - 1.00	White, Brown	6.7	✓	✓	✓	✓	✓	✓
COAX/RG11	75 Ω	RG11 - 1.63	Black	10.5	✓	✓	✓	✓	✓	✓
COAX/RG58	50 Ω	RG58 - 0.90	Black	5.0	✓	✓	✓	✓	✓	✓
COAX/RG59	75 Ω	RG59 - 0.81	Black	6.2	✓	✓	✓	✓	✓	✓

Coaxial cables are commonly used for high frequency data and signal transmission, where signal loss and outside interference must be kept to a minimum. They are generally constructed using an inner conductor of solid or stranded high conductivity copper which is insulated with a solid, foam or airspaced polythene dielectric. An outer conductor, consisting of a high conductivity copper wire braid, is applied over the dielectric and then sheathed with PVC.

Alarm Cable



Code	Alarm Cable Type	Conductor Stranding No. of wires/ Diameter mm	Core PVC Sheath Colours	Nominal Cable O/D Diameter mm	Reel Sizes Available m					
					Bulk	500	250	100	50	30
AL4	4 Core	4 x 7/0.2	R, Y, U, B	110 to 3.6	✓	✓	✓	✓	✓	✓
AL6	6 Core	6 x 7/0.2	R, Y, U, B, G, W	135 to 4.4	✓	✓	✓	✓	✓	✓
AL8	8 Core	8 x 7/0.2	R, Y, U, B, G, W, N, O	170 to 4.8	✓	✓	✓	✓	✓	✓

A range of unscreened flexible PVC multicore cables normally used for the wiring of burglar alarm and other low voltage circuits. Each core contains tinned annealed copper conductors to BS4737 coated with a range of colour coded inner sheaths, surrounded by an external white PVC insulation. Working temperature range is -10°C to +70°C and maximum working voltage is 50V.

Tri Rated Cable



Code	Nominal Conductor Area mm ²	Approx AWG	Maximum Overall Cable Diameter mm	UL Style No.	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
TRI/0.5	0.5	22	2.5	1015	11	✓	✓	✓	✓	✓	✓
TRI/0.75	0.75	20	2.8	1015	14	✓	✓	✓	✓	✓	✓
TRI/1.0	1.0	18	2.9	1015	17	✓	✓	✓	✓	✓	✓
TRI/1.5	1.5	16	3.2	1015	21	✓	✓	✓	✓	✓	✓
TRI/2.5	2.5	14	3.7	1015	30	✓	✓	✓	✓	✓	✓
TRI/4.0	4.0	12	4.2	1015	41	✓	✓	✓	✓	✓	✓
TRI/6.0	6.0	10	4.7	1015	55	✓		✓	✓	✓	✓
TRI/10.0	10.0	8	6.5	1028	75	✓		✓	✓	✓	✓
TRI/16.0	16.0	6	8.0	1283	100	✓			✓	✓	✓
TRI/25.0	25.0	4	9.4	1283	136	✓			✓	✓	✓
TRI/35.0	35.0	2	10.6	1283	167	✓			✓	✓	✓
TRI/50.0	50.0	1	12.9	1284	190	✓				✓	✓
TRI/70.0	70.0	2/0	14.6	1284	240	✓				✓	✓
TRI/95.0	95.0	3/0	16.1	1284	300	✓				✓	✓
TRI/120.0	120.0	4/0	17.9	1284	340	✓				✓	✓

Tri Rated single core cable is so named because it complies with three different national standards American UL, Canadian CSA & British BS for heat resisting, PVC insulated, flexible cables, thus eliminating the need for dual stocking. It has a high temperature rating and is flame retardant, and is used extensively for the wiring of switch, control, metering, relay and instrument panels of power switchgear, as well as for internal connections in rectifier equipment, motor starters and controllers.

Specification	Temperature Rating	Voltage Rating
UL Subj.758	105°C	600V
CSA c22.2 No.127	105°C	600V
BS 6231 Type CK	105°C	600/1000V

- Individual Class 5 flexible copper conductors manufactured in compliance with BS EN60228:2005.
- Heat resisting PVC Insulation also resistant to petrol/diesel, oil and diluted acids.
- Minimum bending radius is 6 x overall diameter of the cable.
- Available in a wide range of plain PVC sheathed colours - please contact our sales team.

HEAT RESISTING SILICONE CABLE

Insulated silicone rubber cables have excellent resistance to high temperature variations, whether hot or cold, where PVC insulated cable would melt or become brittle or crack. They also have good resistance to many types of oil, dilute acids and chemicals including oxygen and ozone, helping to prevent atmospheric ageing, and are low smoke and halogen free, burning to form a silica oxide coat which will maintain the cable's integrity in the short term. For these reasons they are used typically in a range of 'difficult' environments, such as steel works, foundries, refrigeration units, cement factories and glassworks, as well as in the production of heating and lighting equipment in aeroplanes and ships, and the manufacture of engines and household appliances. For further cable protection, under difficult mechanical conditions or for insertion in tubes, the silicone insulation can also be impregnated with a glass fibre braid.

- Working Temperature Range: -60°C to +180°C • Voltage Rating: 300/500V
- Conductors: Flexible tinned annealed copper. Class 5 SIAF to BS6360
- Insulation: SIAF – Silicone Rubber SIAFGL – Silicone Rubber Insulated with Lacquered Glass Fibre Braid

Available in a range of Outer Sheath Colours – Please contact our Sales Department for further details.

Silicone Cable – SIAF



Code	Nominal Conductor Area mm ²	Nominal Insulation Thickness mm	Nominal Overall Cable Dimensions mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
SIL/0.5	0.5	0.6	2.1	39.00	10	✓	✓	✓	✓	✓	✓
SIL/0.75	0.75	0.6	2.4	26.00	13	✓	✓	✓	✓	✓	✓
SIL/1.0	1.0	0.6	2.5	19.50	18	✓	✓	✓	✓	✓	✓
SIL/1.5	1.5	0.6	2.8	13.30	22	✓	✓	✓	✓	✓	✓
SIL/2.5	2.5	0.7	3.4	7.98	31	✓	✓	✓	✓	✓	✓
SIL/4.0	4.0	0.8	4.2	4.95	41	✓		✓	✓	✓	✓
SIL/6.0	6.0	0.8	5.2	3.30	53	✓			✓	✓	✓

Glass Fibre Braided Silicone Cable – SIAFGL



Code	Nominal Conductor Area mm ²	Nominal Insulation Thickness mm	Nominal Overall Cable Dimensions mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
SILG/0.5	0.5	0.8	2.6	39.00	10	✓	✓	✓	✓	✓	✓
SILG/0.75	0.75	0.8	2.9	26.00	13	✓	✓	✓	✓	✓	✓
SILG/1.0	1.0	0.9	3.0	19.50	18	✓	✓	✓	✓	✓	✓
SILG/1.5	1.5	0.9	3.3	13.30	22	✓	✓	✓	✓	✓	✓
SILG/2.5	2.5	1.0	3.9	7.98	31	✓		✓	✓	✓	✓
SILG/4.0	4.0	1.1	4.7	4.95	41	✓			✓	✓	✓
SILG/6.0	6.0	1.1	5.7	3.30	53	✓			✓	✓	✓

PVC Mains Cable HO5VVVF – 318–Y



Code	Nominal Conductor Area mm ²	Nominal Insulation Thickness mm	Nominal Overall Cable Dimensions mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
3182Y0.75	2 x 0.75	2 x 24/0.20	6.2	26.00	6	☑	☑	☑	☑	☑	☑
3182Y1.0	2 x 1.0	2 x 32/0.20	6.4	19.50	10	☑		☑	☑	☑	☑
3182Y1.5	2 x 1.5	2 x 30/0.25	7.4	13.30	16	☑		☑	☑	☑	☑
3182Y2.5	2 x 2.5	2 x 50/0.25	9.2	7.98	20	☑			☑	☑	☑
3183Y0.75	3 x 0.75	3 x 24/0.20	6.6	26.00	6	☑	☑	☑	☑	☑	☑
3183Y1.0	3 x 1.0	3 x 32/0.20	6.8	19.50	10	☑		☑	☑	☑	☑
3183Y1.5	3 x 1.5	3 x 30/0.25	8.1	13.30	16	☑		☑	☑	☑	☑
3183Y2.5	3 x 2.5	3 x 50/0.25	10.0	7.98	20	☑			☑	☑	☑

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 • Round PVC Insulation & Sheath to BS7655
- Temperature Rating: 0°C to +60°C Voltage Rating: 300/500V • Manufactured to BS6500/1984 Table 16
- Minimum Bending Radius: 6 x Overall Diameter • Outer Sheath Colours Available: Black, White, Orange
- Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow

A versatile flex, commonly used for the wiring of portable and semi-fixed domestic appliances, and extension leads.

PVC Mains Cable – Artic Grade



Code	Nominal Conductor Area mm ²	Nominal Insulation Thickness mm	Nominal Overall Cable Dimensions mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
3182Y1.0AG	2 x 1.0	2 x 32/0.20	6.4	19.50	10	☑	☑	☑	☑	☑	☑
3182Y1.5AG	2 x 1.5	2 x 30/0.25	7.4	13.30	16	☑		☑	☑	☑	☑
3182Y2.5AG	2 x 2.5	2 x 50/0.25	9.0	7.98	20	☑			☑	☑	☑
3183Y1.0AG	3 x 1.0	2 x 32/0.20	6.8	19.50	10	☑	☑	☑	☑	☑	☑
3183Y1.5AG	3 x 1.5	3 x 30/0.25	8.1	13.30	16	☑		☑	☑	☑	☑
3183Y2.5AG	3 x 2.5	3 x 50/0.25	10.0	7.98	20	☑			☑	☑	☑
3183Y4.0AG	3 x 4.0	3 x 56/0.30	11.3	4.95	25	☑			☑	☑	☑

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 • Insulation & Sheath: Round Artic Grade PVC
- Temperature Rating: -40°C to +70°C Voltage Rating: 300/500V • Manufactured to BS6500/1984 Table 16
- Minimum Bending Radius: 6 x Overall Diameter • Outer Sheath Colours Available: Blue, Yellow
- Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow

Artic Grade PVC is designed to withstand severe external temperatures, remaining flexible at temperatures as low as -20°C

Rubber Insulated Mains Cable HO7RN-F



Code	Nominal Conductor Area mm ²	Nominal Insulation Thickness mm	Nominal Overall Cable Dimensions mm	Conductor Resistance at 20°C Ω per Km	Conductor Nominal Current Rating Amps	Reel Sizes Available m					
						Bulk	500	250	100	50	30
HO7RNF1.02C	2 x 1.0	2 x 32/0.20	8.6	19.50	10	☑	☑	☑	☑	☑	☑
HO7RNF1.52C	2 x 1.5	2 x 30/0.25	9.6	13.30	16	☑		☑	☑	☑	☑
HO7RNF2.52C	2 x 2.5	2 x 50/0.25	11.2	7.98	20	☑			☑	☑	☑
HO7RNF1.03C	3 x 1.0	3 x 32/0.20	9.3	19.50	10	☑		☑	☑	☑	☑
HO7RNF1.53C	3 x 1.5	3 x 30/0.25	10.3	13.30	16	☑		☑	☑	☑	☑
HO7RNF2.53C	3 x 2.5	3 x 50/0.25	12.0	7.98	20	☑			☑	☑	☑

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 • Insulation: EPR Rubber to BS7655
- Sheath: PCP Polychloroprene to BS7655 – oil and flame retardant • Temperature Rating: -30°C to +85°C • Voltage Rating: 450/750V
- Manufactured to BS7919 • Minimum Bending Radius: 6 x Overall Diameter
- Outer Sheath Colour: Black • Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow

HO7RN-F Rubber Flex is robust and extremely flexible, and is designed primarily as a heavy duty trailing cable for portable or mobile equipment.



SPARES




IN THIS SECTION

» Reich	262
» Comet	265
» Thetford	267
» Crusader Products & Royal Leisure	283
» Coleman & iMass	288



Reich Ridged Connector
Connects hose onto tap base.
Complete with O ring.

Code: F102



Reich Ridged Connector
Connects hose onto tap base.
Complete with O ring.

Code: F103



Reich 35mm Ceramic Cartridge
For Charisma, Contur E & Carino taps.

Code: F216



Reich Smooth Connector
Connects hose onto tap base.
Complete with O ring.

Code: F108



Reich Smooth Connector
Connects hose onto tap base.
Complete with O ring.

Code: F109



Reich 35mm Ceramic Cartridge
For Kama Pelikan Trend E Duett taps.

Code: F217



Reich Indicator For Kama Tap Range
Blue tap indicator for the single lever Kama mixer tap.

Code: N504



Reich Indicator For Kama Tap Range
Red tap indicator for the single lever Kama mixer tap.

Code: N503



Reich 28mm Ceramic Cartridge
For 39mm Twist taps.

Code: F218



Reich Indicator For Twist Tap Range
Blue tap indicator for Twist tap range.

Code: N506



Reich Indicator For Twist Tap Range
Red tap indicator for the Twist tap range.

Code: N505



Reich 25mm Ceramic Cartridge
For Reich mixer taps Trend C, Trend S, Concept S, and Twist 33mm taps.

Code: F219



Reich 300mm Blue Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.


Code: F104



Reich 300mm Red Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.


Code: F105



Reich O Ring

Compatible with Blue or Red Reich tap connectors.


Code: F114



Reich 300mm Blue Flexi Hose Tail With Smooth Fitting

Designed specifically for 27mm base holes. Smooth fitting water hose tail. Complete with O ring.


Code: F121B



Reich 300mm Red Flexi Hose Tail With Smooth Fitting

Designed specifically for 27mm base holes. Smooth fitting water hose tail. Complete with O ring.


Code: F121R



Reich Trend E Tap Rose Perlato

Spare cap for Trend E Tap. Complete with O ring.

Code: F251



Reich 1000mm Blue Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.

Code: F116B



Reich 1000mm Red Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.

Code: F116R



Reich 1000mm Red & Blue Flexi Hose Tails With Smooth Fittings

Smooth fitting water hose tail. Complete with O ring.

Code: F116



Reich 1500mm Blue Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.


Code: F106



Reich 1500mm Red Flexi Hose Tail With Smooth Fitting

Smooth fitting water hose tail. Complete with O ring.

Code: F107



Reich 1/2" Screw On Adaptors

Provides a connection between a 1/2" hose and Reich Deluxe single/mixer taps. Pack of 2.

Code: F117



Reich Chrome 45° Base Angle
For Twist taps. Complete with O ring.

Code: N607



Reich Chrome 90° Base Angle
For Twist taps. Complete with O ring.

Code: T259



Reich Universal Shower Bracket Wall Fitting
Screw to your wall to hang all shower heads.

Code: F256



Reich Konus Shower Bracket Wall Fitting
Particularly suited for Reich Julia or Duett shower heads.

Code: F257



Reich Retaining Clip
Green safety retaining pin for Reich taps.

Code: N299



Reich Shower Hose Washer For 1/2" Hose
Replacement O ring for Reich Charisma shower head.

Code: T395



Reich Microswitch for Charisma Tap
For Charisma taps. Located under handle, complete with 0.7m wiring.

Code: F231



Reich Microswitch for Pelikan Tap
For Pelikan Taps. Located under handle, complete with 0.7m wiring.

Code: F232



Reich Microswitch for Twist Tap
For Reich Twist taps.

Code: F273



Reich Microswitch for Kama Tap
For Charisma taps. Located under handle, complete with 0.7m wiring.

Code: F277



Reich Microswitch for Trend S Mixer Tap
For Trend S taps. Located under handle, complete with 0.7m wiring.

Code: N293



Microswitch for Comet Roma & Florence Tap
For Comet Roma & Florence taps. Located under handle, complete with 0.7m wiring.


Code: F215



Reich Microswitch for Samba Tap

For Samba taps.


Code: F246



Reich Microswitch for Contur S Taps

For Contur S taps.


Code: F247



Reich Microswitch for Deluxe Taps

Trend A/B. Blue/Red water marker clips. Wire is fitted.


Code: F281



Reich Microswitch for Keramik Taps

For Ceramic style taps without Blue or Red markers.

Code: F282



Reich Microswitch for Mono Mixer 2005 Tap

For Mono-Mix Style 2005 taps. complete with 30cm of cable.

Code: F233



Microswitch For Whale Taps

12v microswitch fits most Whale taps.

Code: F287



Comet Blue 1/2" Barbed Tail 45°

Comet 1/2" barbed tail 45° connector.

Code: F118



Comet Red 1/2" Barbed Tail 45°

Comet 1/2" barbed tail 45° connector.

Code: F119



Comet Foot Switch

Foot activated lever action switch, ideal for hands free tap operation.

Code: F270



Comet Blue 1/2" Hosetail

Flexible hose tail with sealing washer.

Code: V850



Comet Red 1/2" Hosetail

Flexible hose tail with sealing washer.


Code: V849



Comet Domed Foot Switch

Foot activated dome switch, ideal for hands free tap operation.

Code: F275



Comet Roma Hot/Cold Insert

Hot/Cold Insert to suit all Comet Roma taps.


Code: V857



Comet Aerator

Aerator for Florenze/Roma taps.


Code: V855



Comet Lever Insert

For Florenze Blue/cold.


Code: V851



Comet Novo Spindle

Novo spindle for Novo taps.

Code: F286



Comet Plug

Comet 12V Blue plug.

Code: F292



Comet Microfilter

In line filter to remove damaging particles from water. 10mm Fittings.


Code: F224



Comet Undertop Tap & Microswitch

Undertop tap with microswitch for Nova taps.

Code: V889



Comet Microswitch For Novo Taps

Microswitch for Novo taps.

Code: F280



Comet Pressure Switch

12mm 1.4 Bar in line pressure switch to control water pump operation.

Code: F318



Comet Blue Ceramic Cartridge

For Roma/Florenz taps.

Code: N489



Comet Blue Ceramic Cartridge

For Florenz/Capri/Modena taps. 25mm.

Code: V848



Cara Ceramic Cartridge

For L180 mixer tap. 35mm short.

Code: N491



12mm Nylon Tap Tail Cold

Screw in flexible hose tail with sealing washer to secure the water supply firmly into leisure vehicle tap bodies.

Code: N486



12mm Nylon Tap Tail Cold Hot

Screw in flexible hose tail with sealing washer to secure the water supply firmly into leisure vehicle tap bodies.

Code: N487



Short Armoured Flexi Tail

A short armoured screw in flexible hose tail with sealing washer.

Code: N488



Luminous Press Switch

Replacement interior light switch, suitable for some older interior light assemblies.

Code: B272

THETFORD



Thetford 692801 SR Switch Panel

For T2152 fridges.

Code: R070

THETFORD



Thetford 692233 SR PCB LED & DM Display Board

For N4000 & retrofittable to N3000 fridges.

Code: R2126

THETFORD



Thetford 626972 LCD Display Board

For N90, N97, N100, N104, N109, N112, N145, N150 N175 and N180.

Code: R215

THETFORD



Thetford 692244 SR PCB+DM Battery System

Refrigerator board for all N4000 battery systems.

Code: R089

THETFORD



Thetford 692247 Fridge LED PCB

Suitable for all Thetford N3000/N4000 fridges.

Code: R090

THETFORD



Thetford 692234 SR LED Kit

Complete spares kit for N3000 series fridges.

Code: R2125

THETFORD



Thetford 692779 LED Light

LED lighting with housing for T2160/2175 compressor.

Code: R094

THETFORD



Thetford 692777 Interior Refrigerator Fan

T2138, T2152, T2160, T2175 fridge ventilator fan.

Code: R093

THETFORD



Thetford 692776 Fridge Thermistor & Cover

Thermistor for T2138, T2152, T2175 & compressor fridge.

Code: R092

THETFORD



Thetford 623077 SR Fridge Thermistor

For smart energy N range fridges.

Code: R214

THETFORD



Thetford 628450 Fridge Heating Element

220V/140W for N series fridges between July 2005-May 2009.

Code: R216

THETFORD



Thetford 691193 SR Heater Element

240V/300W AUS for N4000 fridges & retrofittable to N3000.

Code: R2161

THETFORD



Thetford 633572 Heating Element

12V/190W 9.5mm 45o for N series fridges.

Code: R217

THETFORD



Thetford 633573 Heating Element

230V/220W 9.5mm 45o for N series fridge.

Code: R218

THETFORD



Thetford 633575 Heating Element

230V/153W 8mm 45o for N series fridges.

Code: R219

THETFORD



Thetford 62445608 Shelf Food Retaining Bracket

For N80 fridge. 390mm L x 36mm W x 22mm D.

Code: R203

THETFORD



Thetford 62445708 Shelf Food Retaining Bracket

For N104/8/9/10/12/50/75. 390mm L x 36mm W x 18mm D.

Code: R204

THETFORD



Thetford 69111408 Shelf Food Retaining Bracket

For N3141/2 fridges. 325mm L x 35mm W.

Code: R205

THETFORD



Thetford 692789 Shelf Food Retaining Bracket

For T2138/T2152 fridges.

Code: R095

THETFORD



Thetford 692791 Shelf Clip

For T21** series fridges.

Code: R096

THETFORD



Thetford 692761 Large Shelf Clip

For T2000 & T1000 series fridges.

Code: R0961

THETFORD



Thetford 62362608 Small Shelf Clip

For Deluxe, Premium & N3000 models, for bottom shelf. 85 x 30mm.

Code: R199

THETFORD



Thetford 62362508 Large Shelf Clip

For Deluxe, Premium & N3000 models, for top shelf. 135 x 30mm.

Code: R200

THETFORD



Thetford 692794 Door Bin

For T2138/T2152/1152 fridges.

Code: R097

THETFORD



Thetford 62305508 Large Shelf

For N100/104/109/110 fridges. 455mm x 212.3mm.

Code: R201

THETFORD



Thetford 62304508 Middle/Bottom Shelf

For N415 fridge. 427.5mm x 203.3mm.

Code: R202

THETFORD



Thetford 62445480 Fridge Vent

For N80, N90, N100, N110, N112, N115, N3080, N3090, N3100, N3112. 483mm x 186mm.

Code: R207

THETFORD



Thetford 62445580 Winter Fridge Vent Cover

White 436mm x 130mm, to fit vent 480 x 183mm.

Code: R209

THETFORD



Thetford 62445525 Winter Fridge Vent Cover Swift

Grey 436mm x 130mm, to fit vent 483 x 186mm.

Code: R2105

THETFORD



Thetford 69109980 SR Vent Cover

389mm x 213mm, to fit vent 432mm x 257mm.

Code: R2106

THETFORD



Thetford 62445584 Winter Fridge Vent Cover

Grey 435 x 130mm, to fit vent 483 x 186mm.

Code: R211

THETFORD



Thetford 691877 SR Freezer Door

For T1152/T2138/T2152 models.

Code: R091

THETFORD



Thetford 692810 Drip Tray
For T1152/T2152 models.

Code: R072

THETFORD



Thetford 692758 Door Latch Plate
SR winter lock support for T1000 & T2000 models.

Code: R098

THETFORD



Thetford 62698527 SR V2 Fridge Door Latch
For N series fridges.

Code: R197

THETFORD



Thetford 62400127 Fridge Door Bottom Latch
For Deluxe, Premium & N3000 models.

Code: R198

THETFORD



Thetford 692805 Refrigerator Housing Sticker
Housing sticker control panel for refrigerator T2152.

Code: R071

THETFORD



Thetford 62698627 Storage Strap V2
Storage strap V2 for Thetford fridges and N112 fridge models from July 2005 onward.

Code: R231

THETFORD



Thetford SSPA0044 Argent Bump Stops
Ensures Argent Spinflo cooker, sink or K1520 closes smoothly.

Code: R2016

THETFORD



Thetford SSPA0045 Bump Stops
Provides a cushion between the glass lid and Spinflo cookers.

Code: R2017

THETFORD



Thetford SSPA0047 Pan Support Bushes
New push-style pan support grommet for Spinflo cookers/hobs. Pack of 50.

Code: R2019

THETFORD



Thetford SSPA0048 Bump Stops
Topline 260 Series bump stops prevents glass lid from falling. Pack of 3 through.

Code: R2020

THETFORD



Thetford SSPA0800 Pan Support Bushes
Push In Style Bushes stabilise cooker pan supports. Pack of 6.

Code: R2021

THETFORD



Thetford SSPA0009 Glass Lid Hinge Kit
Glass hinges for most Thetford cookers. Pack of 2 + hardware.

Code: R2001

THETFORD



Thetford SSPA0010 Glass Lid Hinge Kit

Lid hinge kit for the Thetford Cocina. Pack of 2 + hardware.

Code: R2002

THETFORD



Thetford SSPA0037 Detachable Grill Pan Handle

For Spinflo and Thetford grill pans. 150mm x 29mm.

Code: R2010

THETFORD



Thetford SSPA0040 Bump Stops

Different sizes to suit a range of Thetford cookers and bowls. Fitting screws included in kit.

Code: R2012

THETFORD



Thetford SSPA0041 Pan Support Clips

Aspire 1 & 2 Anti rattle pan support grommets complete with screws. Pack of 4.

Code: R2013

THETFORD



Thetford SSPA0042 Small Pan Support Clips

Small pan securing clips for Thetford stovetops and hobs. Pack of 50.

Code: R2014

THETFORD



Thetford SSPA0043 Large Pan Support Clips

Large Pan securing clips for Thetford stovetops and hobs. Pack of 50.

Code: R2015

THETFORD



Thetford SSPA0055 Lower Pan Storage Catch Lock

Nickel plated steel spring catch door retainer for pan cupboards and vanity bathroom cabinets.

Code: R2022

THETFORD



Thetford SSPA0062 Oven Door Seal Kit

Triplex 3, Duplex 3/4, Midi Prima 3, Caprice 3/4 & Aspire 1.

Code: R2030

THETFORD



Thetford SSPA0433 Gas Control Tap

Straight BYPO.36 Blue coaxial for Enigma cookers from October 2017 onwards.

Code: R2072

THETFORD



Thetford SCK17XXX Grill Gas Tap for Cocina

Gas tap for grill on Cocina cooker 4 hob burner.

Code: R2073

THETFORD



Thetford SSPA0430 Gas Control Tap

Medium, Straight, BYPO 37 Red for Midi, Prima Mk3/4, Caprice, Argent & Aspire Mk1 models.

Code: R2070

THETFORD



Thetford SSPA0432 Gas Control Tap

Straight 0.34 Type S. For Argent Hob, Aspire, Caprice, Cocina & Triplex Cooker.

Code: R2071

THETFORD



Thetford SSPA0450 Oven Thermostat Kit

Contains oven thermostat tap, saddle bracket & saddle mounting screws.

Code: R2074

THETFORD



Thetford SSPA0452 Gas Tap/Valve/Thermostat

Gas Valve/Thermostat for Midi Prima MK 3 & 4, Caprice 3, Aspire 1.

Code: R2075

THETFORD



Thetford SSPA0457 Oven/Grill Gas Tap

0.35 Type C, for Thetford Duplex.

Code: R2077

THETFORD



Thetford SSPA0470 Gas Control Tap Kit

Straight BYP0.45 white coaxial. For Cocina as a hob control tap rapid and Enigma grill tap.

Code: R2078

THETFORD



Thetford SSPA0472 Gas Grill Control Tap

Straight 45 Type. For Argent, Aspire, Caprice, Midi Prima & Cocina models.

Code: R2079

THETFORD



Thetford SSPA0381 Ignition Rocker Switch

Spinflo Duplex rectangular 12 Volt ignition switch.

Code: R2061

THETFORD



Thetford SSPA0382 Ignitor

Spinflo Duplex round piezo ignition switch.

Code: R2062

THETFORD



Thetford SSPA0384 Ignition Switch Button

Microswitch for lighting Thetford gas cookers.

Code: R2063

THETFORD



Thetford SSPA0399 Spark Generator Kit

Spark generator for spinflo MK3 12V cookers.

Code: R2064

THETFORD



Thetford SSPA0150 Hob Burner Thermocouples

2 x 250mm & 2 x 450mm.

Code: R2031

THETFORD



Thetford SSPA0154 Spade Grill Thermocouple

For Caprice 3/4 & Midi Prima. 600mm.

Code: R2032

THETFORD



Thetford SSPA0155 Spade Grill Thermocouple

Spinflo grill thermocouple. 600mm.

Code: R2033

THETFORD



Thetford SSPA0158 Thermocouple & Electrode Kit
For Duplex ovens.

Code: R2034

THETFORD



Thetford SSPA0321 Oven & Gril Spark Electrode Kit
For Midi Prima MK3 & Caprice MK3.

Code: R2060

THETFORD



Thetford SSPA0453 Oven Thermostat Kit
For Enigma & Cocina. 0.35 Type S.

Code: R2076

THETFORD



Thetford SSPA0672 Thermocouple & Shut Off Kit
For Aspire & Enigma. 6.3x0.8mm Faston. 320mm.

Code: R2081

THETFORD



Thetford SSPA0604 Thermocouple Kit
Thermocouples x3, lid shut off x1 & fixing kit x1. For Aspire 1.

Code: R2082

THETFORD



Thetford SSPA0605 Grill Shut Off Microswitch Kit Type C
Acts as a switch on your gas cooker's grill door. For Duplex 3/4, Triplex 3, Aspire 1 & Cocina.

Code: R2083

THETFORD



Thetford SSPA0606 Grill Shut Off & Thermocouple Kit
For Duplex & Triplex ovens.

Code: R2084

THETFORD



Thetford SSPA0625 Grill Thermocouple & Electrode Kit
For Aspire CK 13000 Cooker.

Code: R2085

THETFORD



Thetford SSPA0626 Oven Thermocouple & Electrode Kit
For Duplex & Triplex. 30mm probe.

Code: R2086

THETFORD



Thetford SSPA0627 Grill Thermocouple & Electrode Kit
For Duplex & Triple models.

Code: R2087

THETFORD



Thetford SSPA0629 Grill Thermocouple & Electrode Kit
For Duplex XL & others.

Code: R2088

THETFORD



Thetford SSPA0630 Grill Thermocouple & Electrode Kit
For Aspire C1. 450mm.

Code: R2089

THETFORD



Thetford SSPA0631 Grill Thermocouple & Electrode Kit
For Aspire C3. 300/700/780mm.

Code: R2090

THETFORD



Thetford SSPA0642 Oven Thermocouple & Electrode Kit
For Marine cookers. 1000/650mm.

Code: R2091

THETFORD



Thetford SSPA0643 Grill Thermocouple & Electrode Kit
For Caprice, Enigma & Mini Prima. 600/450mm 7.7S.

Code: R2092

THETFORD



Thetford SSPA0644 Grill Thermocouple & Electrode Kit
For Caprice, Enigma & Mini Prima. 600/450mm.

Code: R2093

THETFORD



Thetford SSPA0672 Hob Thermocouple
Spinflo, Hob S2, 6.3 x 0.8mm Faston, 320mm.

Code: R2094

THETFORD



Thetford SSPA0673 Hob Thermocouple
Spinflo, Hob S2 6.3 x 0.8mm Faston, 600mm.

Code: R2095

THETFORD



Thetford SSPA0675 Hob Thermocouple
For Aspire, Argent & Cocina. M6 7.7 x 0.8mm Faston, 250mm.

Code: R2096

THETFORD



Thetford SSPA0676 Hob Thermocouple
M6 7.7x0.8mm Faston, 450mm.

Code: R2097

THETFORD



Thetford SSPA0680 Hob Thermocouple
For Aspire, Argent, Cocina & more. 250mm.

Code: R2098

THETFORD



Thetford SSPA0681 Hob Thermocouple
For Aspire, rectangular/triangular 3 burner hob & Enigma. 290mm.

Code: R2099

THETFORD



Thetford SSPA0682 Hob Thermocouple
For Aspire, Argent, Cocina. 460mm.

Code: R2100

THETFORD



Thetford SSPA0685 Hob Thermocouple
For Aspire, Argent, triangular & rectangular. 290/500/600mm.

Code: R2135

THETFORD



Thetford SSPA0646 Grill Thermocouple
SPI5C. 600mm.

Code: R2136

THETFORD



Thetford SSPA0649 Oven Thermocouple & Electrode
For T/S SK. 1000mm.

Code: R2137

THETFORD



Thetford SSPA00742 Rubber Sink Seal Bezel
100mm. Fits Argent and majority of Thetford sinks.

Code: R2040

THETFORD



Thetford SSPA0208 Glass Bowl Lid
Glass lid for Topline 111 sink side.

Code: R2049

THETFORD



Thetford SSPA0220 Glass Lid
Argent replacement clear glass lid.

Code: R2050

THETFORD



Thetford SSPA0230 Glass Lid
Aspire BK replacement clear glass lid. 490mm x 425mm.

Code: R2051

THETFORD



Thetford SSPA0232 Glass Lid
Aspire BK 3 Piece replacement clear glass lid. 490mm x 425mm.

Code: R2052

THETFORD



Thetford SSPA0233 Glass Lid
Caprice replacement solid black glass lid. 490 x 445mm.

Code: R2053

THETFORD



Thetford SSPA0234 Glass Lid
Caprice replacement clear glass lid. 490 x 445mm.

Code: R2054

THETFORD



Thetford SSPA0235 Glass Lid
Triplex & Caprice replacement Grey tinted glass lid. 445mm.

Code: R2055

THETFORD



Thetford SSPA0253 Inner Door Glass
Duplex 3/4 & Triplex. 359 x 288mm.

Code: R2056

THETFORD



Thetford SMA05080.BK03X Oven Door
Black Alps 30° Cocina 2 replacement oven door.

Code: R2220



Universal Oven & Fridge Shelf

The extending shelf is expandable to fit a range of ovens and fridges.

Code: N101

THETFORD



Thetford SSPA0980 Oven Shelf

For Aspire, Caprice MK3, Prima Midi. 370 x 315mm.

Code: R2120

THETFORD



Thetford SSPA0982 Oven Shelf

For Duplex & Triplex. 368 x 362 mm.

Code: R2121

THETFORD



Thetford 623019 Steel Gas Burner & Jet

4 slots, for most small Deluxe, Premium and N3000 fridges.

Code: R212

THETFORD



Thetford 623058 Steel Burner & Jet

5 Slots for most larger/full sized Deluxe, Premium and N3000 fridges.

Code: R213

THETFORD



Thetford SSPA0114 Burner Assembly

Spinflo medium burner CAP, SR BNR, SAB S2 Camper, Skirtless Gloss cap.

Code: R2122

THETFORD



Thetford SSPA0116 Burner Assembly

Spinflo Aspire 1 medium Black burner.

Code: R2123

THETFORD



Thetford SSPA0811 Burner Assembly

Small universal Auxillary burner.

Code: R2101

THETFORD



Thetford SSPA0812 Burner Assembly

Medium semi rapid burner assembly. 73mm.

Code: R2102

THETFORD



Thetford SSPA0813 Burner Assembly

Triplex large burner kit.

Code: R2103

THETFORD



Thetford SSPA0550 Hotplate

Spinflo Hotplate 800w Aspire 2 Argent.

Code: R2080

THETFORD



Thetford SSPA0900.BNK Knob Set

6 brushed Nickel knobs for Aspire 2, Triplex 3, Caprice Mk3 & more.

Code: R2110

THETFORD



Thetford SSPA0901.BK Knob Set

6 Black knobs for Spinflo.

Code: R2111

THETFORD



Thetford SSPA0901.MNK Knob Set

6 Matt Nickel knobs for Spinflo.

Code: R2112

THETFORD



Thetford SSPA0902.SA Knob Set

6 Black Satin knobs for Enigma.

Code: R2113

THETFORD



Thetford SSPA0903.SA Knob Set

6 Black Satin knobs for Enigma.

Code: R2114

THETFORD



Thetford SSPA0904.BK Knob Set

6 Black teardrop knobs.

Code: R2115

THETFORD



Thetford SSPA0904.MNK Knob Set

6 Matt Nickel teardrop knobs.

Code: R2116

THETFORD



Thetford SSPA0911.MNK Knob Set

3 Matt Nickel knobs for most cookers.

Code: R2117

THETFORD



Thetford SSPA0916.BNK Knob Set

3 Brushed Nickel knobs for most cookers.

Code: R2118

THETFORD



Thetford SSPA0933.CR Knob Set

6 Chrome Spinflo knobs.

Code: R2130

THETFORD



Thetford 0749362 Porta Potti Dump Cap

White replacement for all Porta Pottis.

Code: R134

THETFORD



Thetford 1638478 Waste Tank Dump Cap

Yellow, for waste ppout on cassettes C2/C3/C4 & C200.

Code: R135

THETFORD



Thetford 2581078 Measuring Cup Dump Cap

Yellow, for C2/C3/C4 & C200. measurements in ML or OZ.

Code: R136

THETFORD



Thetford 2581079 Measuring Cup Dump Cap

White for C2/C3/C4 & C200. measurements in ML or OZ.

Code: R137

THETFORD



Thetford 1290179 Waterfill Cap

Small, White for Porta Pottis waterfill.

Code: R138

THETFORD



Thetford 1684816 Water Filler Cap

Green cap for C2/C4/C400/C500.

Code: R139

THETFORD



Thetford 07101 Lip Seal

For Porta Pottis 135, 145, 165, 235, 245, 265, 335, 345, 365, 465 and 565.

Code: R140

THETFORD



Thetford 16175 Lip Seal

Lip seal for cassette toilets C1/2/3/4 pre June 2000.

Code: R141

THETFORD



Thetford 23721 Lip Seal

Lip seal for cassette toilets C2/3/4, C500/C250/C260/C400.

Code: R142

THETFORD



Thetford 07102 Vent Seal

Vent seal Porta Potti 100/200/300/400 toilets.

Code: R143

THETFORD



Thetford 21528 Vent Seal

Vent seal for automatic vents for C200/C260/C250/C260 & C2/3/4.

Code: R144

THETFORD



Thetford 20339 Vent Seal

Vent seal for floating vents C2/3/4/C200.

Code: R224

THETFORD



Thetford 26601 Door Seal

Rubber Seal for service door 3 cassette toilet external access door.

Code: R186

THETFORD



Thetford 26610 Door Seal

Rubber Seal for service door 5 cassette toilet external access door.

Code: R187

THETFORD



Thetford 50724 Seal Holding Tank Mechanism

For C250/260/400/500.

Code: R084

THETFORD



Thetford 752478 Vent Button

SC234 cassette tank vent button
Yellow.

Code: R086

THETFORD



Thetford 2372274 Tank Vent

Auto vent valve for cassette toilets
C2/C3/C4/C200/C220.

Code: R145

THETFORD



Thetford 0786262 Bellows Flush Pump

Bellows flush pump kit for Porta Potti.

Code: R146

THETFORD



Thetford 2373962 Flush Pump

Manual flush pump for C200CW
cassette toilet.

Code: R147

THETFORD



Thetford 23845 Pump Retainer

For pump on C200CWE cassette
toilet.

Code: R148

THETFORD



Thetford 16374 Electric Pump

12V flush pump for C200CW/E, C2/4.

Code: R149

THETFORD



Thetford 50712 Electric Pump

12V flush pump for C250CWE.

Code: R150

THETFORD



Thetford 93418 Electric Pump & Control Panel Sticker

12V flush pump for C262CWE.

Code: R080

THETFORD



Thetford 93435 Electric Pump

12V flush pump for C222/263SWE.

Code: R081

THETFORD



Thetford 2581879 Piston Pump

White Piston Pump For Porta Potti
345/365.

Code: R225

THETFORD



Thetford 2581868 Piston Pump

Grey Piston Pump For Porta Potti
345/365.

Code: R226

THETFORD



Thetford 2581779 Piston Pump

White Piston Pump For Porta Potti 335.

Code: R227

THETFORD



Thetford 2133374 Sliding Waste Cover

Moon Grey for C2/C3/C4/C200.

Code: R151

THETFORD



Thetford 5071806 Sliding Waste Cover

Dark Grey for C250/C260.

Code: R152

THETFORD



Thetford 3230106 Sliding Waste Cover

Dark Grey for C400/C500.

Code: R153

THETFORD



Thetford 2374378 Holding Tank Blade Opener

For C200 holding tank.

Code: R154

THETFORD



Thetford 50731 Camping Toilet Blade

Blade for C250/260/400.

Code: R155

THETFORD



Thetford 1637974 Blade Mechanism

For C2/3. including screw, switch cover, fuse, cable, link & more.

Code: R156

THETFORD



Thetford 50760 Ring Blade Mechanism

Engages with saddle gear to operate the tank mechanism & blade for C250/260.

Code: R085

THETFORD



Thetford 5072706 Holding Tank Mechanism

Waste holding tank mechanism including lipseal for C250/C260.

Code: R157

THETFORD



Thetford 3233106 Holding Tank Mechanism

Waste holding tank mechanism including lipseal for C400/500 right hand.

Code: R158

THETFORD



Thetford 3233206 Holding Tank Mechanism

Waste holding tank mechanism including lipseal for C400/500 left hand.

Code: R159

THETFORD



Thetford 16833 Vacuum Breaker For Cassettes

Vacuum breaker for cassettes C200, C250 S/CS/CWE, C262, C263 S/CS/CWE, C403 and C503.

Code: R160

THETFORD



Thetford 2371462 Reed Switch

Reed switch for C200S.

Code: R161

THETFORD



Thetford 93408 C260 Reed Switch Single Level
PCB board houses magnetically operated reed & relay switch to provide water level feedback.

Code: R083

THETFORD



Thetford 50714 C250 Reed Switch Single Level
PCB board helps your toilet measure the water level.

Code: R162


THETFORD



Thetford 50715 C250 Reed Switch Multi-Level
For toilet models which have two or four button control panels and multi level indication.

Code: R163

THETFORD



Thetford 50713 C250 Reed Switch Circuit Board
Small circuit board incorporating the reed switch that senses the waste tank level.

Code: R164

THETFORD



Thetford 23792 Electronic Flush Switch Kit
Replacement Electric Flush Switch Kit for C200CWE.

Code: R165

THETFORD



Thetford 23709 Electric Valve Assembly
Opens the flush supply of C3/200/220/250/260/400.

Code: R166

THETFORD



Thetford 50709 PCB Circuit Board
SN control panel flushing switch for C250/C260 cassette toilet.

Code: R167

THETFORD



Thetford 23718 LED Flush Level Indicator
Level indicator for C200 cassette toilets.

Code: R168

THETFORD



Thetford 23738 Wiring Harness & Battery Holder
For C200CW not suitable for the C200CWE.

Code: R177

THETFORD



Thetford 50763 Flush & Level Indicator Wiring Harness
Wiring loom harness & Pump for C250 cassette toilet.

Code: R178

THETFORD



Thetford 50761 Wiring Harness
Replacement wire harness for C250S/C250CS.

Code: R179

THETFORD



Thetford 93423 Wiring Harness
Wiring harness for C260CWE cassette toilet.

Code: R180

THETFORD



Thetford 2377162 Bezel With Microswitch

Bezel with push button & flush switch for C200CWE.

Code: R169

THETFORD




Thetford 2384662 Control Panel Assembly

Switch & panel assembly for C200CS.

Code: R170

THETFORD



Thetford 50710 Control Panel

Fits beneath the overlay on C250 with two buttons and advanced level indicators.

Code: R171

THETFORD



Thetford 5181062 Control Panel Assembly

Control panel replacement for C400C.

Code: R173

THETFORD



Thetford 5181262 Control Panel Assembly

Control panel replacement for C403.

Code: R174

THETFORD



Thetford 50708 Control Panel Overlay Sticker

Overlay sticker for C250.

Code: R175

THETFORD



Thetford 93403 Control Panel Overlay Sticker

Overlay sticker for C260.

Code: R176

THETFORD



Thetford 1637762 Flush Knob Assembly

For C2/3/4.

Code: R223

THETFORD



Thetford 93416 Ventilator Filter

For C260 auto ventilator.

Code: R082

THETFORD



Thetford 2379180 Water Fill Hatch

White fill door for easy external access to the water tank. Including lock & keys for C200/C224.

Code: R181

THETFORD



Thetford 2662680 Cassette Access Door Service Kit

Spares kit to repair the access door C3/4/5.

Code: R190

THETFORD



Thetford 2354280 Water Fill Hatch

White fill door for easy external access to the water tank. Including lock & keys for C200/C224.

Code: R2600

THETFORD



Thetford 26430 Hinge Pins

Hinge pins for door 3 & 5. Length 150mm.

Code: R188

THETFORD



Thetford 26602 Hinge Pin

Hinge pin to fit service doors 3/4/5 and bat box. Length 99mm.

Code: R189

THETFORD



Thetford 26604 Zadi Lock & 2 Keys

Zadi lock & 2 keys to fit service doors 3/4/5/6/7.

Code: R183

THETFORD



Thetford 1683157 Obervec Lock

Lock for service doors 2, 3 & 4.

Code: R185

THETFORD



Thetford 2660780 Plastic Lock Housing

Plastic lock housing for Zadi lock 26604.

Code: R184

THETFORD



Thetford 26620 Soft Tray Battery Bag

Designed to hold any leakage from your battery. 39 x 19 x 19.5mm.

Code: R228



Crusader Products Burner

Replacement burner for Gordon BBQ V950.

Code: V949



Royal Leisure Door Assembly

Black door assembly for RL50B.

Code: RLSP00100



Royal Leisure Door Panel

Black door panel for RL50B.

Code: RLSP00101



Royal Leisure Door Baffle

Black door baffle for RL50B.

Code: RLSP00102



Royal Leisure Fixed Shaft Left up Hinge

Black fixed shaft left up hinge for RL50B.

Code: RLSP00103



Royal Leisure Left up Hinge

Black left up hinge for RL50B.

Code: RLSP00104



Royal Leisure Right up Hinge
Black right up hinge for RL50B.

Code: RLSP00105



Royal Leisure Fixed Shaft Right up Hinge
Black fixed shaft right up hinge for RL50B.

Code: RLSP00106



Royal Leisure Right Hinge Cap
Black right hinge cap for RL50B.

Code: RLSP00107



Royal Leisure Left Hinge Cap
Black left hinge cap for RL50B.

Code: RLSP00108



Royal Leisure Left Handle
Black left handle for RL50B.

Code: RLSP00109



Royal Leisure Right Handle
Black right handle for RL50B.

Code: RLSP00110



Royal Leisure Left Deadblot Limit Block A
Black left deadblot limit block A black for RL50B.

Code: RLSP00111



Royal Leisure Left Deadblot Limit Block B
Black left deadblot limit block B Black for RL50B.

Code: RLSP00112



Royal Leisure Right Deadblot Limit Block A
Black right deadblot limit block A Black for RL50B.

Code: RLSP00113



Royal Leisure Right Deadblot Limit Block B
Black right deadblot limit block B Black for RL50B.

Code: RLSP00114



Royal Leisure Door Bin
Clear door bin for top of door on RL50.

Code: RLSP00120



Royal Leisure Door Bin
Clear door bin for bottom of door on RL50.

Code: RLSP00121



Royal Leisure Door Bin
Clear door bin clapboard for RL50.

Code: RLSP00122



Royal Leisure Control Panel Label
Control panel label for RL50.

Code: RLSP00125



Royal Leisure Light Cover with PCBA
Light cover with PCBA for RL50.

Code: RLSP00126



Royal Leisure Freezer Door Handle
Freezer door handle for RL50.

Code: RLSP00127




Royal Leisure Dip Wire Tray
Dip wire tray for RL50.

Code: RLSP00128




Royal Leisure Glass Shelf with Front & Rear Stop
Glass shelf with front & rear stop for RL50.

Code: RLSP00129




Royal Leisure Crisper Bin
Crisper bin for RL50.

Code: RLSP00130




Royal Leisure Insulated Column
Insulated column for RL50.

Code: RLSP00131



Royal Leisure Screw in Foot
Screw in foot for RL50.

Code: RLSP00132



Royal Leisure Condenser Fan
Condenser DC12V 0.18A fan for RL50.

Code: RLSP00133



Royal Leisure Compressor Control Driver
Compressor control driver for RL50.

Code: RLSP00134



Royal Leisure Door Lower Shaft
Door lower shaft for RL50.

Code: RLSP00135



Royal Leisure Nylon Spacer
Nylon spacer for RL50.

Code: RLSP00136



Royal Leisure Lower Hinge
Lower hinge for RL50.

Code: RLSP00137



Royal Leisure Upper Right Guide Post
Upper right guide post for RL50.

Code: RLSP00138



Royal Leisure Upper Left Guide Post
Upper left guide post for RL50.

Code: RLSP00139



Royal Leisure Deadbolt Spring
Deadbolt spring for RL50.

Code: RLSP00140



Royal Leisure Door Assembly
Silver door assembly for RL50S.

Code: RLSP00200



Royal Leisure Door Panel
Silver door panel for RL50S.

Code: RLSP00201



Royal Leisure Door Baffle
Silver door baffle for RL50S.

Code: RLSP00202



Royal Leisure Fixed Shaft Left Up Hinge
Silver fixed shaft left up hinge for RL50S.

Code: RLSP00203



Royal Leisure Left Up Hinge
Silver left up hinge for RL50S.

Code: RLSP00204



Royal Leisure Right Up Hinge
Silver right up hinge for RL50S.

Code: RLSP00205



Royal Leisure Fixed Shaft Right Up Hinge
Silver fixed shaft right up hinge for RL50S.

Code: RLSP00206



Royal Leisure Right Hinge Cap
Silver right hinge cap for RL50S.

Code: RLSP00207



Royal Leisure Left Hinge Cap
Silver left hinge cap for RL50S.

Code: RLSP00208



Royal Leisure Left Handle
Silver left handle for RL50S.

Code: RLSP00209



Royal Leisure Right Handle
Silver right handle for RL50S.

Code: RLSP00210



Royal Leisure Left Deadblot Limit Block A
Silver left deadblot limit block A for RL50S.

Code: RLSP00211



Royal Left Deadblot Limit Block B
Silver left deadblot limit block B for RL50S.

Code: RLSP00212



Royal Right Deadblot Limit Block A
Silver right deadblot limit block A for RL50S.

Code: RLSP00213



Royal Right Deadblot Limit Block B
Silver right deadblot limit block B for RL50S.

Code: RLSP00214



DC COMPRESSOR REFRIGERATOR



See Page 72



Coleman Fuel Generator For 282/285 Lanterns

Coleman fuel generator for 282/285 lanterns.

Code: R451



Coleman Fuel Generator For 533/442/440 Sgl. Stove

Coleman fuel generator for 533/442/440 sgl. stove.

Code: R455



Coleman Pump Plunger Repair Kit - All Models

Includes plunger assembly, pump cup & clip, push on nut & spring.

Code: R457



Coleman Pump Cup Package & Back Up Plate

For pump assembly on all Coleman stoves.

Code: R458



Coleman Filler Cap

Fits all lanterns and stoves.

Code: R459



iMass Spare Heat Exchanger Assembled

Heat exchanger for iMass water heaters.

Code: S5701



iMass Burner Assembly

Burner assembly for iMass water heaters.

Code: S5702



iMass 300mm Silicone Tube

Silicone tube for iMass water heaters.

Code: S5703



iMass Water Flow Sensor

Water flow sensor for iMass water heaters.

Code: S5704



iMass Water Drain Valve

Water drain valve for iMass water heaters.

Code: S5706



iMass Service Door

Code	Description
S5707	White
S5708	Black



iMass Hot Water Sensor

Hot water sensor for iMass water heaters.

Code: S5721



Imass Pressure Relief Valve

Pressure relief valve for Imass water heaters.

Code: S5709



Imass Pressure Switch

APS, air flow sensor for Imass water heaters.

Code: S571



Imass Thermostat

Thermostat for Imass water heaters.

Code: S5710



Imass Gas Valve

Gas valve for Imass water heaters.

Code: S5712



Imass B151 IS

B151 for Imass water heaters.

Code: S5713



Imass Display Panel

Display panel for Imass water heaters.

Code: S5714



Imass Electronic Control

Control panel for Imass water heater.

Code: S5715



Imass B736P-WE Cable

B736P-WE cable for Imass water heaters.

Code: S5716



Imass Power Cord

Power cord for Imass water heaters.

Code: S5717



Imass Display Cable

Display cable for Imass water heaters.

Code	Description
S5718	0.6m
S5719	5m
S57191	6m



Imass Cold Water Sensor

Cold water sensor for Imass water heaters.

Code: S5720



Imass O-Ring Set

O-Ring set for Imass water heaters.

Code: S5733



Imass Exhaust Pipe

Exhaust pipe for Imass water heaters.

Code: S5722



Imass Gas Inlet

Gas inlet for Imass water heaters.

Code: S5723



Imass Door Lock

Door lock for Imass water heaters.

Code: S5724



Imass Gas Inlet Cap Nut

Gas inlet cap nut for Imass water heaters.

Code: S5725



Imass 8mm Sealing Olive

8mm sealing olive for Imass water heaters.

Code: S5726



Imass Complete Blower

Complete blower for Imass water heaters.

Code: S5727



Imass Complete Screw & Washer Set

One of every screw and washer for Imass water heaters.

Code: S5728



Imass Spare Protection Gas Inlet Cap

Protection gas inlet cap for Imass water heaters.

Code: S5729



Imass Water Protection Cap

Water protection cap for Imass water heaters.

Code: S5730



Imass Venturri Nozzle

Venturri nozzle for Imass water heaters.

Code: S5731



Imass Dust Cap for Door Lock

Dust cap lock cover for Imass water heaters.

Code: S5732





 **CRUSADER**
PRODUCTS *Live life...Live leisure*